CORRIGENDUM I

NAME OF THE WORK: _"Part A: Bank protection measure at Jorabagan area between Jaganath Ghatt to Nimtala Ghat of Kolkata and Part B: River protection work for proposed Cafeteria Cum Lounge at Outram Ghat."

NIT NO.: SMPK/KDS/CIV/T/2766/38 dt. 14.06.2023.

Reference to the subject tender, please find the followings vide this corrigendum-I.

- i) Revised dates of submission & opening of tender.
- ii) 2(Two) nos. drawings (attached herewith), which will form part of the Tender Document.

In continuation to the above mentioned NIT No. following is further notified.

SI. No.	Page Reference	In place of	To be read as
5.	Page Ref. 4,12,13,14,45,46 and 47 & wherever applicable.	Last date of Submission of online tender:- 20.07.2023 upto 15.00 Hrs.	Last date of Submission of online tender:- 31.07.2023 upto 15.00 Hrs.
	Do	Date of opening of online tender:- 21.07.2023 after 13.00 Hrs.	Date of opening of online tender:- 01.08.2023 at 13.00 Hrs.

Bidders are requested to upload this 'CORRIGENDUM-I' duly signed under office seal along with their Techno-Commercial Bid (Part-I) as an acknowledgement and acceptance.

This shall form part of the tender document.

All other terms & conditions and clauses will remain same as per original.

Typical Section of Bank Protection Measure - Type A' (JORA BAGAN) 8.00 7.50 7.00 0.70 mt thick Aremour Layer of Latavite Boulder (30-60 kgs) in P. P. Rope Goalin. 6.50 1 Ow 6.00 5.50 WOVEN POLY Propyle 5.00 1. out Wide. Geotostila Mattress 4.50 1.20 m thick Boulder loyer in P.P. Rope Grayion 4.00 3.50 1.50 mt thick Beulder Loyer in P.P. Rope Gabion. 3.00 2.50 120 mt thick Boulder Layer in P.P. Rope Grabion; 2.00 1. SW ACD 0.7mt thick Boulder Layer in P. P. Rope Grabic 1.50 End of Madhress 1.00 1.0 mt 0.50 0.00 -0.50River Bed Bolil. -1.00-1.50 -2.00

A R

5-16/1341

Typical Section of Bank Protection Measure-Type B' (JORA

