

No.KOPT/KDS/CIV/T/2149/2137

Date: 14.2.2017

CORRIGENDUM-I**Ref. Tender Notice No.: KOPT/KDS/CIV /T/2149/61 Dt. 31.01.2017****E Tender No. KoPT/Kolkata Dock System/CE/228/16-17/ET/525****Name of Work :-E- Tender for “Reconstruction of Bay No. 2 & 3 of the CPY and other allied works at N.S Dock.**

R	P	H
<p>Clause no. 31 of Special Conditions of Contract at Page no. 26 under head “TESTING OF MATERIALS”: & also wherever applicable</p>	<p>A. The Contractor shall undertake all field tests and laboratory tests for all such materials and workmanships as directed by the Engineer or his representative at his own cost.</p> <p>The samples shall be taken for test jointly by the representatives of the Engineer and the contractor at the worksite and tested /sent to a Govt. registered laboratory or Institutional laboratory as may be decided by the Engineer for testing. In case of field test, the contractor shall undertake the test by his own testing equipments or by any approved agency in presence of the representatives of the Engineer and the contractor at the worksite. All the testing charges and all incidental charges like packaging and transporting the test samples, equipments etc. shall be borne by the Contractor.</p> <p>B. Regarding testing of concrete strength, the Contractor shall have to arrange for core test of the concrete laid at his own cost as and where necessary or as directed by the Engineer and the concrete shall have to pass both the core test (if necessary) and the cube test in addition to the other usual tests. In case of failure in any of the tests, the Contractor shall have to completely dismantle and</p>	<p>7.2.2017</p> <p>A. The Contractor shall undertake all field tests and laboratory tests for all such materials and workmanships as directed by the Engineer or his representative at his own cost.</p> <p>The samples shall be taken for test jointly by the representatives of the Engineer and the contractor at the worksite and tested /sent to a Govt. registered laboratory or Institutional laboratory as may be decided by the Engineer for testing. In case of field test, the contractor shall undertake the test by his own testing equipments or by any approved agency in presence of the representatives of the Engineer and the contractor at the worksite. All the testing charges and all incidental charges like packaging and transporting the test samples, equipments etc. shall be borne by the Contractor.</p> <p>B. Regarding testing of concrete strength, the Contractor shall have to arrange for core test of the concrete laid at his own cost as and where necessary or as directed by the Engineer and the concrete shall have to pass both the core test (if necessary) and the cube test in addition to the other usual tests. In case of failure in any of the tests, the Contractor shall have to completely</p>

	<p>recast the concrete as per the direction of the Engineer at his own cost. For this, the Contractor shall also have to maintain a laying register jointly signed by the Contractor and representative of the Trustees to identify each batch of concrete and its location of laying.</p>	<p>dismantle and recast the concrete as per the direction of the Engineer at his own cost. For this, the Contractor shall also have to maintain a laying register jointly signed by the Contractor and representative of the Trustees to identify each batch of concrete and its location of laying.</p> <p><u>C.</u> The mix design for the M 40 Grade Concrete is to be done as per IRC 44 and I.S. 10262. The bidders are advised to take this into consideration while quoting their rates.</p>
--	--	--



KOPT/KDS/CIV /T/2149/61 Dt. 31.01.2017

E Tender No. KoPT/Kolkata Dock System/CE/228/16-17/ET/525

Superintending Engineer

For मुख्य अभियंता / Chief Engineer