A kv\kA kPk U'PTk TZkkbk

KOLKATA PORT TRUST सिविल इंजीनियरिंग विभाग

Civil Engineering Department वरिष्ठ कार्यकारी अभियंता, के पी डॉक्स ..का कार्यालय Office of the Senior Executive Engineer, K.P. Docks

51,सी. जी. आर. रोड, कोलकाता 700043

51, C.G.R. Road, Kolkata - 700 043 फोन 2439 :- 7079,2409 -3001, एक्सटेंशन:353

Phone: 2439 - 7079, 2409-3001, Extension: 353

Tender Notice No.: SEE/ KP/ 15-16/511/D/46 Dated: 14.01.16

Sealed tenders are invited from resourceful, experienced and bonafide Registered Contractors of KoPT for the subject work as per following Prequalification Criteria:

Tenderer should have experience in similar works like **Civil Engineering Construction / maintenance works** and have successfully completed similar works during last 7 (seven) years ending last day of month previous to the one in which applications are invited should be either of the following:

- (A) a) Three similar completed works costing not less than the amount equal to 40% of the estimated cost put to tender.
- b) Two similar completed works costing not less than the amount equal to 50% of the estimated cost put to tender.
- c) One similar completed work costing not less than the amount equal to 80% of the estimated cost put to tender.
- (B) The intending tenderer should have average Annual Financial turnover during the last 3 years ending 31stMarch of the previous financial year should be at least 30% of the estimated amount put to tender.

Similar works means Civil Engineering Construction / maintenance works

Name of the Work: Tender for Civil works essential at KPD-II in connection with proposed withdrawal of CISF and concurrent taking over by Port Security Organisation.

Estimated Amount: **Rs. 2,17,337.46**

Earnest Money: Rs. 4,400.00

Time of Completion: $2^{1}/_{2}$ (Two & Half) months from the date of placement of order.

Tender documents can be obtained from the office of the undersigned during office hours on any working day and up to **12:00 noon on 27.01.16** on payment of **Rs. 300.00 p.** only per set (non-refundable) on application in duplicate or may be downloaded from the KoPT website www.kolkataporttrust.gov.in before 12:00 noon on **27.01.16**.

The tenders must be submitted along with copy of VAT, ESI Registration Certificate, P. F. Registration certificate, I.T. PAN Card, Trade License, Valid Labour License (if applicable) and documentary evidences in support of Prequalification criteria as mentioned above by **3:00 P.M.** on **28.01.16** fulfilling conditions of Para above or **Clause No. 5** of the second page of tender documents as per KoPT website www.kolkataporttrust.gov.in. Tenders will be opened shortly after **3:00.P.M**. on the same day in presence of tenderers or their authorised representatives who may wish to be present. In the event of any unforeseen circumstances such as holidays, bandhs, strikes etc., on that day, the tenders may be submitted by 3:00 P.M. on the next working day, and will be opened shortly after 3:00 P.M. on the same day. All other conditions shall remain the same.

वरिष्ठ कार्यकारी अभियंता, , के पी डॉक्स Sr. Executive Engineer, K. P. Docks.





A kv\kA kPk U'PTk TZkkbk

KOLKATA PORT TRUST सिविल इंजीनियरिंग विभाग Civil Engineering Department वरिष्ठ कार्यकारी अभियंता, के पी डॉक्स ..का कार्यालय



Office of the Senior Executive Engineer, K.P. Docks

51,सी. जी. आर. रोड, कोलकाता 700043 51, C.G.R. Road, Kolkata – 700 043

फोन 2439 :- 7079,2409 -3001, एक्सटेंशन:353 Phone: 2439 - 7079, 2409-3001, Extension: 353

Re.: Tender for Civil works essential at KPD-II in connection with proposed withdrawal of CISF and concurrent taking over by Port Security Organisation.

Sealed tenders are invited from resourceful, experienced and bonafide Registered Contractors of KoPT for the subject work as per following Prequalification Criteria at **Percentage Above par / At par/Below par** of estimated cost put to tender as shown in the Bill of Quantities in accordance with this Notice Inviting Tender, the General Conditions of Contract, Special Conditions of Contract, Specifications for materials and workmanship and Bill of Quantities for this particular contract.

Essential Pre-qualification Criteria:

- A) Tenderer should have experience in **Civil Engineering construction / maintenance works** and have successfully completed similar works during last **7(seven) years** ending last day of month previous to the one in which applications are invited should be either the following:
- a) Three similar completed works costing not less than the amount equal to 40% of the estimated cost put to tender.
- b) Two similar completed works costing not less than the amount equal to 50% of the estimated cost put to tender.
- c) One similar completed work costing not less than the amount equal to 80% of the estimated cost put to tender.
- B) The average Annual Financial turnover of the intending tenderer during the last **3 years** ending **31**st **March** of the previous financial year should be at least 30% of the estimated amount put to tender.

Similar works means Civil Engineering construction / maintenance works.

- 2. The Trustees' General Conditions of contract, Schedules of rates may be inspected at this office during office hour. Rest of the documents like Special Conditions of Contract, B.O.O. etc. are attached herewith.
- 3. In case of a tenderer who has already deposited a Permanent Security with the KoPT under the new rules, he shall be bound by the Clauses of the General Conditions of the Contract pertaining to Earnest Money and Security Deposits for Registered Contractors.
- 4. The tenderers, who are tendering beyond their financial limit as per their class of enlistment with KoPT, as per New Rules, are requested to deposit a sum of Rs. 4,400.00 as Earnest Money in from of Bankers' cheque / Demand Draft / Pay order in favour of "KOLKATA PORT TRUST" on any Schedule Bank payble at Kolkata before submission of the tender. The original Bankers' cheque / Demand Draft / Pay order must be attached with the tender. This amount will be refunded to the unsuccessful tenderers without any interest. In case of being the successful tenderer, this amount will be adjusted against the Security Deposit as per the relevant clause of the G.C.C.

- The tenderers (Registered contractors of KoPT) may also submit the tender getting downloaded before 12 noon on 27.01.16 from the website of KoPT. In that case the bidding party shall have to pay the amount of Rs. 300.00 (non-refundable) towards the cost of bid document by draft or banker's cheque drawn in favour of 'Kolkata Port Trust' at the time of submission of tender documents.
- 6. The rates quoted by the Contractor must be valid up to **4(four)** months after opening.
- 7. The rate quoted by the tenderer should be complete in all respect and should include all taxes, octroi, surcharge etc. and no extra payment, whatsoever will be entertained by the Trustees' under any circumstances except Service Tax. Which is to be dealt as per clause No.26 & 27 in special condition of contract.
- 8. While quoting the rate it should be noted that the tenderer should on no account overwrite the figures. Any correction necessary, should be made by cancelling the original figures and writing the corrected figures on the top. All such corrections should be initialled by the tenderer. If the figures are tampered with, the tender shall be liable to be rejected.
- 9. If there is any disparity between the quoted rate in percentage and the Tender Amount, the rate quoted in percentage shall prevail as the rate quoted by the tenderer and the Tender Amount shall be derived by adding/subtracting (as the case may be) this percentage with/from the Estimated Value put to tender. Similarly in case of disparity between the rate quoted in figures and in words, the rate quoted in words shall prevail.
- 10. The tender duly filled in, totalled and signed along with the following documents shall be submitted in sealed cover superscribed the above name of work so as to reach this office within 3 P.M. on **28.01.16.**The tender will be opened shortly after 3 P.M., on the same day and the intending tenderers or their authorised representatives may attend. In the event of any unforeseen circumstances such as holidays, bandhs, strikes etc., on that day, the tenders may be submitted by 3 P.M. on the next working day, and will be opened shortly after 3 P.M. on the same day.
 - a. Copy of the documents in support of Essential Prequalification Criteria as mentioned in **Clause A** above.
 - b. Copy of Vat Registration Certificate.
 - c. Copy of ESI Regd. Certificate or copy of documents as mentioned in Clause No.: 23 of Special Conditions of Contract.
 - d. Copy of PAN Card
 - e. Trade License
 - f. Annual Financial Turnover as mentioned in Clause-B above.
 - g, Certified copies of PF Registration Certificate.
 - h. Certified copy of service tax registration, if applicable.
- 11. All tenderer should enclose a check list duly filled up enclosing the relevant documents as per the Proforma attached with the tender documents. In case, it is found that in spite of giving undertaking in the checklist, if any tenderer fails to quote and/ or if any particulars furnished in the checklist are found incorrect, they will also be warned.
 - In case the same enlisted contractors repeat such mistake on second occasion, his fixed Security Deposit would be forfeited and he will be debarred in participating in future tenders

Proforma of Check list (**Marked Annexure – B)** should be attached as a covering letter along with sealed envelop containing the offer.

The undersigned does not bind himself to accept the lowest or any tender or to assign any reason there for and also reserve the right to accept or reject any or all the tenders in part or whole.

Enclose: All papers as stated above.

Yours faithfully,

Sd/-वरिष्ठ कार्यकारी अभियंता, , के पी डॉक्स Sr. Executive Engineer, K. P. Docks Tender for Civil works essential at KPD-II in connection with proposed withdrawal of CISF and concurrent taking over by Port Security Organisation.

Scope of the Work:

The work comprises of **Civil works essential at KPD-II in connection with proposed withdrawal of CISF and concurrent taking over by Port Security Organisation** as per the items described and set forth in the particular Bill of Quantities & Specifications all in accordance with the Trustees' General conditions and Special Conditions of Contract.

SPECIAL CONDITIONS OF CONTRACT

1. **General**

These conditions are part of the tender documents, which must be read as a whole, the various sections being complimentary to one another, and are to be taken as mutually explanatory. These conditions shall be read in conjunction with the other parts of the tender documents viz. Trustees' General Conditions of Contract, Drawings if any, and other documents forming part of the Contract.

Unless otherwise specified the work to be provided for by the contractor shall include but not be limited to the following:

- a) Provide all materials, supervision, testing, services, scaffolding, formwork, reinforcements, temporary drainage, temporary fencing and temporary lighting as required for safety and work purposes etc, for the execution of the work.
- b) To take all the safety measures like using safety belt, helmet etc. required for such type of work and if required, insures the labourers against any accident, which may occur in the course of execution of the iob.
- c) Any damage to KoPT property should be made good by the tenderer at their own cost as per satisfaction of KoPT's Engineer.

2. Work Site:

The Work site is located at **K.P.Dock-II** and as described in the name of the work. The tenderer shall visit the site of work and acquaint himself with the exact nature, scope and site of work before quoting his rates. No claims for any extra payment will be entertained under any circumstances after opening of the tender on this account. The contractor shall bear in mind that least possible inconvenience are to be created for users of essential facilities located within or in the vicinity of the works site during the tenure of his work. Shifting of office furniture is to be done as per requirement without any extra cost.

3. Working Period:

Normally the work will be carried out between 8 A.M. to 5 P.M. on the Trustees' working days only. In case of any deviation from this the contractor shall have to take prior permission from the Engineer-in-Charge. However, the tenderer should note that he might be required to carry out the job on Sundays, holidays and after normal working hours and at night in addition to the normal working hours to expedite the progress of the work. The tenderer should include in his rates the cost, if any, involved on these accounts.

4. Time of Completion :

The work is in nature and will be completed within $2^{1}/_{2}$ (two & Half) months from the date of placement of order.

5. Site Godown and Watching

The contractor shall have to make his own arrangements for construction of site godown (if any) for storage of materials and security thereof during day and night at his own cost. The godown and other temporary structures, if erected, are to be dismantled by the contractor before leaving the site after completion of the work at his own cost. The Trustees' will, however, allow the construction of godown on the Trustees' land free of rent during execution of the work.

6. Forwarding of Materials:

The contractor shall have to arrange transport for forwarding any usable/ saleable materials that may be found during the process of execution of the work to the Trustees' Sales Yard or any other Site/ Godown including labourers, transportations, loading, unloading all complete as per the direction of the Engineer-In-Charge. No separate payment will be made to the contractor on this account unless specifically mentioned in the B.O.Q.

7. Workmanship

The contractor shall maintain workmanship of different items with an idea of providing a trouble-free service to the users of different facilities. For this, it is expected that different fittings/ fixtures after installation should not need attendance for a period upto three months and throughout the contract period the same has to be attended by the contractor at no extra cost to the Trustees'. All cement works shall have to be adequately cured as per relevant codes with no extra cost to the Trustees'.

8. Materials and Transport:

All materials including cement, except mentioned otherwise in the items of the attached bill of quantities, for successful completion of work shall have to be procured and supplied by the successful tenderer at his own cost. The cement if used shall be of 43/53 Grades OPC or Slag cement as per the direction of the Engineer-In-Charge. The materials supplied by the contractor shall be of approved quality and approval also shall have to be taken from the Engineer at site before using the materials to the work. Rejected materials, if any, shall have to be removed by the contractor with his own labour and transport at his own cost immediately on receipt of the instruction.

9. Testing of materials

Testing of any materials including cement (if required) shall have to be carried out at the Laboratories to be recommended by the Engineer-in-Charge. No payment will however be made to the contractor towards charges for testing. which are not mentioned in the BOQ but to be

10. Supervision

The contractor shall have to engage sufficient number of qualified and skilled persons to supervise and execute the work. The contractor shall solely be responsible for any defective construction/ rectification as a result of poor supervision.

11. Escalation/ variation in Prices:

No escalation/ variation on prices of labour as well as materials will be entertained.

12. Discrepancies in the contract documents :

The several documents forming the contract shall be taken, as mutually explanatory of one another and in case of one and in case of discrepancies the **Specifications and Bill of Quantities** shall prevail over **signed drawings**, **Bill of Quantities** over the **Specifications**, **Technical Specifications and other particulars** over **Standard Specifications** and **Special Conditions** over the **General Conditions**. The Engineer's decision on this matter however, shall be final and binding and the tenderer's attention is drawn to clause 4.3 of the General Conditions of Contract in this respect. The execution of work shall confirm minutely to the approved and assigned drawings and specification and any other details drawings which shall be provided/duly approved by the Engineer during the progress of the work as to such other drawings those have formed part of the contract documents.

:

13. Specifications/ Codes and Standards

All works under this Contract will be executed according to the spirit of the Trustees' Specification for works. Whenever the details are not specifically covered in the specifications, relevant provisions in the latest revision and/ or replacements of the Indian Standard Specifications (IS) or any other Inter-national Code of Practice/ CPWD specifications will be followed. The Contractor shall have to procure copies of such codes/ standards for ready reference of his own personnel as well as the Trustees' Engineers at site at his own cost and without any additional reimbursement.

14. Plants and Equipments

All constructional plants and equipments shall have to be supplied by the successful tenderer for completion of the job at his own cost. However any plant, if available, with the Trustees' may be supplied to the contractor on rental basis as per Trustees' rate. Intending tenderers should note that the resulting delay due to late deployment (if any) as well as deployment of improper and/ or inadequate plant(s) and equipment(s) in the work will not be considered while considering the extension of time of the contractor.

15. **Errors in the B.O.Q.**

In case rate of particular item is printed erroneously in BOQ, the rate stated in the Schedule of rates will prevail over the rate misprinted in BOQ.

16. Safety:

The contractor shall follow all safety precautions for prevention of injury or accidents and safeguarding human lives and property. Dock safety regulations shall be strictly observed and safety officers of the KoPT accorded all facilities for inspection of the Works, Plants & Equipments etc, whenever so required. The contractor shall further comply with any instruction issued by the Engineer in respect of safety, which may relate to temporary or permanent works, working of tools, plants & equipments, means of access or any other aspect. The contractor shall provide all necessary first aid measures, rescue and life saving equipment, etc in proper condition, which shall be readily available for use at all times. The contractor shall adopt all the above safety measures at his own cost.

17. Protection of existing services:

The contractor must pay full attention to the fact that the existing service facilities for users are not distributed at any time due to storing of materials and rubbish and take every precaution to keep the entrance passage clear if the same are being used by the labourers.

18. Dock permit:

The Contractor will be issued permits, if required **free of cost**, for their men, materials carrying transport, equipment, etc. When they are executing work awarded by KoPT inside the prohibited areas. Such free permits will be issued to the contractors on the basis of application indicating the specific number of free permits to be required, for men, materials carrying transport, equipment etc. However, token charge of **Rs. 5.00 per Person per Occasion** will be levied for creation of new I.D. in the Permit system.

19. Cleaning during execution and after completion:

On completion of the works the contractor shall reinstate and make good at his own expense any property or land which might have been disturbed and/or damaged by his works. He should also clean the site as required during execution and fully clear the site after completion of all the works.

The contractor shall clean out all part of the work and leave everything clean and tidy to the entire satisfaction of the Engineer.

20. Water:

Water required for drinking and other purposes and for works will have to be arranged by the Tenderer at their own cost. However, KoPT will arrange to provide a source of supply for drinking water at one point free of charge from where the Contractor may draw a line for the purpose of drinking water only.

21. Power Supply:

If possible a supply of power shall be made available **at free of cost**. However, it is to be noted that in the event of KoPT fails to make available supply of powers, the Contractor shall have to make his own arrangement for the supply of power at no extra cost to the Trustees'.

22. Compliance to the Labour Laws and Contract Labour Regulation and Abolition Act, 1970:

The contractor shall be required to comply with the Minimum wages Acts 1948 section – 2(b) (i), Employees Liability Act, 1938, Industrial Disputes Act, 1938, Industrial Dispute Act, 1940 and The Contract Labour (Regulation and Abolition) Act, 1970, or statuary amendments and the modifications thereof, any other laws relating thereto and the rules made there under from time to time.

It will be the duty of the contractor to abide by the provisions of the Act. Ordinances, Rules, Regulations, Byelaws and Procedures as are lawfully necessary in the execution of the works. The contractor will be fully responsible for any delay/damage etc. and keep the Engineer indemnified against all penalties and liabilities of any kind for noncompliance or infringement of such Acts, Ordinances, Rules, Regulations By-laws and Procedures.

The contractor shall indemnify the KoPT against payment to be made under or for the observance of the laws aforesaid without prejudice to his right to claim indemnity from his subcontractor.

The aforesaid regulations shall be deemed to be a part of this contract and any breach thereof shall be deemed to be a Breach of Contract. It will be obligatory on the part of Contractor to obtain necessary Labour License from the Competent Authority for deploying requisite Nos. of labours in the work and submit to the Engineer-In-Charge prior to commencement of the work.

23. Compliance of ESI Act - 1948

All intending tenderer at the time of tender shall disclose all necessary documents as to whether they are covered under ESI Act or not.

- i) In case they are covered under ESI Act, they have to furnish the details of registration, failing which their tender would be liable to be cancelled.
- ii) In case they are not covered under ESI Act or exempted, they would furnish necessary documents along with an affidavit affirmed before a first class Judicial Magistrate to that effect as per enclosed Proforma (Marked Annexure A).
- iii) In case they are not covered under ESI Act, they must additionally indemnify KoPT against all damages and accident occurring to his labour in a Non Judicial Stamp Paper worth Rs. 50.00. The same should be submitted by the L -1 tenderer after opening of the tender. The Proforma Indemnity Bond shall have to be collected by the L 1 tenderer from the office of the Senior Executive Engineer, K.P. Docks after opening of the tender.
- iv) The stamp paper for Affidavit & Indemnity Bond may be purchased before the date of N.I.T. but the affidavit should be sweared after the date of N.I.T. The same should be purchased in the name of tenderer or with the name of Advocate who has signed in the affidavit.

24. Compliance of Building and Other Construction Workers (Regulation of Employment and Conditions of Service) Act, 1996 and Other Construction Workers' Welfare Cess Act, 1996.

- i) The successful tenderer will be required to comply with the relevant provisions of Building and Other Construction Workers (Regulation of Employment and Conditions of Service) Act, 1996 and West Bengal Building and Other Construction Workers (Regulation of Employment and Conditions of Service) Act, 2004 as well as Building and Other Construction Workers' Welfare Cess Act, 1996 and the rules framed thereunder.
- ii) An amount of Cess calculated at the rate of 1% of the billed amount shall be progressively recovered from each running bill as well as from the final bill of the Contractor for onward tranmission of the same to the appropriate authority.
- **25**.Tenderers attention is drawn to clause 3.4, 3.5 and 3.6 of the general condition of contract regarding Earnest Money and Security Deposit prescribed in the tender and clause 8.0 regarding Delay / Extension of time / Liquidated Damage / Termination of Contract.
- **26.** Service Tax will be deducted at applicable rate fixed by the government time to time on the amount of recoveries like L.D, damage, penalty, land rent, electricity charges etc. from the contractor's bill.

27. As KoPT is not a Registered Body Corporate, it is not liable to pay service tax under "Reverse Charge Mechanism" as per Service Tax Law. The service provider is liable to recover Service Tax as applicable. Reimbursement of service tax will be made to the contractor by KoPT on submission of actual payment of Service Tax at full rate for the work as per Finance Act, 1994.

28. Defect Liability Period

The defect liability period for the work is **12 months** from the date of completion. During this period, if any defect arises the contractor is bound to repair the same or take any other action as directed by the Engineer including replacement of the defective portion and redoing the same at his own cost **within 7 days in case of repairing and 21 days in case of replacement and re-doing from receipt of such instruction** failing which the work may be done by the Trustees' by some other agencies and the cost of which including $19^{1/4}$ % departmental charges will be recovered from the security deposit or any other dues of the contractor.

29. Programme and Progress:

The contractor shall submit a detailed programme of work within **7** [seven] days from the date of Work Order / L.O.I. showing the commencement, duration and completion time of all major items of work including procurement of all materials etc,. The sequence of work shown in the programme must be practicable and compatible with technical specifications and conditions prevailing at site.


The contractor shall maintain the progress of work as per the approved programme. In case of any slippage of programme the engineer may require the contractor to augment the input of plant, equipment, labour of any item as he may deem fit. The contractor shall comply with the engineer's directive in this regard, without any extra charge whatsoever.

- 30. Terms of payment will be guided by G.C.C. Clause No. 6.
- **31.** All intending Tenderer shall furnish the details of PF Registration failing which their tender would be liable to be cancelled.
- **32.** The tender will not be extended under any situation.
- **33.** Income Tax and other Taxes as applicable will be deducted as per rule.



A kv\kA kPk U'PTk TZkkbkK KOLKATA PORT TRUST

सिविल इंजीनियरिंग विभाग





Office of the Senior Executive Engineer, K.P. Docks

Allocation: 075/771/115

51,सी. जी. आर. रोड, कोलकाता 700043 51, C.G.R. Road, Kolkata – 700 043 फोन 2439 :- 7079,2409 -3001, एक्सटेंशन:353

Phone: 2439 – 7079, 2409-3001, Extension: 353

E.E.O. No. 45/KP dt. 18.11.15

Tender for Civil works essential at KPD-II in connection with proposed withdrawal of CISF and concurrent taking over by Port Security Organisation.

BILL OF QUANTITIES

Item	Description of Items	Quantity	Rate	Unit	Amount
No. 1.	Dismantling all types of masonry excepting cement concrete plain or	2.00 Cum.	Rs. P. 451.00 (Rupees Four	Per Cum.	Rs. P. 902.00
	reinforced, stacking serviceable materials at site and removing rubbish as directed with in a lead of 75 m.		hundred fifty one only)		
	(a) In ground floor including rood.				
2.	Dismantling all type of plain cement concrete works, stacking serviceable materials at site and removing rubbish as directed with in a lead of 75m. In 1 st floor including roof.	1.00 Cum.	1431.00 (Rupees One thousand four hundred thirty one only).	Per Cum.	1,431.00
	(a) Upto 150 mm. thick.				
3.	Surface dressing of the ground in any kind of soil including removing vegetation inequalities not exceeding 15 cm depth and disposal of the rubbish with in a lead upto 75 m as directed.	100.00 Sqm.	11.00 (Rupees Eleven only).	Per Sqm.	1,100.00
4	Removing of rubbish, earth etc from the working site and disposed of the same beyond the compound in conformity with the municipal / corporation rules for such disposal loading in to truck and clearing the site in all respect as per direction of the Engineer-in-charge.	10.00 Cum.	168.00 (Rupees One hundred sixty eight only)	Per Cum.	1,680.00

Brick work with 1st class brick in				
a) In foundation and plinth.	2.00 Cum	5719.00 (Rupees Five thousand seven hundred nineteen	Per Cum	11,438.00
b) In superstructure, ground floor.	9.00 Cum.	5943.00 (Rupees Five thousand nine hundred forty	Per Cum	53,487.00
c) In 2 nd floor upto the roof.	0.500 Cum.	6167.00 (Rupees Six thousand one hundred sixty seven only)	Per Cum	3,083.50
Ordinary cement concrete (mix 1:2:4) with graded stone chips (20 mm. Nominal size) excluding shuttering and reinforcement, if any. In ground floor as per relevant IS Code. Pakur Variety.	3.00 Cum.	6064.02 (Rupees Six thousand sixty four only).	Per Cum.	18,192.06
Single brick flat soling of picked jhama bricks including ramming and fitting joint with local sand.	40.00 Sqm.	377.00 (Rupees Three hundred seventy seven only)	Per Sqm.	15,080.00
Providing plaster (to wall, floor, ceiling etc) with sand and cement mortar including rounding off or chamfering corners. With 1:6 cement mortar.				
20 mm. Thick.	40.00 Sqm.	181.00 (Rupees One hundred eighty one only)	Per Sqm.	7,240.00
15 mm. thick.	40.00 Sqm.	156.00 (Rupees One hundred fifty six only).	Per Sqm.	6,240.00
Neat cement punning about 1.5 mm thick in wall, dado, window sill etc. [Note: Cement 0.152 Cum per 100 Sqm.]	10.00 Sqm.	38.00 (Rupees Thirty eight only).	Per Sqm.	380.00
Providing rule pointing to brick work in cement mortar (1:4) including raking out joints and top finish.	50.00 Sqm.	84.00 (Rupees Eighty four only).	Per Sqm.	4,200.00
Providing flush pointing to brick work in cement mortar (1:4) including raking out joints.	50.00 Sqm.	81.00 (Rupees Eighty one only).	Per Sqm.	4,050.00
	b) In superstructure, ground floor. c) In 2 nd floor upto the roof. Ordinary cement concrete (mix 1:2:4) with graded stone chips (20 mm. Nominal size) excluding shuttering and reinforcement, if any. In ground floor as per relevant IS Code. Pakur Variety. Single brick flat soling of picked jhama bricks including ramming and fitting joint with local sand. Providing plaster (to wall, floor, ceiling etc) with sand and cement mortar including rounding off or chamfering corners. With 1:6 cement mortar. 20 mm. Thick. Neat cement punning about 1.5 mm thick in wall, dado, window sill etc. [Note: Cement 0.152 Cum per 100 Sqm.] Providing rule pointing to brick work in cement mortar (1:4) including raking out joints and top finish. Providing flush pointing to brick work in cement mortar (1:4) including	cement mortar (1:6). a) In foundation and plinth. 2.00 Cum b) In superstructure, ground floor. c) In 2 nd floor upto the roof. 0.500 Cum. Ordinary cement concrete (mix 1:2:4) with graded stone chips (20 mm. Nominal size) excluding shuttering and reinforcement, if any. In ground floor as per relevant IS Code. Pakur Variety. Single brick flat soling of picked jhama bricks including ramming and fitting joint with local sand. Providing plaster (to wall, floor, ceiling etc) with sand and cement mortar including rounding off or chamfering corners. With 1:6 cement mortar. 20 mm. Thick. Neat cement punning about 1.5 mm thick in wall, dado, window sill etc. [Note: Cement 0.152 Cum per 100 Sqm.] Providing rule pointing to brick work in cement mortar (1:4) including raking out joints and top finish. Providing flush pointing to brick work in cement mortar (1:4) including 50.00 Sqm.	cement mortar (1:6). a) In foundation and plinth. 2.00 Cum (Rupees Five thousand seven hundred nineteen only) 5743.00 (Rupees Five thousand nine hundred forty three only). 6167.00 (Rupees Six thousand one hundred sixty seven only) Ordinary cement concrete (mix 1:2:4) with graded stone chips (20 mm. Nominal size) excluding shuttering and reinforcement, if any. In ground floor as per relevant IS Code. Pakur Variety. Single brick flat soling of picked jhama bricks including ramming and fitting joint with local sand. Providing plaster (to wall, floor, ceiling etc) with sand and cement mortar including rounding off or chamfering corners. With 1:6 cement mortar. 20 mm. Thick. 40.00 Sqm. Neat cement punning about 1.5 mm thick in wall, dado, window sill etc. [Note: Cement 0.152 Cum per 100 Sqm.] Providing rule pointing to brick work in cement mortar (1:4) including raking out joints and top finish. Providing flush pointing to brick work in cement mortar (1:4) including raking out joints and top finish. 2.00 Cum. 5719.00 (Rupees Five thousand seven hundred only). 5943.00 (Rupees Six thousand one hundred sixty seven only) 40.00 Sqm. 40.00 Sqm. 40.00 Sqm. 181.00 (Rupees One hundred fifty six only). 156.00 (Rupees Thirty eight only). 38.00 (Rupees Flipty four only).	cement mortar (1:6). a) In foundation and plinth. 2.00 Cum (Rupees Five thousand seven hundred nineteen only) b) In superstructure, ground floor. 9.00 Cum. (Rupees Five thousand nine hundred forty three only). 6167.00 (Rupees Six thousand one hundred sixty seven only) Ordinary cement concrete (mix 1:2:4) with graded stone chips (20 mm. Nominal size) excluding shuttering and reinforcement, if any. In ground floor as per relevant IS Code. Pakur Variety. Single brick flat soling of picked jhama bricks including ramming and fitting joint with local sand. Providing plaster (to wall, floor, ceiling etc) with sand and cement mortar including rounding off or chamfering corners. With 1:6 cement mortar. 20 mm. Thick. 40.00 Sqm. 40.00 Sqm. 40.00 Sqm. (Rupees Dne hundred eighty one only) 15 mm. thick. 40.00 Sqm. 181.00 (Rupees One hundred fifty six only). Neat cement punning about 1.5 mm thick in wall, dado, window sill etc. [Note: Cement 0.152 Cum per 100 Sqm.] Providing rule pointing to brick work in cement mortar (1:4) including raking out joints and top finish. Providing flush pointing to brick work in cement mortar (1:4) including raking out joints and top finish. Providing flush pointing to brick work in cement mortar (1:4) including raking out joints and top finish. Providing flush pointing to brick work in cement mortar (1:4) including raking out joints and top finish. Providing flush pointing to brick work in cement mortar (1:4) including flush pointing to brick work in cement mortar (1:4) including flush pointing to brick work in cement mortar (1:4) including flush pointing to brick work in cement mortar (1:4) including flush pointing to brick work in cement mortar (1:4) including flush pointing to brick work in cement mortar (1:4) including flush pointing to brick work in cement mortar (1:4) including flush pointing to brick work in cement mortar (1:4) including flush pointing to brick work in cement mortar (1:4) including flush pointing to brick work in cement mortar (1:4) including flush p

					_
12.	MS structural works in columns, beams etc with simple rolled structural members (e. g. joists, angle, channel sections conforming to IS:226, IS:808 & SP(6)-1964 connected to one another with bracket, gussets, cleats as per design, direction of Engineer-in-charge complete including cutting to requisite shape and length, fabrication with necessary bolting, metal arc welding conforming to IS:816-1956 & IS:1995 using electrodes of approved make and brand conforming to IS:814-1957, haulage, hoisting and erection all complete. The rate includes the cost of rolled steel section, consumables such as electrodes, gas and hire charge of all tools and plants and labour required for the work including all incidental charges such as electricity charges, labour insurance charges etc. Payment to be made on the basis of calculated weight of structural members only in finished work as per IS specified weight. Payment for gusset, bracket, cleat, rivets, bolts and nuts may be make by adding the actual weight of such items with the weight of finished structural members or 7% of weight for finished structural members weighing not less than 22.5 Kg/m or 15% of weight for finished structural members weighing less than 22.5 Kg/m may be increased allow for bracket, cleat, rivet, bolt and nuts etc and no separate payment being made for these items, as per direction of Engineer in charge. The	0.45 MT	69,462.00 (Rupees Sixty nine thousand four hundred sixty two only).	Per MT	31,257.90
	electricity charges, labour insurance charges etc.				
	calculated weight of structural members only in finished work as per IS specified weight. Payment for gusset, bracket, cleat, rivets, bolts and				
	actual weight of such items with the weight of finished structural members or 7% of weight for finished structural members weighing not less than 22.5				
	structural members weighing less than 22.5 Kg/m may be increased allow for bracket, cleat, rivet, bolt and				
	direction of Engineer in charge. The rates are considered for a height of erection 8m/2nd floor level from the ground. Add 1.5% extra over the rate				
	for each additional floor or 4m. beyond initial 8m. or part thereof. i) For structural works in roof trusses etc using joists channels and angle specified section weigh less than 22.5 Kg/m.				
13.	Supplying galvanised straining bolts (with eye at one end with double nuts and washers) fitted and fixed complete. 12 mm. dia 200 mm long.	4.00 Nos.	80.00 (Rupees Eighty only).	Each	320.00

14.	Supplying, fitting galvanised 3 ply 12	100.00 Mtr.	2,795.00	Per	2,795.00
	gauge / 4 points lines of barbed wire in fencing (holes already made in the body of the post or fixed by staples tightening and fixing the wires in taut condition with straining bolts including the cost of cutting and of lapping joints in the wire as necessary but excluding the cost of galvanised staples, straining bolt and binding wire as necessary.(Payment to be made on the length of individual lines of wire)		(Rupees Two thousand seven hundred ninety five only).	% Mtr.	
15.	Supplying, fitting, fixing 600 mm (+/-30 mm) diameter RBT (reinforced barbed tape) concertina fencing on wall top using concertina coils stretched to approx 6 meters length at site clipped with two nos. of horizontal RBT strands which will be tensioned and fixed with the vertical MS angle iron posts by means of security fasteners (such as 'C' clips, RBT clips etc)	50.00 Mtr.	481.00 (Rupees Four hundred eighty only).	PerMtr.	24,050.00
16.	Uprooting and removing plants from the surface of walls parapet etc and making good damages. Repairing of damages to be paid separately.				
	a) Small plant of girth of exposed stem upto 75 mm. lift upto 6 Mtr.	75 Nos.	51.00 (Rupees Fifty one only)	Each	3,825.00
	b) Medium size plant of girth of exposed stem above 75 mm. but not excluding 150 mm. lift upto 6 Mtr.	75 Nos.	61.00 (Rupees Sixty one only).	Each	4,575.00
17.	Providing painting with ready mixed red lead paint of approved make and brand. One coat.	50.00 Sqm.	34.00 (Rupees Thirty four only).	Per Sqm.	1,700.00
18.	Painting with best quality synthetic enamel paint of approved make and brand including smoothening surface by sand papering etc including using of approved putty etc on the surface, if necessary. On steel or other metal surface. With other than hi-gloss of approved quality. Two coats (with any shade except white)	50.00 Sqm.	77.00 (Rupees Seventy seven only).	Per Sqm.	3,850.00

19.	Providing & applying decorative cement based paint of approved quality after preparing the surface including scraping the same thoroughly (plastered or concrete surface) as per manufacture's specification. i) In ground floor. ii) In 1st floor.	100.00 Sqm.	53.00 (Rupees Fifty three only).	Per Sqm.	5,300.00
20.	Supplying 1.5 mm thick MS sheet fitted and fixed on one or both faces of MS/WI gate etc with point welding at not more than 150 mm apart complete in all respect as per design including cost of all labour and materials.	7.50 Sqm.	1,102.00 (Rupees One thousand one hundred two only).	Per Sqm.	8,265.00
21	Providing and drilling holes of requisite diameter in R.S. joists, channels, tees, plates etc. channel, tees, plates etc. Dia upto 12 mm depth upto 10 mm.	100.00 Nos.	10.00 (Rupees Ten only).	Each	1,000.00
22.	Providing and supplying labour for lowering and stacking after dismantling in part of RS joist channel angles, tees, plates etc complete as directed. From 1 st floor level.	4.00 Qntl.	199.00 (Rupees One hundred ninety nine only).	Per Qntl.	796.00
23.	Cutting / cleaning / removing jungles including uprooting / removing of rank vegetation, cutting grass, bush wood, cutting / removing small tree saplings or branches of trees falling under the cutting area at different area of dock and removing spoil up to a distance of 50 m outside the periphery of the area cleared as per direction including all lead, lifts cutting instrument, labours etc complete in all respect.	1,000.00 Sqm.	1.10 (Rupees One & paise ten only).	Per Sqm.	1,100.00

Total:- Rs.2,17,337.46

B.F Rs.: 2,17,337.46

Rate offered by me/us (Score out whichever is not applicable)

1)	% above par		(+) F	Rs.
2)	•	vords)	. 	
2)	At par			
3)	% below par	(in figures)	(–) F	₹s.
				Rs.
	(in wor	rds)		
Tota	al amount in words: Rupees			
by KoPT on submis	hall include all taxes and duties as applicable exc sion by actual payment of Service Tax at full rate	e for the work as per Finance A		
Maximum number of	of workmen likely to be engaged in a days	number.		
T.R. No. & Date:				
Permanent Income	e Tax A/C.No. :			
VAT clearance certi	ficae no.:			
Date, the	day of	Signature of the tende	rer:	
(Total amount of to From of Tende	tender, Completion time and Preliminary time attached)	me as quoted / stated above	are to b	e carried over

CONTRACT NO	
To	
I/We	
of	
THE TOTAL AMOUNT OF TENDER Rs	
(Rupees in words)	
	days/months preliminary time to arrange and procure te of acceptance of tender before I/We could commence the work.
	ees' Financial Adviser & Chief Accounts Officer, a sum ofofas Earnest Money.
I/We agree that the period for which the months.	tender shall remain open for acceptance shall not be less than four
Signature of Tenderer (Seal of the Tenderer) Witness: Ssignature	
Name(In Block Letters)	Name of the Tenderer:
Address:	
	Dated:
	Address:
Occupation:	

On the Rs. 10/- (Rupees Ten) Non Judicial Stamp Paper

BEFORE THE 1ST CLASS JUDICIAL MAGISTRATE AT_____

		AFFIDAVI	Т	
[_ son of _		aged about
	years, by faith _		by occupation_	, residing
at		, do hereby solem	nnly affirm and declar	e as follows:-
1.	THAT I am the Proprietor /	Partner of		having office
	at	and carry	ring on business on th	ne same name and style.
2.	THAT my aforesaid Firm is Registration.	exempted from E	S.S.I. Act and the said	d Firm has no valid E.S.I.
3.	THAT the present affidavit			Trust as per the Clause the Tender
	No		i	ssued by the Kolkata Port
	Trust in respect of the work	(the work is to be	e mentioned).	
	THAT the statements made	above are all true	e to the best of my kr	nowledge and belief.
Ti	dentified by			Deponent

15

No.: Dated:
The Senior Executive Engineer K.P. Dock 51, Karl Marx Sarani Kolkata – 700 043
Dear Sir,
Re: NIT No. SEE/KP/15-16/511/D/46 dt. 14.01.16
The following documents are enclosed in the sealed envelope containing our tender in connection with the above NIT. The original of the documents would be shown for verification as and when requested. 1. Treasury Receipt in original for Earnest Money / Bankers cheque for Earnest Money. 2. Proof of experience as per Essential Pre-qualification criteria
3. Copy of ESI registration Certificate, if applicable
OR
 An affidavit in original affirmed before a first class Magistrate indicating that ESI Act is not applicable on Non – Judicial Stamp paper worth Rs. 10/- as per your given proforma.
5. Copy of the VAT registration certificate

6. Copy of IT PAN Card

Enclo: As above

7. Copy of Labour Licence (if applicable)

8. Copy of Trade Licence (if applicable)

Yours faithfully,

Signature of the tenderer