

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	13-06-2023 17:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	13-06-2023 17:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	120 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Ports, Shipping And Waterways
Department Name/विभाग का नाम	Na
Organisation Name/संगठन का नाम	Kolkata Port Trust
Office Name/कार्यालय का नाम	Material
Total Quantity/कुल मात्रा	12
Item Category/मद केटेगरी	fire proximity suit (Q2)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	2 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Bidder Turnover,OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
ITC available to buyer/क्रिता के लिए उपलब्ध आईटीसी	Yes
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	fire proximity suit

Bid Details/बिड विवरण	
<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	7 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Estimated Bid Value/अनुमानित बिड मूल्य</b>	645000
<b>Evaluation Method/मूल्यांकन पद्धति</b>	Item wise evaluation/

#### EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
Schedule 1 EMD Amount/ईएमडी राशि (In INR)	1613
Schedule 2 EMD Amount/ईएमडी राशि (In INR)	806
Schedule 3 EMD Amount/ईएमडी राशि (In INR)	806

#### ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	3.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	12

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

(c). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

#### Beneficiary/लाभार्थी :

Trustees  
15 Strand Road Kolkata - 700001  
(Board Of Trustees)

#### Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

### **MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

### **MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

3. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.

4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

### **Evaluation Method ( Item Wise Evaluation Method )**

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

--

Evaluation Schedules	Estimated Value	Item/Category	Quantity
Schedule 1	322500	Fire Proximity Suit	6
Schedule 2	161250	Fire Proximity Suit	3
Schedule 3	161250	Fire Proximity Suit	3

### Fire Proximity Suit ( 6 pieces )

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Genric	<b>Conformity to EN Standard</b>	fire proximity suit coat trouser to en 469 2005 fireman helmet to en 443 2008 type b fireman gloves to en 659 2008 fireman boots to en 15090 2012 and antflash hood to en 13911 2004 also with ce marking for all items
	<b>Item Descriptions</b>	complete set cosisting fire proximity suit coat trouser fireman helmet type b fireman gloves fireman boots antiflash hood
Constructional	Fire Proximity suit (Coat and Trouser) size	Extra Large (XL) ( Suitable for person of height 176-182 cm, Chest Girth 104-112 cm, Waist Girth 100-108 cm)
	Suit colour	Navy Blue
	Suit Fabric	the fabric namely nomex kevlar or equivalent shall be used for manufacture of the suit the garment manufactures have to furnish the genuinity certificate test certificates issued by m s du pont or the manufacturer of the fibre for the fabric
	Generic Fibre of suit	outer shell layer contains fibre composition of para aramide meta aramide 2 antistatic etc gsm 190 minimum or para amarmide polybenzimdiazole 2 anti static gsm 190 minimum middle layer contains fibre composition of meta aramide para aramide ptfe
	Fireman Helmet (Type B) sizes shall be as per clause 5 of Helment Adjustment of EN:443-2008, Bicomponent membrane, Lining Fabric contains fibre composition of:-Blend of Meta aramide ( or ) Blend of Modarylic	yes
	Fireman boot size	10
	Firehood shall be manufactured in various sizes or be sufficiently elastic to be compitable with various head sizes and shape	Sufficiently elastic to be compitable with various head sizes and shape

**Additional Specification Parameters - Fire Proximity Suit ( 6 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Availability of complete & satisfactory test Report from Central govt/ NABL/ ILAC accredited laboratory for individual components (as applicable) conforming to relevant EN standard (Report(s) to be submitted along with techno-commercially bid)	Report(s) to be submitted along with techno-commercially bid)

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details**

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	100%

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	SUMIT SENGUPTA	700023,6, GARDEN REACH ROAD,KOLKATA	6	45

**Fire Proximity Suit ( 3 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
---------------	------------------------------------	--

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Genric	<b>Conformity to EN Standard</b>	fire proximity suit coat trouser to en 469 2005 fireman helmet to en 443 2008 type b fireman gloves to en 659 2008 fireman boots to en 15090 2012 and antflash hood to en 13911 2004 also with ce marking for all items
	<b>Item Descriptions</b>	complete set cosisting fire proximity suit coat trouser fireman helmet type b fireman gloves fireman boots antiflash hood
Constructional	Fire Proximity suit (Coat and Trouser) size	Double Extra Large (XXL) ( Suitable for person of height 182-188 cm, Chest Girth 112-120 cm, Waist Girth 108-116 cm)
	Suit colour	Navy Blue
	Suit Fabric	the fabric namely nomex kevlar or equivalent shall be used for manufacture of the suit the garment manufactures have to furnish the genuinity certificate test certificates issued by m s du pont or the manufacturer of the fibre for the fabric
	Generic Fibre of suit	outer shell layer contains fibre composition of para aramide meta aramide 2 antistatic etc gsm 190 minimum or para amarmide polybenzimdiazole 2 anti static gsm 190 minimum middle layer contains fibre composition of meta aramide para aramide ptfe
	Fireman Helmet (Type B) sizes shall be as per clause 5 of Helment Adjustment of EN:443-2008, Bicomponent membrane, Lining Fabric contains fibre composition of:-Blend of Meta aramide ( or ) Blend of Modarylic	yes
	Fireman boot size	11
	Firehood shall be manufactured in various sizes or be sufficiently elastic to be compitable with various head sizes and shape	Sufficiently elastic to be compitable with various head sizes and shape

#### Additional Specification Parameters - Fire Proximity Suit ( 3 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Availability of complete & satisfactory test Report from Central govt/ NABL/ ILAC accredited laboratory for individual components (as applicable) conforming to relevant EN standard (Report(s) to be submitted along with techno-commercially bid)	Report(s) to be submitted along with techno-commercially bid

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	100%

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	SUMIT SENGUPTA	700023,6, GARDEN REACH ROAD,KOLKATA	3	45

#### Fire Proximity Suit ( 3 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

[\\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Genric	<b>Conformity to EN Standard</b>	fire proximity suit coat trouser to en 469 2005 fireman helmet to en 443 2008 type b fireman gloves to en 659 2008 fireman boots to en 15090 2012 and antflash hood to en 13911 2004 also with ce marking for all items
	<b>Item Descriptions</b>	complete set consisting fire proximity suit coat trouser fireman helmet type b fireman gloves fireman boots antflash hood
Constructional	Fire Proximity suit (Coat and Trouser) size	Large (L) ( Suitable for person of height 164-176 cm, Chest Girth 96-104 cm, Waist Girth 92-100 cm)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Suit colour	Navy Blue
	Suit Fabric	the fabric namely nomex kevlar or equivalent shall be used for manufacture of the suit the garment manufactures have to furnish the genuinity certificate test certificates issued by m s du pont or the manufacturer of the fibre for the fabric
	Generic Fibre of suit	outer shell layer contains fibre composition of para aramide meta aramide 2 antistatic etc gsm 190 minimum or para amarmide polybenzimdiazole 2 anti static gsm 190 minimum middle layer contains fibre composition of meta aramide para aramide ptfe
	Fireman Helmet (Type B) sizes shall be as per clause 5 of Helment Adjustment of EN:443-2008, Bicomponent membrane, Lining Fabric contains fibre composition of:-Blend of Meta aramide ( or ) Blend of Modarylic	yes
	Fireman boot size	9
	Firehood shall be manufactured in various sizes or be sufficiently elastic to be compitable with various head sizes and shape	Sufficiently elastic to be compitable with various head sizes and shape

#### Additional Specification Parameters - Fire Proximity Suit ( 3 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Availability of complete & satisfactory test Report from Central govt/ NABL/ ILAC accredited laboratory for individual components (as applicable) conforming to relevant EN standard (Report(s) to be submitted along with techno-commercially bid)	Report(s) to be submitted along with techno-commercially bid

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details



ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	100%

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	SUMIT SENGUPTA	700023,6, GARDEN REACH ROAD,KOLKATA	3	45

## Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

### 1. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

### 2. Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

Syama Prasad Mookerjee Port, Kolkata  
payable at  
kolkata

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

### 3. Forms of EMD and PBG

Bidders can also submit the EMD with Banker's Cheque in favour of

Syama Prasad Mookerjee Port, Kolkata  
payable at  
kolkata

Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

### 4. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

Syama Prasad Mookerjee Port, Kolkata  
payable at  
kolkata

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

#### 5. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file](#).

## Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process.
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action

in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई

का आधार होगा।

**---Thank You/धन्यवाद---**