

SYAMA PRASAD MOOKERJE PORT, KOLKATA

श्यामा प्रसाद मुखर्जी पोर्ट, कोलकाता

(Erstwhile KOLKATA PORT TRUST)
(AN AUTONOMOUS BODY UNDER THE MINISTRY OF PORTS, SHIPING
AND WATERWAYS, GOVERNMENT OF INDIA)
KOLKATA DOCK SYSTEM

** ***

कार्य का नाम: सागर लाइट हाउस कॉम्प्लेक्स में (जिला दक्षिण 24 परगना) आर टी अनुभाग, सिविल इंजीनियरिंग विभाग के तहत कार्यालय सह लिविंग आवास भवन (द्वितीय तल), क्रू आवास (प्रथम तल) और मुख्य हाइड्रोलिक विभाग के तहत वी टी एम एस के कार्यालय सह लिविंग आवास भवन के नवीकरण और अन्य संबद्ध कार्यों के लिए ई-निविदा।

Name of Work: E-Tendering for -- Through renovation of Office cum Living Accommodation Building (Ist Floor), Crews Accommodation (Ground floor) under R.T Section, Civil Engineering Department and office cum Living Accommodation Building of VTMS under Chief Hydraulic Department and other allied works at Sagar Light House Complex ,Sagar, District South 24 Parganas, .

•

*** **

Civil Engineering Department SYAMA PRASAD MOOKERJEE PORT, KOLKATA

TENDER NO.: SMPK/KDS/CIV/T/2781/53 DT. 22.09.2023

TENDER NO.: SMPK/KDS/CIV/T/2781/53 DT. 22.09.2023

Content/Index

Sl. No.	Description	Page No.
1.	NIT	3
2.	Important instructions for E – tender	5
3.	Commercial terms & Conditions	6
4.	Techno-commercial Bid	10
5.	Instruction to Bidder	12
6.	Special Conditions of the Contract	17
7.	Pre-qualification criteria	17
8.	Scope of Work	18
9.	Schedule "T"	30
10.	Schedule "O"	31-32
11	ANNEXURED	34 - 35
12.	ANNEXURE—D1	36
13.	ANNEXURE—E	37-42
14.	Last page of BOQ	43
15.	Form of Tender	44
16.	General Conditions of the Contract	45

Syama Prasad Mookerjee Port, Kolkata Civil Engineering Department

1.0 NOTICE INVITING TENDER

NIT No.: SMPK/KDS/CIV/T/2781/53 DT. 22.09.2023

E-Tender is invited from reliable, bonafide & experienced agency with required experience as per Prequalification criteria stipulated in Tender Document for "Through renovation of Office cum Living Accommodation Building (Ist Floor), Crews Accommodation (Ground floor) under R.T Section, Civil Engineering Department and office cum Living Accommodation Building of VTMS under Chief Hydraulic Department and other allied works at Sagar Light House Complex, Sagar, District South 24 Parganas," as per Bill of Quantities The Bid Document may be seen from the Enivida Portal https://kopt.enivida.in Corrigenda or clarifications, if any, shall be hosted on the above mentioned website only. The tender is also published on KoPT website (www.kolkataporttrust.gov.in).

SCHEDULE OF TENDER (SOT)

TENDER NO.	SMPK/KDS/CIV/T/2781/53 DT. 22.09.2023
निविदा संख्या	
b. MODE OF TENDER	e-Procurement System
निविदा का तरीका	(Online Single Cover Techno-Commercial Bid and Price Bid
	through Enivida Portal https://kopt.enivida.in/ The intending
	bidders are required to submit their offers electronically through
	e-tendering portal. No physical tender is acceptable by SYAMA PRASAD MOOKERJEE PORT, KOLKATA.
	PRASAD MOOKENJEE PORT, ROLKATA.
c) i) Estimated Cost of the Work	Rs. 26,39,575.37 (Rupees twenty-six lakh thirty-nine
अनुमानित लागत of कार्य	thousand five hundred seventy-five and paisa
	thirty-seven only)
	The intending firms would require to submit an
ii) Earnest Money Deposit	EMD of Rs. 52,800.00 (Rupees fifty-two
बयाना राशि	thousand and eight hundred only) through DD/
वयाना सारा	Banker Cheque in favour of Syama Prasad Mookerjee
	Port, Kolkata on any scheduled/Nationalised Bank
	payable at Kolkata,otherwise their offer will be
	summarily rejected. Copy of the DD/Banker's
	Cheque should be uploaded. As per cl. 2, page no.12
iii) Tender Document	The intending bidders should submit the tender costof
fee (Nonrefundable)	Rs.1770/-(Rupees one thousand seven hundred
•	seventy only) including @18% GST) to KoPT through
निविदा दस्तावेज शुल्क (अप्रतिदेय)	DD/Banker's Cheque in favour of Syama Prasad
	Mookerjee Port, Kolkata on any
	scheduled/NationalisedBank payable at Kolkata
	otherwise their offer will be summarily rejected. As per
	cl. 2, page no.12
	payable through DD / RTGS / NEFT / Bank
	Transfer etc.,) to be
	A/C: Syama Prasad Mookerjee Port, Kolkata
	A/c No: 067502000000491
	IFSC: IOBA0000675
	Bank Name: Indian Overseas Bank

4			
	Branch Name: STRAND ROAD Branch		
iv) Railtel Tender Processing	TPF- 0.1% of estimate cost (Minimum 750/- Maximum 7500/-+GST		
Fee (Non-refundable)	Registration Charges Rs2000/- +Applicable GST Per Year		
Mode ofPayment: - E-			
payment Only through			
Debit/Credit Card or Net			
Banking.			
रेलटेल टेंडर प्रोसेसिंग शुल्क(नॉन			
रिफंडेबल)			
भुगतान का प्रकार:- ई-पेमेंट केवल के			
माध्यम से			
डेबिट/क्रेडिट कार्ड या नेट बैंकिंग।	22.00.2022 to 16.10.2022 (conto 14.00 box)		
d. Date of NIT available to parties to download	22.09.2023 to 16.10.2023 (up to 14:00 hrs.)		
पार्टियों को डाउनलोड करने के लिए			
उपलब्ध एनआईटी की तिथि			
f. Pre – Bid Meeting Date & Time	No Pre-bid meeting		
प्री-बिड मीटिंग की तारीख और समय			
g. Last date of submission	20.10.2023 (up to 15:00 hrs.)		
of EMD & Tender			
Document fee at Syama			
Prasad Mookerjee Port,			
Kolkata			
श्यामा प्रसाद मुखर्जी पोर्ट, कोलकाता में			
ईएमडी और निविदा दस्तावेज शुल्क जमा			
करने की अंतिम तिथि			
h. Date of Starting of e-Tender for	22.09.2023 (From 14:00 hours onwards)		
submission of online			
Techno-Commercial Bid			
and Price Bid at Enivida			
Portal			
के लिए ई-निविदा शुरू होने की तिथि			
Enivida पोर्टल पर ऑनलाइन टेक्नो-			
कमर्शियल बिड और प्राइस बिड जमा			
करना			
i. Date of closing of online e-	16.10.2023 (Up to 15:00 hrs)		
tender for submissionof			
Techno-Commercial Bid &			
PriceBid.			
तकनीकी-वाणिज्यिक बोली और मूल्य			

बोली जमा करने के लिए ऑनलाइन ई-	
निविदा बंद करने की तिथि	
j. Date & time of opening of Techno-Commercial Bid and Price Bid.	17.10.2023 after 13.00 hrs. (Both the Techno Commercial Part & Financial Part will be opened on the same date)
तकनीकी-वाणिज्यिक बोली और मूल्य बोली खोलने की तिथि और समय।	

Note: In the event of any unforeseen closure of work / holiday on any of the above days, the same will be opened / held on the next working day without any further notice.

List of Annexures

Important Instructions for E- procurement : - Annexure - A
Commercial Terms & Conditions : - Annexure - B
Techno Commercial Bid :- Annexure - C
List of Scanned Documents required to be uploaded:- Annexure - D
(Document consisting Annexure A to Annexure D

To be treated as Techno Commercial Part)

Price Bid (Financial Part) :- Annexure – E

(Both the Techno Commercial Part & Financial Part will be uploaded separately & will be available both in the KoPT website

& Enivida Portal)

General Conditions of Contract : - Annexure – F

Chief Engineer
SYAMA PRASAD MOOKERJEE PORT, KOLKATA
Tender Inviting Authority

2.0 Important Instructions for e-Tender

Bidders are requested to use internet Browsers Firefox version below 50 / Internet Explorer version 8 or above, and Java 8 Update 151 or 161.

Further, bidders are requested to go through the following information and instructions available on the Enivida Portal https://kopt.enivida.in before responding to this e-tender:

- Bidders Manual Kit
- Help for Contractors
- > FAQ

Contact Persons (Syama Prasad Mookerjee Port, Kolkata):

1. N Mallik, Superintending Engineer(Contract)

2. P Dutta, Engineer(C) M.No. 9674720078

Phone no. **03371012486, 03371012398**

e-mail:- nmallick@kolkataporttrust.gov.in &

p.dutta@kolkataporttrust.gov.in

Contact persons (Enivida Portal):

Phone No.7278929467/8448288981

Mail id: - enividahelpdesk@gmail.com/ ewizardkumar@gmail.com

	All entries in the tender should be entered in online Technical & Commercial Formats		
1	without any ambiguity.		
2	E-tender cannot be accessed after the due date and time mentioned in NIT.		
3	I.KoPT reserves the right to cancel or reject or accept or withdraw or extend the tender		
	in full or part as the case may be without assigning any reason thereof.		
	Any order resulting from this tender shall be governed by the terms and conditions		
4	mentioned therein.		
5	No deviation to the technical and commercial terms & conditions are allowed.		
	The bidders must upload all the documents required as per terms of tender. Any other		
6	document uploaded which is not required as per the terms of the tender shall not be considered.		
7	The bid will be evaluated based on the filled-in technical & commercial formats.		
8	Bidder has fully read and understood the entire Tender Document, GCC, Corrigendum and		
	Addenda, if any downloaded from under the instant e-tender and no other source, and will		
	comply to the said document, GCC, Corrigendum and Addenda.		
	A declaration in this regard is to be made by the bidder.		
9	(A) Tender will be opened electronically on specified date and time as mentioned in the NIT.		
	Bidder's can witness electronic opening of Bid.		
	(B) Necessary addendum/corrigendum (if any) of the tender would only be hoisted in the		
	Enivida Portal		

SYAMA PRASAD MOOKERJEE PORT, KOLKATA
Office of the Chief Engineer,
6, Fairlie Place, Fairlie Warehouse,
Kolkata 700 001.

Tele – 033 2230-3451 Extension: 398,399,400 Fax - (033) 2230-0413

<u>E-mail id:</u> nmallick@kolkataporttrust.gov.in & p.dutta@kolkataporttrust.gov.in

3.0 Commercial Terms & Conditions

SL. NO.	TERMS

- 1 Mere participation in e-tender will not mean that a particular bidder will be automatically considered qualified and their bids will be entertained. Such qualification will be reviewed at the time of techno-commercial evaluation of bids also.
- 2 Copy of valid NSIC Certificate or Mse Certificate under MSME has to be submitted along with the bid.
- 3 EARNEST MONEY: As Per NIT
- E-Tenderers submitted without requisite Earnest Money are liable to be rejected excepting in case of Micro & Small Enterprises (MSEs) registered with NSIC (under single point registration scheme) or MSME for items for which the tender is invited.
- 5 <u>SCOPE OF WORK</u>:

As per E-Tender Document

- 6 The Terms and Conditions of E-Tender shall be read in conjunction with the General Conditions of Contract, Specifications, Bill of Quantities and other documents forming part of this Contract wherever the Contract so requires.
- The several documents forming the Contract shall be taken, as mutually explanatory to one another and in case of any discrepancies; the Bill of Quantities shall prevail over the Specifications and the Terms and Conditions over the General Conditions of Contract of Ko.P.T. In case of any dispute, question or difference either during the execution of the Contract or any other time as to any matter or thing connected with or arising out of this Contract, the decision of the Chief Engineer, SYAMA PRASAD MOOKERJEE PORT, KOLKATA, thereon shall be final and binding upon all parties.

- 8 The Contract will include the Client's Bid Documents with the General Conditions of Contract and the Bidder's Offer as finally accepted by the Client, together with Addenda, if there be any. Trustees' General Conditions of contract is the integral part of the tender / contract. The above mentioned General Conditions of Contract may be inspected at the office of the undersigned on any working day before quoting for the Tender.
- 9 The Trustees are not bound to accept the lowest or any Tender and reserve the right to accept a tender in full or in part and / or reject a tender in full or in part without assigning any reason thereof.
- 10 The contract shall be governed by all relevant Indian Acts applicable only within the jurisdiction of the High Court at Calcutta.
- 11 Intending bidders must take into account any cost or expense incurred by them in connection with the preparation and submission of their bids or for any other expenses incurred in connection with such bidding.
- 12 Bidders are advised to visit the site of work prior to submission of their bid. Bidder shall get himself thoroughly familiarized with the site conditions, existing road facilities for carrying materials etc. before submission of the e-tender. He may contact the Chief Engineer/Superintending Engineer (NSD) or his authorized representative at his office at 51, C G R Road, Kolkata 700043 in this regard. Non compliance of the same will in no way relieve the successful bidder of any of his obligations in performing the work in accordance with this Bid Document within the quoted price.

13 VALIDITY:

The tender shall remain open for acceptance for a period of **4 months** from the date of opening of techno-commercial bid.

If before expiry of this validity period, the Bidder amends his quoted rates or tender, making them unacceptable to the Trustees and / or withdraws his tender, the Earnest Money deposited shall be liable to forfeiture at the option of the Trustees / sanctioning Authority.

14 NON- RESPONSIVE BIDDER :-

The offer/tender shall be treated as non-responsive, if it:

- (i) is not accompanied by requisite earnest money /valid NSIC Registration Certificate /MSME Registration Certificate.
- (ii) is not accompanied by requisite tender paper cost / or valid NSIC/MSME Registration Certificate.
- (iii) validity of the offer is less than tender stipulation,
- (iv) does not meet the Qualification Criteria as stipulated in the NIT.
- (v) The bidder submits conditional offer / impose own terms and conditions / does not accept tender conditions completely/offer or tender if submitted with any deviation from the tender terms & conditions.

In addition to above, a bidder may be disqualified if -

a) The bidder provides misleading or false information in the statements and documents submitted.

b) Record of unsatisfactory performance during the last seven years, such as abandoning of work or rescinding of contract for which the reasons are attributable to the non-performance of the contractor or inordinate delays in completion or financial bankruptcy etc.

The decision of Syama Prasad Mookerjee Port, Kolkata in this regard shall be final and binding on the Bidder.

Offer / tender is submitted with any deviation from the tender terms & conditions.

- 15 EARNEST MONEY AND SECURITY DEPOSIT: As per tender Document
- 16 Performance Guarantee : Not Applicable
- 17 In the event of the successful bidder failing to execute the order within the stipulated delivery period without sufficient reasons acceptable to the Trustees, the Security Deposit may be forfeited and the order be cancelled at the option of the Trustees' apart from other actions.
- 18 PRICES: As per BOQ given in the tender document.
- 19 The bidder shall quote his price as per the Bill of Quantities in the Price bid
- 20 Orders may be placed in full/part to the lowest bidder.
- 21 Price(s) to be quoted should remain firm over the contract period.
- The prices quoted shall be including all statutory levies excluding GST, which shall be paid extra.
- 23 EVALUATION CRITERIA: As per relevant clause of Tender document.
- 24 PAYMENT: As per Tender document.
- 25 Location: As per Tender document.
- 26 Time of Completion: As per Tender document.
- 27 Work is to be carried out as per terms & condition of the contract document.

28 JURISDICTION OF COURT:

The contract shall be governed by all relevant Indian Acts applicable within the jurisdiction of Kolkata.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

- 29 Contractor and their workmen including driver & helper must use PPE i.e. safety helmet etc. at the time of work inside the dock premises. For safety measure Cl. No.25, page-23 may be referred to.
- 30 Compensation (Liquidated Damages) against failure to complete the work within the stipulated time as per tender condition.
- 31 Price adjustment clause: As per Tender document.
- 32 Technical capacity: As stipulated in Tender document.

- 33 Financial capacity: As stipulated in Tender document.
- 34 <u>DOCK PERMITS</u>: As per tender document.
- 35 The bidder may offer a Bank Guarantee in the Trustees' specified proforma from any Scheduled/ Nationalized Bank of India having Branch at Kolkata in lieu of Earnest Money /Security Deposit beyond **Rupees 10 (Ten) lakhs**.

Besides the above conditions all other conditions as stated in the NIT, BOQ, Special Conditions of Contract, Instruction to the tenderers, G.C.C. shall have to be agreed by the Bidders.

Syama Prasad Mookerjee Port, Kolkata CIVIL ENGINEERING DEPARTMENT

6, फेयरली प्लेस, फेयरली वेयरहाउस **कोलकाता -700001** 6, Fairlie Place, Fairlie Warehouse, Kolkata – **700001**

NIT No.: SMPK/KDS/CIV/T/2781/53 DT. 22.09.2023

NOTE: Last Date of Download of tender documents: 16.10.2023 (up to 14.00 hours)

Tender is due for submission by 15.00 hours On 16.10.2023

Techno Commercial Bid

कार्य का नाम: सागर लाइट हाउस कॉम्प्लेक्स में (जिला दक्षिण 24 परगना) आर टी अनुभाग, सिविल इंजीनियरिंग विभाग के तहत कार्यालय सह लिविंग आवास भवन (द्वितीय तल), क्रू आवास (प्रथम तल) और मुख्य हाइड्रोलिक विभाग के तहत वी टी एम एस के कार्यालय सह लिविंग आवास भवन के नवीकरण और अन्य संबद्ध कार्यों के लिए **ई-निविदा**।

Name of Work: E-Tendering for -- Through renovation of Office cum Living Accommodation Building (Ist Floor), Crews Accommodation (Ground floor) under R.T Section, Civil Engineering Department and office cum Living Accommodation Building of VTMS under Chief Hydraulic Department and other allied works at Sagar Light House Complex, Sagar, District South 24 Parganas, .

SHORT TENDER NOTICE

E-Tender is invited from reliable, bonafide & experienced agency with required experience as per Prequalification criteria stipulated in Tender Document for the following work at Syama Prasad Mookerjee Port, Kolkata.

Mookerjee Port, Kolkata.	_	
Name of work कार्य का नाम	:	E-Tendering for Through renovation of Office cum Living Accommodation Building (Ist Floor) , Crews Accommodation (Ground floor) under R.T Section, Civil Engineering Department and office cum Living Accommodation Building of VTMS under Chief Hydraulic Department and other allied works at Sagar Light House Complex ,Sagar, District South 24 Parganas, .
NIT No निविदा संख्या	:	SMPK/KDS/CIV/T/2781/53 Dt. 22.09.2023
Estimated Cost अनुमानित लागतo f कार्य	:	Rs 26,39,575.37 (Rupees twenty-six lakh thirty-nine thousand five hundred seventy-five and paisa thirty-seven only)
Period Of Execution निष्पादन की अवधि	:	06 (six) Months
EMD (Earnest Money Deposit) बयाना राशि	:	The intending firms would require to submit an EMD of Rs 52,800.00 (Rupees fifty-two thousand and eight hundred only)
Period of Download of E-Tender (Both Days Inclusive) पार्टियों को डाउनलोड करने के लिए उपलब्ध एनआईटी की तिथि	:	22.09.2023 to 16.10.2023 (Upto 14:00 HRS.) ((Bid document will be available on website https://kopt.enivida.in). Bidders will have to participate in bidding process through website https://kopt.enivida.in/) only.
Date and Time for pre-bid meeting & site visit प्री-बिड मीटिंग की तारीख और समय	:	No pre bid meeting
Last date of submission of e- tender and opening of the tender ई-निविदा जमा करने और निविदा खोलने की अंतिम तिथि	:	Submission on 16.10.2023 Up to 15:00 hrs. Opening on 17.10.2023 after 13-00 hrs. (Both the Techno Commercial Part & Financial Part will be opened on the same date)
Cost of Tender Document (Non-refundable) निविदा दस्तावेज शुल्क) अप्रतिदेय(:	Rs.1770/-(Rupees one thousand seven hundred seventy only)
> Contact Person.	:	N Mallik, Superintending Engineer(Contract) P Dutta, Engineer (C) M.No 9674720078 03371012486, 03371012398

4.0: INSTRUCTIONS TO BIDDER

कार्य का नाम: सागर लाइट हाउस कॉम्प्लेक्स में (जिला दक्षिण 24 परगना) आर टी अनुभाग, सिविल इंजीनियरिंग विभाग के तहत कार्यालय सह लिविंग आवास भवन (द्वितीय तल), क्रू आवास (प्रथम तल) और मुख्य हाइड्रोलिक विभाग के तहत वी टी एम एस के कार्यालय सह लिविंग आवास भवन के नवीकरण और अन्य संबद्ध कार्यों के लिए ई-निविदा।

Name of Work: E-Tendering for -- Through renovation of Office cum Living Accommodation Building (Ist Floor), Crews Accommodation (Ground floor) under R.T Section, Civil Engineering Department and office cum Living Accommodation Building of VTMS under Chief Hydraulic Department and other allied works at Sagar Light House Complex, Sagar, District South 24 Parganas, .

NIT NO: SMPK/KDS/CIV/T/2781/53 DT. 22.09.2023

1.0 GENERAL

The work as described in the tender shall be executed in Kolkata and in accordance with the attached General Conditions of Contract, Special Conditions of Contract, Particular Specifications, and Drawings (if any) & detailed Bill of Quantities. Location Plan of the place of work might be inspected at the office of the **Superintending Engineer (RT)** on any working day before quoting for the tender.

- 2.0 Earnest money and cost of tender paper are to be physically deposited at the office of Chief Engineer at 15, Strand Road, Kolkata-700 001 by vendors/contractors through Bank Draft/Banker's Cheque/Demand Draft/Pay Order etc. On any scheduled/nationalised Bank, in favour of Syama Prasad Mookerjee Port, Kolkata, payable at Kolkata, within 3 working days after opening of tender.
- **2.1** Details of cost of e-tender paper remitted should be entered by the participating vendor/contractor in the space provided in the e-tender as indicated hereunder:
 - a) Name of remitting vendor/contractor :
 - b) Tender No. :
 - c) Amount remitted :
 - d) Date of remittance :
 - e) Bank Draft / Cheque No. :
- **2.2** Details of Earnest money remitted should be entered by the participating vendor/contractor in the space provided in the e-tender as indicated hereunder:
 - a) Name of remitting vendor/contractor :
 - b) Tender No. :
 - c) Amount remitted :
 - d) Date of remittance :
 - e) Bank Draft / Cheque No.

Tender submitted without requisite Earnest Money and cost of tender paper will be liable for rejection.

3.0 MODE OF SUBMISSION OF BID:

3.1 All bidders must submit their offers through e- tendering in accordance with the terms and conditions set out in the bid documents and no deviation will be accepted.

- 3.2 A Bid shall contain the following *scanned copies of* which are to be uploaded (Refer Annexure D):
 - i) GST registration certificate.
 - ii) Valid Trade Licence (Valid for current period & also for type of work)
 - iii) Valid Professional Tax Clearance Certificate / Up to date tax payment challan. If this is not applicable, the bidder must submit a declaration in this regard.
 - iv) Proof of possessing valid Employees' Provident Fund (EPF) Account. EPF Registration Certificate.
 - v) Proof of being registered with Employees' State Insurance Corporation (ESIC), ESI Registration Certificate.
 - vi) Details of the firm as per Schedule-O (in Part-I) of the tender document duly filled up.
 - vii) Credentials in the form of copies of Letters of Award of Works along with corresponding/successful Completion Certificates from owners to justify that the intending bidder satisfies the earlier mentioned pre-qualification criteria.
- viii) Last three years balance sheet and profit & loss account in support of Annual Financial turnover (i.e. 2019 –2020, 2020-2021 and 2021-2022) The same should be audited as per relevant norms wherever required.
- ix) PAN Card
- x) Bank Draft/ Pay order etc. regarding EMD & Cost of Tender documents/valid NSIC certificate
- xi) A list of technically qualified and skilled persons would be engaged to supervise and execute the work
- xii) Self declaration of the bidder that the Bidding Firm has Not been debarred / delisted by any Govt / Quasi Govt. / Public Sector undertaking in India(to be mentioned in the letter head of the Firm).
- xiii) Self-declaration regarding the proprietor/partner(s)/authorized signatory of the bidding firm (in the case of proprietorship firm /partnership firm /limited company, as the case may be) is/are not associated with any other firm bidding for the same work(to be mentioned in the letter head of the Firm).
- xiv) A list of works which are in hand at the time of submitting the offer as per the enclosed proforma titled 'Concurrent Commitments of The Bidder' vide 'Annexure-C' (Schedule –T) in Part-I of the tender document.
 - xv) Undertaking of the tenderer to be submitted as per enclosed Pro-forma (Annexure –D1) in lieu of submission of signed copies of the full Tender document, G.C.C, addenda & corrigendum in the letter head of the Firm.
- xvi) Last page of "Bill of Quantities" & the "Form Of Tender" duly filled up (without price quoted) shall be duly signed and stamped by the Bidder.
- N. B.-1 The bidder will have to produce the original documents or any additional documents, if asked for, to satisfy the Authorities for clarification of his documents or credibility.
- <u>N.B.-2</u> Even though the bidders meet the above qualifying criteria, they are subject to be disqualified if they have made misleading or false representations in the forms, statements and attachments submitted in proof of the qualification requirements and their **EMD will be forfeited for such action**.

3.3 All the bidders should submit the e-tender in accordance with the Mode of submission of Bid as aforesaid.

4.0 **SECURITY DEPOSIT:-**

- **4.1** For the successful Bidder, the Earnest Money deposit will be converted to part of Security Deposit and the remaining security deposit will be recovered from the contractors each and every On-Account Bill [including the final bill, if necessary] at the percentage of each such bills as set forth in Clause. **3.4, 3.5 & 3.6 of the General Conditions of Contract.**
- 4.2 Refund of S.D. and forfeiture S.D. shall be guided by Cl. 3.5 (i) & (ii) of the G.C.C.

5.0 Delay/ Extension of time/ Liquidated Damage/ Termination of Contract.

Clause 8.0 of G.C.C. to be referred regarding Delay/ Extension of time/ Liquidated Damage/ Termination of Contract.

6.0 REFUND OF EARNEST MONEY:-

The Earnest Money received, will be refunded or released as the case may be to the unsuccessful Bidders without any interest after opening of Price bid (Part – II) of the e-Tender document.

7.0 VALIDITY OF OFFER:-

The e-tender shall remain valid for a period of **4 (four) months** from the date of opening the same. If before expiry of this validity period, the Bidder amends his quoted rates or tender, making them unacceptable to the Trustees and / or withdraws his e-tender, the Earnest Money deposited shall be liable to forfeiture at the option of the Trustees/ Sanctioning Authority/Engineer.

8.0 **DETAILED SCRUTINY OF E-TENDERERS:**

- 8.1 During the course of examination of Part-I of the bid, the bidders, if asked for, shall furnish any or additional document(s) for the purpose of evaluation of his / their bids.
- 9.1 During techno-Commercial Evaluation, i.e. evaluation of Part-I of tender, an offer shall be considered non-responsive in case it :-
 - (i) is not accompanied by requisite Earnest Money /NSIC /MSME Registration certificate.
 - (ii) is not accompanied by requisite Tender paper cost /NSIC /MSME Registration certificate.
 - (iii) validity of the offer is less than tender stipulation,
 - (iv) does not meet the Qualification Criteria as stipulated in the NIT.
 - (v) The bidder submits conditional offer / impose own terms and conditions / does not accept tender conditions completely/offer or tender if submitted with any deviation from the tender terms & conditions.

In addition to above, a bidder may be disqualified if -

- 9.2 a) The bidder provides misleading or false information in the statements and documents submitted.
 - b) Record of unsatisfactory performance during the last seven years, such as abandoning of work or rescinding of contract for which the reasons are attributable to the non-performance of the contractor or inordinate delays in completion or financial bankruptcy etc.

The decision of Syama Prasad Mookerjee Port, Kolkata in this regard shall be final and binding on the Bidder.

10. An amount of **Cess** calculated at the rate of **1% of the billed amount** shall be progressively recovered from each running bill as well as from the final bill of the contractor for onward transmission of the same by the appropriate authority statutory deductions will also be made as applicable at the time of payment.

11. For Micro & Small Enterprises (MSEs) registered with NSIC & or MSME:-

- 11.1 Micro & Small Enterprises (MSEs) registered with NSIC (under single point registration scheme) **or MSME** are exempted from depositing Cost of Tender Document and Earnest Money.
- 11.2 If Micro & Small Enterprises (MSEs) registered with **NSIC or MSME** intends to participate in the tender, for the items they are not registered with NSIC, then they will have to deposit cost of Tender Document, full amount of Earnest Money as per NIT. **Otherwise their offer will not be considered**.
- 11.3 Copy of valid NSIC Certificate for MSEs has to be submitted along with bid.

12.0 EVALUATION CRITERIA:-

12.1 During evaluation of Part-II i.e. Price Part, provided that the bidder submits his offer following e-tender stipulations & specifications, **the overall lowest offer received** shall be considered for acceptance by the Trustees.

13.0 ACCEPTANCE OF TENDER:-

- 13.1 Syama Prasad Mookerjee Port, Kolkata reserves the right to accept / reject any / all offer(s) without assigning any reason thereof and also reserve the right to accept the tender in part or as a whole.
- 13.2 Any attempt to exercise undue influence in the matter of acceptance of Tender is strictly prohibited and any Tenderer who resorts to this will render his tender liable to rejection.
- 13.3 The successful Tenderer will be notified in writing of the acceptance of his tender. The "Tenderer" then becomes the "Contractor" and he shall forthwith take steps to execute the Contract Agreement within six weeks of issue of Letter Of acceptance and fulfill all his obligations as required by the Contract.

14.0 MISCELLANEOUS:

- Bidder shall submit his offer for complete scope of work, strictly in accordance with the tender documents. Any deviation from the tender documents and / or any incomplete tender shall not be considered.
- ii) The bidder shall not impose his own terms & conditions in his offer or quote his rates based on his own terms and conditions, such E-Tenderers are liable to rejection at the option of the Trustees without further reference to the bidder.
- iii) All materials shall have to be procured by the successful Bidder and shall be of the best and approved quality conforming to relevant specifications. The successful Bidder shall also arrange for the supply of all labour, tools and plants as stipulated in the Special Conditions of Contract, required for efficient execution of the work.
- iv) All measuring units are in Metric System and rates and sums in the tender are in Indian Currency. The language used throughout shall be in English.
- v) The Tender Documents with all the enclosures, appendices, Abstract Form of Tender and Form of Tender shall be required to be complete, duly filled in and signed and uploaded.
- vi) Enlisted/registered contractor of KoPT will get the benefit of exemption of deposition of Earnest Money **up to the prescribed limit**. They are to upload the scan copy of the original T.R. issued to them by KoPT during registration to KoPT relating to **Permanent Security Deposit**.
- vii) The Bidder shall give a declaration about the names of their relations employed in Syama Prasad Mookerjee Port, Kolkata. It is not the intention to debar the Contractors from working if their relatives are working in Ko.P.T, but such a declaration is necessary in the interest of Trustees against any possible lapses.

5.0: SPECIAL CONDITIONS OF CONTRACT

कार्य का नाम: सागर लाइट हाउस कॉम्प्लेक्स में (जिला दक्षिण 24 परगना) आर टी अनुभाग, सिविल इंजीनियरिंग विभाग के तहत कार्यालय सह लिविंग आवास भवन (द्वितीय तल), क्रू आवास (प्रथम तल) और मुख्य हाइड्रोलिक विभाग के तहत वी टी एम एस के कार्यालय सह लिविंग आवास भवन के नवीकरण और अन्य संबद्ध कार्यों के लिए ई-निविदा।

Name of Work: E-Tendering for -- Through renovation of Office cum Living Accommodation Building (Ist Floor), Crews Accommodation (Ground floor) under R.T Section, Civil Engineering Department and office cum Living Accommodation Building of VTMS under Chief Hydraulic Department and other allied works at Sagar Light House Complex, Sagar, District South 24 Parganas, .

1. GENERAL:

These provisions though given in a separate section are part of the tender documents which must be read as a whole, the various sections being complementary to one another and are to be taken as mutually explanatory. These provisions shall be read in conjunction with the other parts of the tender documents viz. General Conditions of Contract, Notice Inviting E-Tenders, and Instructions to Bidder, Particular Specifications, Drawings, Bill of Quantities and other documents forming part of the Contract. In case of any discrepancy or ambiguity in the documents, the order of precedence of the documents as stated below will apply. In particular, these provisions will over ride those in the General Conditions provided there is discrepancy between them.

2. CORRELATION AND ORDER OF PRECEDENCE OF TENDER DOCUMENTS:

If the stipulations in the various tender documents be found to be at variance in any respect, one will override others (but only to the extent these are at variance) in the order of precedence as given in the list below, i.e. any particular item in the list will take precedence over all those placed lower down in the list.

- (a) Order letter.
- (b) Bill of Quantities.
- (c) Drawings.
- (d) Particular Specifications of work.
- (e) Special Conditions of Contract.
- (f) General Conditions of Contract.

In case of any dispute, question or difference either during the execution of the work or any other time as to any matter or thing connected with or arising out of this Contract, the decision of the Chief Engineer, Syama Prasad Mookerjee Port, Kolkata, thereon shall be final and binding upon all parties.

The execution of work shall conform minutely to the approved & assigned drawings & specification & any other details drawings which shall be provided /duly approved by the Engineer during the progress of the work as to such other drawings those have formed part of the contract documents.

3. PRE-QUALIFICATION CRITERIA FOR BIDDERS: -

i) The intending bidder must have successfully completed similar works like construction/maintenance/renovation/repair of structures like buildings / offices etc during the last 7(seven) years ending last day of month previous to one in which applications are invited and the experience should be either of the following:

Either (i) 03 (Three) completed works each costing not less than 40 % of the estimated amount put to tender.

Or (ii) 02 (Two) completed works each costing not less than 50 % of the estimated amount put to tender.

Or (iii) 01 (One) completed work costing not less than 80% of the estimated amount put to tender.

ii) The Average Annual Financial Turnover of the bidding firm during the last three years, ending on **31-03-2022**, should be at least **30%** of the estimated amount put to tender.

Work experience as a sub contractor shall not be considered as the requisite qualification.

4. SCOPE OF WORK:

The works mainly thorough repairing works of office cum Accommodation Building (Ist floor), Crews accommodation (Ground floor) under R.T Section and Office cum accommodation building of VTMS Station at Sagar Pilot Station Complex, Sagar.

The work mainly comprise of the following Items:

(A) Office cum Accommodation Building (Ist floor), Crews accommodation (Ground floor) under R.T Section.

- 1. Strip off worn out plaster and cutting V-groove cracks of inside and out side of the building.
- 2. Dismantling works where necessary.
- 3. Plaster works inside and out side of building.
- 4. Rendering the surface with wall putty.
- 5. Repairing door and window with fittings.
- 6. Painting with Acrylic Emulsion paint and Acrylic Distemper over primer work inside of the building.
- 7. White wash work inside of building.
- 8. Synthetic Enamel primer and paint over wood and steel surface.
- 9. Acrylic Exterior Emulsion primer and paint outside of the building.
- 10. Flooring works with Vitrified tiles at 1st floor level using polymerized adhesive.
- 12. Digital Elevated ceramic Tiles at staircases.
- 13. Stainless steel Railing at staircases.
- 14. Water proofing treatment work with APP on roof.
- 15. Cement concrete with 6mm nominal size over APP layer.
- 16. Plumbing works.

(B) Office cum Accommodation Building of VTMS Station.

- 1. Strip off worn out plaster and cutting V-groove cracks of inside and out side of the building.
- 2. Dismantling works where necessary.
- 3. Plaster works inside and out side of building.
- 4. Rendering the surface with wall putty.
- 5. Repairing door and window with fittings.
- 6. Painting Acrylic Distemper over primer work inside of the building.
- 7. White wash work inside of building.
- 8. Synthetic Enamel primer and paint over wood and steel surface.
- 9. Acrylic Exterior Emulsion primer and paint outside of the building.
- 10. Water proofing treatment work with APP membrane on roof.
- 15. Cement concrete with 6mm nominal size over APP layer.
- 16. Earthwork in foundation trench.
- 17. Brick work in foundation and super structure.
- 18. Reinforced concrete works.
- 19. Taking out wall tiles from toilet at 1st floor level.
- 20. Fixing wall and floor tiles at toilet.
- 21. Plumbing works with conceal line at Toilet.

- 22. Sewerage connection with existing pit.
- 23. Cleaning septic tank and inspection pit.

etc. as per BOQ including all appurtenant works as described and set forth in the Bill of Quantities, Special Conditions of Contract, Technical Specifications of Works, Specification for Materials and Workmanship with all additional or varied works which may thereafter be required in accordance with Clause 7 of the General Conditions of Contract and as per the direction and up to the satisfaction of the Engineer-incharge.

The Contractor shall also have to arrange transport for forwarding any usable/saleable material (as per KoPT's discretion), that may be found during execution of the work, to the Trustess' Sales Yard or any other place/godown and dispose off the unusable materials/rubbish etc. resulted from the work beyond the Trustees' jurisdiction including labourers, transportation, loading, unloading all complete as directed by KoPT's representative. No separate payment will be made to the Contractor on these accounts unless specifically mentioned in the BOQ.

The intending tenderer shall inspect the site of work in consultation with the **Superintending Engineer**, **RT**, and acquaint himself with the nature of work before preparing his tender. His attention is drawn to **Clause No. 3.1** of the General Conditions of Contract in this regard. No excuse on ignorance as to the site conditions, availability of space for storing materials and approaches to site etc., will be entertained. Unless otherwise specified, the work to be provided for by the contractor shall include but not be limited to the following:-

- a) Provide all materials, supervision, services, scaffolding, shoring, strutting, form work, Vibrators, other tools and plants, transportation, water supply, temporary drainage, dewatering of surface, necessary approaches, temporary fencing and temporary lighting as required for safety and work purposes etc.
- b) The Contractor shall at all times carry out work in a manner creating least interference to the flow of Traffic (were necessary) while consistent with the satisfactory execution of the same.
- c) The Contractor shall provide and maintain barricades, signs, lights, and flagman, as necessary, at either end of the Bye-Passes, relocation and at such intermediate points as directed by the Engineer-In-Charge for the proper notification of the construction area. No extra payment shall be made for such work.
- d) The contractor shall carry out the work in phased manner as per availability of the site or permitted by the police so that normal day to day activities are not affected for which no such extra payment will be entertained.
- e) The Contractor shall ensure that all his workmen use proper PPEs as may be necessary or directed during the execution of the work at his cost.

Normally the work will be carried out between 8 A.M. to 5 P.M or between 9:00 A.M. to 6:00 P.M. as the case may be on the Trustee working days only. However, the tenderer should note that he might be required to carry out the job depending on the circumstances as well as on Sundays, Holidays and after normal working hours and at night (only in special cases if required) in addition to the normal working hours to expedite the progress of the work as directed/ permitted by the competent Authority.

The intending bidder must note that these works requires to be executed on an emergency basis as per various requirements to facilitate dock operations and therefore entails corresponding preparations from the concerned bidder including necessary adherence to the protocols of safety and security including all appurtenant works as described and set forth in the Bill of Quantities, Special Conditions of Contract, Technical Specifications of Works, Specification for Materials and Workmanship with all additional or varied works which may thereafter be required in accordance

with **Clause 7 of the General Conditions of Contract** and as per the direction and up to the satisfaction of the Engineer.

4.0 LOCATION:

VTMS area of SMPK at Sagar Island under SE (RT) .

5.0 ACCESS TO THE SITE:

(a) By Road: NA (b) By Rail: NA

6.0 Work Site:

The work site is at VTMS area of SMPK at Sagar Island.

7. INSPECTION OF SITE:

The Bidder shall contact the **Superintending Engineer (RT) at his office at 51, CGR Road**, **Kolkata-700043 for** collecting information about the site

8. SITE CONDITIONS & METHOD OF WORK:

The work is under the jurisdiction of RT, KDS and will be intimated by SE (RT) as per requirement.

If required by the Engineer in the interests of normal working of the Port, if it is found necessary to shift / suspend some activity for some duration, this shall be done in compliance with the instructions of the Engineer and as per relevant clause of the G.C.C. The bidder shall consider all the above points while quoting as no separate claim for idle charges towards labour, material will be considered for payment.

Proper care should be taken to provide adequate protection to the existing structures and cables (telephone, computer, etc) all such installations against any damage at the Contractor's risk and expense. Any damage / defect to existing structures arising due to the faulty execution of the work shall have to be rectified forthwith as directed to the satisfaction of the Engineer, without charging extra.

9.TIME OF COMPLETION

The work to be commenced as per the instructions from the SE (RT) on receipt of the work order and to be continued for **06 (Six) Months,** including preliminary time from the date of placement of work order.

11. Sufficiency of Tender:

- i) The tender drawings and all data / information as furnished herein or inspected and / or collected by the tenderer for the purpose of the work should be properly assessed, interpolated or utilised in his offer at his own responsibility and KoPT does not guarantee sufficiency or adequacy of the data / information so supplied to him or collected or understood by the tenderer.
- ii) The Contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the works and of the rates stated in the priced Bill of Quantities and the rates shall cover all his obligations under the contract and all matters and things necessary for the proper construction, completion, commissioning and maintenance of the work.
- iii) In case rate of particular item is printed erroneously in B.O.Q., the rate stated in the schedule of rates will prevail over the rate misprinted in B.O.Q.

12. Accessibility for Checking and Supervision.

The engaged Contractor is to provide necessary arrangement for free access to the KoPT officer's and personnel for supervision and checking of the subject work at his own cost.

13. Programme and Progress:

The contractor shall submit a detailed programme of work within **7** [seven] days from the date of Work Order / L.O.I. showing the commencement, duration and completion time of all major items of work including procurement of all materials etc,. The sequence of work shown in the programme must be practicable and compatible with technical specifications and conditions prevailing at site.

The contractor shall maintain the progress of work as per the approved programme. In case of any slippage of programme the engineer may require the contractor to augment the input of plant, equipment, labour of any item as he may deem fit. The contractor shall comply with the engineer's directive in this regard, without any extra charge whatsoever.

In case of delays caused due to conditions or circumstances beyond the control of the contractor, the delays must individually be informed to the Engineer forthwith in writing and his acceptance in writing obtained.

14. Responsibility of the Contractor for methodology of works:

- i) The Contractor shall be solely responsible for the methodology and detailed working for the whole of the works, keeping in mind the site conditions and shall supply to the Engineer such particulars thereof as he may require from time to time.
- ii) The Contractor shall submit within the time stipulated by the Engineer in writing, the details of actual methods that would be adopted by the Contractor for the execution of each item of the work supported by necessary details.
- iii) Approval, for the Drawings and sketches, if necessary including those of the plant and machinery that would be used, their locations, arrangements for conveying and handling materials etc., should be obtained from the Engineer well in advance for starting each item of work. The Engineer reserves the right to suggest modifications or make concrete changes in the methods proposed by the Contractor whether accepted previously or not at any stage of the work, to obtain the desired accuracy, quality and progress of the work, which will be final and binding on the Contractor.

15. MATERIALS:

It will be the responsibility of the contractor to make timely procurement of all materials for both temporary and permanent works required in accordance with the Bill of Quantities or for any extra/additional work required as per the directions of the Engineer. The contractor shall procure cement, reinforcement steel and other materials from manufacturers approved by the Engineer.

The contractor will be allowed to take away surplus materials on completion of the work, subject to Engineer's verification of contractor's records of entry and consumption of materials in the works.

16. Quality Control:

Quality control is an essential part in the construction of and must be based on proper objective and qualitative measurement. The Contractor will have the full responsibility for quality control and delivering the acceptable quality in the field. Regular appraisal of the quality control to the Engineer should be made for effecting improvements in the construction techniques to ensure satisfactory quality of work. The quality control function shall include but not be limited to the following items.

17. Sampling and Testing of Construction Materials:

Essentially to be carried out on the materials brought to site for construction work unless permitted otherwise by the Engineer. The Contractor shall undertake all field tests and laboratory tests for all such materials and workmanships as directed by the Engineer or his representative at his own cost. The samples shall be taken for test jointly by the representatives of the Engineer and the contractor at the worksite and tested /sent to a Govt. registered laboratory or Institutional laboratory as may be decided by the Engineer for testing. In case of field test, the contractor shall undertake the test by his own testing equipments or by any approved agency in presence of the representatives of the Engineer and the contractor at the worksite. All the testing charges and all incidental charges like packaging and transporting the test samples, equipments etc. shall be borne by the Contractor.

18. Specifications/ Codes and Standards:

All works under this contract will be executed according to the Trustees' Specification for works. Whenever the details are not specifically covered in the specifications, relevant provisions in the latest revision and/ or replacements of the Indian Standard Specifications (IS) or any other International Code of Practice/ CPWD specifications will be followed. The Contractor shall have to procure copies of such codes/ standards for ready reference of his own personnel as well as the Engineer or his representative at site at his own cost and without any additional reimbursement.

19. Temporary Works:

The successful tenderer shall allow for providing labour and materials for the construction and removal of all temporary works, e.g. site office, site store, scaffolding, fencing lighting; watching, tube well and pipe lines etc. required for constructional purpose as well as for drinking water purpose of contractor's men, water supply, vats, platform, etc. as may be necessary for the successful execution, completion and maintenance of works without any extra cost to the Trustees and the rates should be quoted accordingly. No rent shall, however, be charged to the contractor for construction/erection of such temporary sheds and structures.

20. Plant & Constructional Equipment:

The contractor shall supply his tools, plants and constructional equipments within his quoted rates. A list of plant as intended to be employed by the tenderers in this construction must be furnished with full details along with the tender.

21. Contract Price:

The "Contract Price" for this contract means the sum named in the tender subject to such additions thereto, deductions there from or reductions due to supply of any materials by the Trustees' as provided for in the Contract.

22. Setting out of work and initial measurements:

The Engineer shall provide the initial reference and Bench Mark for the setting out of work. It will be the contractor's responsibility to set out the work accurately and get them checked by the Engineer. The Contractor shall provide at his own expense all necessary instruments, staff and labour for the checking of the survey.

The Contractor shall be responsible for the true setting out of the work and for the correctness of all dimensions, levels, lines, positions and alignment. Any error in any part of

the works shall be rectified by the Contractor at his own cost. The Contractor would set up inspection facilities at Site at his own cost.

23. Forwarding of Materials:

The contractor shall have to arrange transport for forwarding any useable/ saleable materials that may be found during the process of execution of the work to the Trustees' Sales yard or any other site/ godown including labourers, transportation, loading, unloading all complete as per the direction of the Engineer or his representative at site. No separate payment will be made to the contractor on this account unless specifically mentioned in the B.O.Q.

24. PARTICULARS OF EXISTING WORKS:

Such information as maybe given in the specification as to the existing features and works other than those now under construction as part of "Syama Prasad Mookerjee Port, Kolkata" given without warranty of accuracy and neither the Trustees nor the Engineer will be liable for any discrepancies therein.

25. SAFETY MEASURES:

The contractor shall adhere to safe construction practice, guard against hazardous and unsafe working conditions and follow all safety precautions for prevention of injury or accidents and safeguarding life and property. The contractor shall comply with relevant provisions of Dock Workers (Safety, Health and Welfare) Act – 1986 and Dock Workers (Safety, Health and Welfare) Regulation – 1990 and Safety Officer of the Trustees or Safety Inspectors shall be afforded all facilities for inspection of the works, tools, plant, machineries, equipments etc. wherever so required. The contractor shall further comply with any instruction issued by the Engineer, Trustees' Safety Officer, Safety Inspector in regards to safety which may relate to temporary, enabling or permanent works, working of tools, plants, machineries, equipments, means of access or any other aspect.

The contractor shall provide all necessary first aid measures, rescue and life saving equipment to be available in proper condition.

The contractor shall provide PPE's (Personal Protective Equipments) such as, helmet, safety shoe etc. to all workers and shall also provide job specific PPE's e.g. safety belts for working at heights; protective face and eye shield, goggles, hand gloves for welding / gas cutting works; protective foot wear and gloves for hot works; facemasks, gloves and overalls for painting works, mixing and handling materials etc , as directed by the Engineer.

All safety rules shall be strictly followed while working on live electrical systems or installations as stipulated in the relevant safety codes.

Use of hoisting machines and tackles including their attachments, construction tools, machineries and equipments shall comply to the relevant safety codes.

Before allowing workers in sewers, manholes, any duct or covered channel etc, the manhole covers shall have to be kept open and ventilated at least one hour in advance and necessary safety torches / lamps should be inserted first before allowing entry to the worker. Suitable hand gloves and other safety gear will be provided to the worker during handling / removing of slushes / sludge etc. without any extra cost. The contractor shall adopt all the above safety measures at his own cost.

The successful bidder shall also ensure that –

- (i) No damage is caused to plants and vegetations unless the same is required for execution of the project proper.
- (ii) The work shall not pollute any source of water / land / air surrounding the work site so as to affect adversely the quality or appearance thereof or cause injury or death to animal and plant life.
- (iii) His office & labour hutment etc. shall be maintained in a clean and hygienic condition throughout the period of their use and different effluents of the labour hutment shall have to be disposed off suitably.

26. HOLIDAY OR SUNDAY WORK:

Subject to provisions in local Acts and any statutes of the State, the Contractor shall arrange for working on Holidays and Sundays whenever so desired by the Engineer to expedite progress and complete the works in time.

The Contractor shall not be entitled to any additional payment for taking up works on Holidays and Sundays. The Contractor should be prepared to resort to round-the-clock working by following shift timings for labour.

27. POWER SUPPLY:

If available and if required, suitable power supply may be arranged by the Trustees at the nearest existing supply point of the site of work on receipt of request letter from the Contractor to that effect. All necessary arrangements for the distribution at site will have to be made by the Contractor at his own cost as approved by the Trustees' Engineer or his representative.

Charges for consumption of power shall be periodically recovered from the Contractor's Bill at the rates of KoPT as prevalent amended from time to time including installation and hire charges for meters. The Trustees do not guarantee uninterrupted power supply from the above sources and Contractor shall not be compensated for any delay in providing / irregularity of power supply. The Contractor shall have to arrange for the supply of power at his own cost during such periods.

28. WATER:

The Contractor will arrange for supply of water both for drinking and for construction purposes. However, on written request from the Contractor, water for drinking purposes may be made available free of cost from the exiting water line of the Trustees at a point near the site of work. The

contractor will have to arrange for laying pipelines, as necessary, as per approval of the Engineer or his representative, for storing and distributing the same to the work point at his own cost.

- i) Under no circumstances, the contractor would be allowed to use such drinking water for constructional works.
- ii) In any case Dock water will not be allowed to be used for any work including curing.

29. KEEPING THE SITE AND WORKING AREA CLEAR:

The Contractor shall at all times keep the site and working areas free from all surplus materials, rubbish and offensive matter all of which shall be disposed off in a manner to be approved by the Engineer's Representative.

30. Protection of existing services:

The contractor must pay full attention to the fact that the existing service facilities for users are not distributed at any time due to storing of materials and rubbish and take every precaution to keep the entrance passage clear if the same are being used by the laborers. The contractor shall be held liable for all damage and interference to the existing service, caused by him in execution of works. Should any damage be done to the existing services, in general, the contractor shall make good the same and any further work considered necessary by the Engineer's representative without any delay otherwise the cost of such repairing shall be recovered for his running bill for which Engineer's decision shall be final and binding.

31. Cleaning during execution and after completion:

On completion of the works the contractor shall reinstate and make good at his own expense any property or land which might have been disturbed and/or damaged by his works. He should also clean the site as required during execution and fully clear the site after completion of all the works.

The contractor shall forward any usable materials found during the course of construction at the work site or its vicinity to KoPT stores/yards, dispose off the debris beyond the port area all at his own expenses by his own transport and labour and clean out all part of the work and leave everything clean and tidy to the entire satisfaction of the Engineer, failing which suitable deduction will be made from final bill as per discretion of the Engineer/Engineer's representative.

32. METHOD OF MEASUREMENT:

Unless otherwise specified in the Particular Specifications and Bill of Quantities, the work shall be measured according to the current P.W.D.'s (Building, S&P & Road) Schedule of Rates (2014), Govt. of West Bengal and analysed rate. For details of measurement not covered by the above S.P.-27 1987 of B.I.S. shall be referred to.

33. ON ACCOUNT PAYMENT:

On account payment to the Contractor shall be arranged as and when required at the discretion of the Engineer on the basis of measurements of completed works at the quoted rates in the Bill of Quantities. The terms of payment shall be in accordance with Clause-6 of the General Conditions of Contract. The Bills should be submitted by the contractor in quadruplicate to the Office of the respective **Superintending Engineer (NSD)** with necessary documents in original. Subject to the availability and feasibility of system, KoPT may make payment directly to the contractor's designated bank account. For this purpose, the contractor will have to indicate (i) name of bank (ii) branch name (iii) branch code and (iv) designated account number in the "Abstract Form Of Tender". In case payment is made directly through bank, the contractor may be required to submit a pre-receipt as per instruction of KoPT.

34. LABOUR, TOOLS & PLANTS:

The Contractor shall supply all necessary labour, tools and plants required for satisfactory execution of the work.

35. ESCALATION / VARIATION ON PRICES:

No Escalation / Variation on the prices on any account will be considered for adjustment / payment.

36. CONTRACT LABOUR LAWS:

The contractor shall be required to comply with the Minimum wages Acts 1948, Employees Liability Act, 1938, Industrial Disputes Act, 1947, and The Contract Labour (Regulation and Abolition) Act, 1970, or statuary amendments and the modifications thereof, any other laws relating thereto and the rules made there under from time to time. Payment to the labourers to be made as per the minimum wage rates fixed by Chief Labour Commissioner (Central) and as per M.W.A. Govt. of W.B. whichever is higher and revision from time to time.

It will be the duty of the contractor to abide by the provisions of the Act. Ordinances, Rules, Regulations, Byelaws and Procedures as are lawfully necessary in the execution of the works. The contractor will be fully responsible for any delay/damage etc. and keep the Engineer indemnified against all penalties and liabilities of any kind for noncompliance or infringement of such Acts, Ordinances, Rules, Regulations By-laws and Procedures. The Contractor shall comply to the Employees' Bonus rules & to pay Bonus once a year to his workmen accordingly, for which no extra payment shall be made to the Contractor.

The contractor shall indemnify the KoPT against payment to be made under or for the observance of the laws aforesaid without prejudice to his right to claim indemnity from his subcontractor.

The aforesaid regulations shall be deemed to be a part of this contract and any breach thereof shall be deemed to be a Breach of Contract. It will be obligatory on the part of Contractor to obtain necessary Labour Licence from the Competent Authority for deploying requisite Nos. of labours in the work and submit to the Engineer-In-Charge prior to commencement of the work.

The contractor shall also be required to comply regarding 'Workmen Compensation Act, 1923 as amended by Amendment Act No.65 of 1976'

In addition to the above, the Personal Injuries (Compensation Insurance) Act, 1963 and any modifications thereof and rules made there under from time to time. The contractor shall take into account all the above said financial liabilities in his quoted rates and nothing extra, whatsoever, shall be payable to him on this account.

The Contractor shall indicate maximum number of workmen to be engaged on any day for execution of the work in the appropriate place in the ABSTRACT FORM OF TENDER & he shall have to obtain a regular /permanent license as per sec12(1) of the Contract Labour Act.

Further , whenever a contract work has commenced or completed , the contractor has to intimate the same to the Assistant Labour Commissioner(Central) /labour Enforcement Officer (Central) in Form IV-A within 15 days of such commencement or completion.

The contractor has to arrange for displaying the name of the Regional Labour Commissioner (Central), Asst. Labour Commissioner (Central) & Labour Enforcement Officer (Central) at his worksite(s). The contractor shall inform the Principal Employer the date, time & venue of disbursement to be made by him to his workers.

The successful bidder shall also be required to put up a notice at the site of work mentioning the date, time & venue of disbursement to be made by him to his workers and he or his authorized representative shall have to be present during period of disbursement.

37. COMPLIANCE WITH E.P.F & M. P. ACT & ESI Act 1948:

The successful contractor will have to comply with provision of EPF & MP Act 1952 and also for Employees State Insurance Act 1948 (along with amendments, if any), issued from time to time as applicable.

If asked for by the Employer, the contractor will be required to submit photocopy of all payment challans and produce the original for verification to the representative of the principal employer, i.e. **Superintending Engineer (RT).**

38. INDEMNIFICATION:

The successful bidder shall be deemed to indemnify and keep indemnified the Trustees from and against all actions, claims, demands and liabilities whatsoever under and in respect of the breach of any of the provisions of any law, rules or regulations having the force of law, including but not limited to -

- a) The Minimum Wages Act, 1948.
- b) The Dock Workers (Regulation Of Employment) Act, 1948
- The Building And Other Construction Workers (Regulation of Employment & Conditions of Service) Act, 1996
- d) The Dock Workers' Safety, Health & Welfare Act, 1986
- e) The Payment of Wages Act, 1936.
- f) The Workmen's Compensation Act, 1923.
- g) The Employees Provident Fund Act, 1952.

- h) The Contract Labour (Regulation and Abolition) Act, 1970; Rules 1971.
- i) The Equal Remuneration Act, 1976.
- j) The Employees State Insurance Act, 1948 & Employees State Insurance (Amendment) Act
 ,1989
- k) Child Labour (Prohibition and Regulation) Act, 1986.
- I) The Maternity Benefits Act 1961
- m) Interstate Migrant Workmen (Regulation of Employment & Conditions Of Service) Act, 1979.
- n) Motor Vehicle Act, latest revision.
- o) The payment of Bonus Act,1965.

39. TAXES & DUTIES: -

The prices quoted shall be including all statutory levies excluding GST, which shall be paid extra.

Supplier/service provider to confirm that the GST amount charged in invoice is declared in its returns and payment of taxes is also made.

- The Supplier/ Service Provider agrees to comply with all applicable GST laws, including GST acts ,rules, regulations, procedures, circulars & instructions thereunder applicable in India from time to time and to ensure that such compliance is done within the time prescribed under such laws. Supplier/Service Provider should ensure accurate transaction details, as required by GST laws, are timely uploaded in GSTN. In case there is any mismatch between the details so uploaded in GSTN by Supplier/ Service Provider and details available with Syama Prasad Mookerjee Port, Kolkata, then payments to Supplier/Service Provider to the extent of GST relating to the invoices/s under mismatch may be retained from due payments till such time Syama Prasad Mookerjee Port, Kolkata is not sure that accurate tax amount is finally reflected in the GSTN to KoPT's Account and is finally available to Syama Prasad Mookerjee Port, Kolkata in terms of GST laws and that the credit of GST so taken by Syama Prasad Mookerjee Port, Kolkata is not required to be reversed at a later date along with applicable interest.
- Syama Prasad Mookerjee Port, Kolkata has the right to recover monetary loss including interest and penalty suffered by it due to any non-compliance of tax laws by the supplier/service provider. Any loss of input tax credit to Syama Prasad Mookerjee Port, Kolkata for the fault of supplier shall be recovered by Syama Prasad Mookerjee Port, Kolkata by way of adjustment in the consideration payable.
- Supplementary invoices/Debit note/credit note for price revisions to enable Syama Prasad Mookerjee Port, Kolkata to claim tax benefit on the same shall be issued by bidder for a particular year before September of the succeeding Financial Year.

The purchase order/ work order shall be void, if at any point of time bidder is found be to a black listed dealer as per GSTN rating system and further no payment shall be entertained.

40. SETTLEMENT OF DISPUTES:

If a dispute of any kind whatsoever arises between the Employer and the Contractor in connection with or arising out of the contract or the execution of the works, the same shall be dealt as per relevant provisions of the General Conditions of Contract.

41. Contractor to execute Contract Agreement:

The contractor after acceptance of his tender shall be required to enter into and execute a Contract Agreement to be prepared in the form annexed to the General Conditions of Contract together with such modifications as may be necessary within one month from the date of placement of the order. The contractor shall have to submit copies in sextuplets of all documents; correspondence, connected papers etc. as detailed in the above from of Contract

Agreement together with the instrument of Contract Agreement prepared on Non-Judicial stamped paper of requisite denomination having five more copies made on plain paper all at his own cost. The successful tenderer shall have to submit three sets of such Contract Agreement duly executed, sealed, signed and witnessed for execution by the Trustees. The other three sets shall be completed in all respects but not signed. If the successful tenderer or tenderers are a partnership concern, they will have to get Agreement signed by all the partners or by the partner who is authorized to sign for and on behalf of the other partners.

The contractor shall also comply with the requirements of Security Deposit for the due fulfillment of the contract. The blank proforma of tender documents shall be supplied to the successful tenderer free of charge for preparing the documents of the aforesaid Contract Agreement.

The successful tenderer shall have to copy out and prepare the documents of the Contract Agreement neatly and correctly. The necessary amendments, corrections etc. (if any) have to be done at his own cost. The successful contractor shall be required to keep close coordination and liaison with the Marine Department while executing the works. The **Superintending Engineer** in charge of the construction will direct the representatives of the contractor to maintain liaison with different sections of the other departments and the contractor must keep the concerned **Superintending Engineer** of the Civil Engineering Department informed and/or posted with the programme contemplated with other departments. The **Superintending Engineer** of the Civil Engineering Department shall be nodal authority in all these co-ordination and / or liaison and all programmes must be vetted by him. In cases of exigencies, the contractor or his representatives may establish direct liaison/co-ordination but in all such case the **Superintending Engineer** should be informed promptly.

42. Employment of Local Resources:

The contractor shall pay special attention to engage the maximum possible number of local Engineer, other technical personnel, office workers; labourers (skilled, semiskilled, unskilled) both at site and in office, details of such recruitment etc. shall be submitted to the Engineer periodically or as and when called for.

43. Calcutta Port Trust:

The expression "CALCUTTA PORT TRUST' appearing anywhere in the tender documents, shall be construed to read as "SYAMA PRASAD MOOKERJEE PORT, KOLKATA".

44. Clarification of Bids:

To assist in the examination and comparison of Tenders, the Employer may, at his discretion, ask any Tenderer for clarification of his Tender, including breakup/analysis of unit rates. The request for clarification and the response shall be in writing, but no change in the price or substance of the Tender shall be sought, offered, or permitted except as required to conform the correction of arithmetic errors discovered by the Employer in the evaluation of the Tenders.

No Tenderer shall contact the Employer on any matter relating to his Tender from the time of the Tender opening to the time the contract is awarded. If the Tenderer wishes to bring additional information to the notice of the Employer, he should do so in writing.

Any effort by the Tenderer to influence the Employer's Tender evaluation, Tender comparison or contract award decisions, may result in the rejection of his Tender.

45. Workmen and Wages:

The Contractor shall deliver, if ordered, a weekly return for all labour employed in writing in the requisite form as instructed by the Engineer or his representative.

The contractor shall have to engage sufficient number of technically qualified and skilled persons to supervise and execute the work and this should be mentioned in the letter head of the Firm

46. Rate for payment against extra Items:

For any unforeseen work not covered under the Bill of Quantities and Condition of Contract, depending on contingent situation at site, if required for successful completion of the work, extra items have to be carried out by the Contractor. If those items are already available in Trustees' Schedule of Rates, payment will be made on the basis of those rates including surcharge in force at the time of acceptance of the tender, as the accepted contractual percentage, if any, thereon, otherwise, if the rates are not available in the KoPT Schedule of Rates, then Special Rates will be prepared as follows:-

- (i) The rate of payment of work involving labour & material shall be fixed on the following basis.
 - a) Cost of materials consumed including transport and wastage, plus
 - b) Cost of labour actually engaged in the works, plus
 - c) Taxes and Duties as applicable, plus
 - d) 16 % on the aggregate of (a) and (b) towards overhead, profit and cess.
- (ii) For any work involving only labour, rate of payment shall be fixed on cost of labour actually engaged in the work plus 11 % towards profit and cess.
- (iv) For only supply of any material at site, rate of payment shall be fixed on actual cost of material plus transport, loading & unloading (if any) plus 11 % towards profit and cess.

47. Disparity in quoted rate/amount.

If there is any disparity between the quoted rate in percentage and the Tender Amount, the rate quoted in percentage shall prevail as the rate quoted by the tenderer and the Tender Amount shall be derived by adding/subtracting (as the case may be) this percentage with/from the Estimated Value put to tender. Similarly in case of disparity between the rate quoted in figures and in words, the rate quoted in words shall prevail.

48. Dock Permit:

For works inside the Docks, Dock permit required for men , materials, vehicles and equipments etc. are to be procured by the successful tenderer **at free of cost** as per recommendation of the executing departments/divisions indicating the specific number of free permits to be issued. But for creation of individual IDs in permit system a charge as applicable, will be levied per person (one time) even for companies/ Individuals who have been granted permission to obtain free permits by KoPT. In case the work has to be carried out in an operational zone, the tenderer should keep in mind that the work is to be executed without hampering the operational activities and should complete the work within the stipulated time specified in the tender.

49. Working Period:

Normally the work will be carried out between 8 A.M. to 5 P.M. on the Trustees' working days only. However, the tenderer should note that he might be required to carry out the job on Sundays, holidays and after normal working hours and at night in addition to the normal working hours to expedite the progress of the work if permitted by **Competent Authority**. The tenderer should include in his rates the cost, if any, involved on those accounts.

50. Bank Guarantee in lieu of Cash Security Deposit:

Security deposit shall be recovered from the On A/C. Bill as per Clause – 3.4 and 3.5 of General Conditions of Contract. However, Bank Guarantee may be considered in lieu of Cash Security Deposit. In that case, the Contractor shall have to submit to the Engineer a performance Bond in the form of an irrevocable guarantee from any Nationalized Bank at Kolkata in the proforma as given in the G.C.C. In this context Clause 3.6 of G.C.C. may be referred to.

51. Measures against pollution: -

The contractor shall have to take proper measures against environmental pollution during execution of work as directed by the Engineer.

The contractor shall, abide by all the regulations and rules of Syama Prasad Mookerjee Port, Kolkata and those that may be issued from time to time without any extra cost to the KoPT.

52. Port Area Obligations:

The Dock area is a custom bounded area and as such the contractor shall comply with all Regulations of the Port and Custom authorities and those that may be imposed from time to time in respect of the transit of all of contractors plants, vehicles, materials, and staff in the area. Whenever regulations so require, permits shall have to be obtained for such transit of Contractor's plants, vehicles, staff and workmen.

The contractor shall instruct his staff and Workmen to comply with all requirements in this "Restricted Area".

The contractor shall suitably fence the area that may be allotted to him inside the "Bonded Area" of the port for stores and other requirements to the full satisfaction of the Port and Security Agencies. The contractor shall, abide by all the regulations and rules of Syama Prasad Mookerjee Port, Kolkata and those that may be issued from time to time without any extra cost to the KoPT.

53. Errors in the B.O.Q:

In case rate of particular item is printed erroneously in BOQ, the rate stated in the Schedule of rates will prevail over the rate misprinted

SCHEDULE -- T <u>Annexure-C(Contd)</u> SYAMA PRASAD MOOKERJEE PORT, KOLKATA

CONCURRENT COMMITMENT(S) OF THE BIDDER (i.e Works In The Hand Of The Bidder At The Time Of Submission Of Tender Offer)

(To be submitted with Part-I of Offer) Bidders must fill in the under noted columns.

SI.	Full particulars of works to be executed	Sanctioned	Completion time as	Name and address to whom reference
No.	concurrently by the bidder.	Tender Value.	stated in tender.	can be made.
	(i) Name of work.	(in Rs.)		
	(ii) Client.			
	(iii) W.O. No. & Date.			
1	(i)			
	(ii)			
	(11)			
	(iii)			
	(111)			
2	(i)			
	(ii)			
	(iii)			
	(111)			
_				
3	(i)			
	(ii)			
	()			
	(iii)			
4	(i)			
	(ii)			
	(iii)			

(To be submitted with Part-I of Offer) Annexure-C(Contd) SCHEDULE 'O' SHEET – 1

A)	In case of Limited Company -	
1) [Name of Company	:
2) /	Address of its present registered office.	:
3) [Date of its incorporation	:
4)	Full name and address of each of its Directors – any special particulars as to Directors if desire to be stated.	:
5)	Name, address and other necessary particulars of Managing Agents, if any appointed by the Company.	:
-	Copies of Memorandum, Articles of Association (with latest amendments, if any).	:
7)	Copies of audited balance sheets of the Company for the last three years .	:
B)	In case of a firm -	
1)	Name and address of the firm.	:
2)	When business started	:
3)	If registered a certified copy of certificate of registration.	:
4)	A certified copy of the Deed of Partnership	:
5)	Full name and address of each of the partners and the interest of each partner in the partnership – any special particulars as to partners if desired to be stated.	:
•	Whether the firm pays income tax over 10, 000/- per year	:

The Bidders are also requested to furnish the following particulars:-

(To be submitted with Part-I of Offer)

SCHEDULE 'O' SHEET - 2.

C) In case of an Individual:	
1) Full name and address of the Bidder any special particulars of the Bidder if desired to be stated.	:
2) Name of the father of the Bidder.	:
3) Whether the Bidder carries on business in his own name or any other name.	:
4) When business was started and by whom.	:
5) Whether any other person is interested in the business directly or indirectly, if so, name and address etc. of such persons and the nature of such interest.	:
6) Whether the Bidder pays Income Tax over Rs.10, 000/- per year.	:
Dated:	(Full signature of Bidder)

(Proforma of Performance certificate/credential of works)

[To be issued on issuing authority's letterhead duly signed with office seal]

1.	Name of the Certifying Authority:	
2.	Name of the work :	
3.	Name of the Contractor :	
4.	Schedule date of commencement and completion of the work as per Work Order :	
5.	Date of actual commencement of work & date of actual completion :	
6.	i) If there is time overrun, whether delay is due to the contractor (Yes/No.):ii) If yes, what is the extent of delay attributable to the contractor:	
7.	Sanctioned Tender value & Actual value executed:	
8.	Quality of work (Excellent/satisfactory/poor) :	
9.	Remarks (If any):	

DOCUMENTS TO BE UPLOADED ALONG WITH PART -I

Scanned copy of the following documents to be uploaded:-

- i) GST registration certificate.
- ii) Valid Trade Licence (Valid for current period & also for type of work).
- iii) Valid Professional Tax Clearance Certificate / Up to date tax payment challan. If this is not applicable, the bidder must submit a declaration in this regard.
- iv) Proof of possessing valid Employees' Provident Fund (EPF) Account.EPF Registration Certificate.
- v) Proof of being registered with Employees' State Insurance Corporation (ESIC), ESI Registration Certificate
- vi) Details of the firm as per Schedule-O (in Part-I) of the tender document duly filled up.
- vii) Credentials in the form of copies of Letters of Award of Works along with corresponding Completion Certificates from owners to justify that the intending bidder satisfies the earlier mentioned pre-qualification criteria.
- viii) Balance sheet and Profit and Loss account / Trading account for the last 3 (three) financial years (i.e. 2019 –20, 2020-21 and 2021-22). The same should be audited as per relevant norms wherever required.
- ix) Bank Draft/ Pay Order etc. regarding EMD & Cost of Tender documents / valid NSIC certificate
- x) PAN Card
- xi) A list of technically qualified and skilled persons would be engaged to supervise and execute the work (to be mentioned in the letter head of the Firm).
- xii) Self declaration of the bidder that the Bidding Firm has Not been debarred / de- listed by any Govt / Quasi Govt. / Public Sector undertaking in India (to be mentioned in the letter head of the Firm).
- xiii) Self declaration regarding the proprietor/partner(s)/authorized signatory of the bidding firm (in the case of proprietorship firm /partnership firm /limited company, as the case may be) is/are not associated with any other firm bidding for the same work (to be mentioned in the letter head of the Firm).
- xiv) A list of works which are in hand at the time of submitting the offer as per the enclosed proforma titled 'Concurrent Commitments of The Bidder' vide 'Annexure-C' (Schedule –T) in Part-I of the tender document.
- xv) Undertaking of the tenderer to be submitted as per enclosed Pro-forma (Annexure –D-1) in lieu of submission of signed copies of the full Tender document ,G.C.C,addenda & corrigendum in the letter head of the Firm.
- xvi) Last page of "Bill of Quantities" & the "Form of Tender" duly filled up (without price quoted) shall be duly signed and stamped by the Bidder.

- <u>N. B.-1</u> The bidder will have to produce the original documents or any additional documents, if asked for, to satisfy the Authorities.
- <u>N.B.-2</u> Even though the bidders meet the above qualifying criteria, they are subject to be disqualified if they have made misleading or false representations in the forms, statements and attachments submitted in proof of the qualification requirements and their EMD will be forfeited for such action.

NIT NO. SMPK/KDS/CIV/T/2781/53 DT. 22.09.2023

[DOCUMENT TO BE DOWNLOADED, FILLED IN UNDER BIDDER'S LETTERHEAD, SIGNED, SCANNED AND UPLOADED]

Undertaking to be submitted in lieu of uploading/submitting signed copy of full tender document

Ref. No	Dated:
The Chief Engineer, Syama Prasad Mookerjee Port, Kolkata, Civil Engineering Department, 15, Strand Road, Kolkata – 700 001	
Dear Sir,	
1. We,(Name of Tenderer) have fully the entire Tender Document, GCC, Corrigendum and Addenda, if any, downloans instant e-tender and no other source, and will comply to the said document, GAddenda.	oaded from under the
We are submitting this undertaking in lieu of submission of signed codocuments GCC, Corrigendum and Addenda.	copy of the full tender
Signature of Tenderer	ours faithfully,
Name: Designation: Date: Seal of the tenderer	

Syama Prasad Mookerjee Port, Kolkata CIVIL ENGINEERING DEPARTMENT

6, फेयरली प्लेस, फेयरली वेयरहाउस कोलकाता -७००००१ 6, Fairlie Place, Fairlie Warehouse, Strand Road, Kolkata – 700001

NIT No.: SMPK/KDS/CIV/T/2781/53 DT. 22.09.2023

NOTE: Last Date of Download of tender documents : 16.10.2023 (up to 14-00 hours)

Tender is due for submission by 15-00 hours On 16.10.2023

PRICE BID

कार्य का नामः सागर लाइट हाउस कॉम्प्लेक्स में (जिला दक्षिण 24 परगना) आर टी अनुभाग, सिविल इंजीनियरिंग विभाग के तहत कार्यालय सह लिविंग आवास भवन (द्वितीय तल), क्रू आवास (प्रथम तल) और मुख्य हाइड्रोलिक विभाग के तहत वी टी एम एस के कार्यालय सह लिविंग आवास भवन के नवीकरण और अन्य संबद्ध कार्यों के लिए ई-निविदा।

Name of Work: E-Tendering for -- Through renovation of Office cum Living Accommodation Building (Ist Floor), Crews Accommodation (Ground floor) under R.T Section, Civil Engineering Department and office cum Living Accommodation Building of VTMS under Chief Hydraulic Department and other allied works at Sagar Light House Complex, Sagar, District South 24 Parganas, .

Annexure-E (Contd.)

E-Tendering for -- Through renovation of Office cum Living Accommodation Building (Ist Floor) , Crews Accommodation (Ground floor) under R.T Section, Civil Engineering Department and office cum Living Accommodation Building of VTMS under Chief Hydraulic Department and other allied works at Sagar Light House Complex ,Sagar, District South 24 Parganas, .

NIT NO: SMPK/KDS/CIV/T/2781/53 DT. 22.09.2023

PRICE BID

TENDER PARTICULARS

estimated cost अनुमानित लागत	:	Rs. 26,39,575.37 (Rupees Rupees twenty-six lakh thirty-nine thousand five hundred seventy-five and paisa thirty-seven only)
EMD (Earnest Money Deposit)/Bid Security	:	The intending firms would require to submit an EMD of Rs. 52,800.00 (Rupees fifty-two thousand and eight hundred only)
ईएमडी (बयाना राशि जमा)/बोली सुरक्षा Tender Document fee (Nonrefundable) निविदा दस्तावेज शुल्क (अप्रतिदेय)		Rs.1770/-(Rupees one thousand seven hundred seventy only)
TIME OF COMPLETION निष्पादन की अवधि	:	06 (Six) Months
Period of Download of E-Tender (Both Days Inclusive) ई-निविदा के डाउनलोड की अवधि (दोनों दिन सम्मिलित)		22.09.2023 to 16.10.2023 (Upto 14:00 HRS.) ((Bid document will be available on website https://kopt.enivida.in). Bidders will have to participate in bidding process through website https://kopt.enivida.in/ only.
Date and Time for pre-bidmeeting & site visit प्री- बिड मीटिंग और साइट विज़िट के लिए दिनांक और	:	No pre bid meeting
LAST DATE OF SUBMISSION OF E-TENDER AND OPENING OF THE TENDER ई-निविदा जमा करने और निविदा खोलने की अंतिम तिथि	:	Submission on 16.10.2023 up to 15:00 hrs. Opening on 17.10.2023 after 13-00 hrs. (Both the Techno Commercial Part & Financial Part will be opened on the same date)

Syama Prasad Mookerjee Port, Kolkata CIVIL ENGINEERING DEPARTMENT PREAMBLE TO THE BILL OF QUANTITIES

कार्य का नाम: सागर लाइट हाउस कॉम्प्लेक्स में (जिला दक्षिण 24 परगना) आर टी अनुभाग, सिविल इंजीनियरिंग विभाग के तहत कार्यालय सह लिविंग आवास भवन (द्वितीय तल), क्रू आवास (प्रथम तल) और मुख्य हाइड्रोलिक विभाग के तहत वी टी एम एस के कार्यालय सह लिविंग आवास भवन के नवीकरण और अन्य संबद्ध कार्यों के लिए ई-निविदा।

Name of Work: E-Tendering for -- Through renovation of Office cum Living Accommodation Building (Ist Floor), Crews Accommodation (Ground floor) under R.T Section, Civil Engineering Department and office cum Living Accommodation Building of VTMS under Chief Hydraulic Department and other allied works at Sagar Light House Complex, Sagar, District South 24 Parganas, .

NIT NO: SMPK/KDS/CIV/T/2781/53 DT. 22.09.2023

- 1.1 The Bill of Quantities must be read with the General Conditions of Contract, the Special Conditions of Contract and the Particular Specifications of Work and the Bidder is deemed to have examined the above documents and to have thoroughly familiarise himself with the total scope of work and its mode of execution.
 - 1.2 The quantities given in the Bill of Quantities are approximate only and are given to provide a common basis for tendering. Payment will be made according to the quantities of each item of work actually carried out at the accepted rates as per Order Letter. The measurements of each item of work shall be measured jointly by the Engineer or his Representative.
 - 1.3 General direction and description of work or materials given elsewhere in the contract documents are not necessarily repeated in the description of items in the Bill of Quantities.
 - 1.4 The prices and rates entered by the Contractor in the Bill of Quantities shall be deemed to cover the complete and finished work, inter-alia, all costs and expenses which may be required for successful completion of the works together with all risks, liabilities, contingencies, insurance, octroi, royalties, taxes and obligations imposed or implied by the Contractor.
 - 1.5 Where separate items such mobilisation, demobilisation, temporary works etc., have not been provided in the Bill of Quantities for works required under the Contract, then the cost of such works shall be deemed to have been included in the prices and rates of other items.
 - 1.6 Without affecting the generality of the foregoing provisions, the prices and rates entered in the Bill of Quantities by the Contractor shall include inter-alia, all costs and expenses involved in or arising out the followings:-
 - 1.7 The provision, storage, transport, handling, use distribution and maintenance of all materials, plans, equipment machineries and tools including all costs, charges dues demurrages or other outlays involved in the transportation.
 - 1.8 The provision and maintenance of all his staff and labours and their payments, accommodation, transport, taxes and other requirements.
 - 1.9 Setting out including the location and preservation of survey markers, measurement and supervision.
 - 2.0 The provision, storage, transpsort, use handling, distribution and maintenance of consumable stores, fuel, water and electricity.
 - 2.1 All First Aid, Welfare and safety requirements.
 - 2.2 Damage caused to the works, plants, materials and consumables stores caused by weather.
 - 2.3 Licence, fees and other charges for compliance of Government Acts and Rules that are inforce and applicable.
 - 2.4 The Contractor should be held responsible for the safe custody of materials, machineries etc. at site procured by him or issued to him by the Trustees.
 - 2.5 This being a percentage rate tender, the Bidder shall quote his rates as percentage above / below / at par with the estimated amount put to tender **on line** based on his own analysis .

The Tender Price thus established would be taken for comparative evaluation of E-Tenderers

Syama Prasad Mookerjee Port, Kolkata CIVIL ENGINEERING DEPARTMENT BILL OF QUANTITIES

कार्य का नाम: सागर लाइट हाउस कॉम्प्लेक्स में (जिला दक्षिण 24 परगना) आर टी अनुभाग, सिविल इंजीनियरिंग विभाग के तहत कार्यालय सह लिविंग आवास भवन (द्वितीय तल), क्रू आवास (प्रथम तल) और मुख्य हाइड्रोलिक विभाग के तहत वी टी एम एस के कार्यालय सह लिविंग आवास भवन के नवीकरण और अन्य संबद्ध कार्यों के लिए ई-निविदा ।

Name of Work: E-Tendering for -- Through renovation of Office cum Living Accommodation Building (Ist Floor), Crews Accommodation (Ground floor) under R.T Section, Civil Engineering Department and office cum Living Accommodation Building of VTMS under Chief Hydraulic Department and other allied works at Sagar Light House Complex, Sagar, District South 24 Parganas, .

NIT NO: SMPK/KDS/CIV/T/2781/53 DT. 22.09.2023

BILL OF QUANTITIES

S/N	Description of Item	Quantity	Rate	Unit	Amount (Rs.)
	Part A : (Building)				
1	Earth work in excavation of the foundation tranches or drains in all sorts of soil (including mixed soil but excluding laterite or sand stone) including removing spreading or stacking the spoils within a lead of 75Mtr as directed. The Item including necessary trimming the sides of tranches, levelling, dressing and ramming the bottom, bailing out water etc. as required complete. Depth of excavation not exceeding 1500 mm.	5.00	Per % Cum	15505.10	775.26
2	Earth work in filling in foundation trenches or plinth with good earth obtained from excavation of foundation in layers not exceeding 150mm including watering and ramming etc. layer by layer complete. (Payment to be Made on the basis of the Measurement of finished quantity of work). With earth obtained from excavation of foundation.	2.00	Per % Cum	10080.20	201.60
3	Dismantle all types of Masonry excepting cement concrete plain or reinforced, stacking serviceable Materials at site &removing the rubbish as directed within a lead of 75 Mtr in ground floor including roof.	1.00	Per Cum	581.10	581.10
4	Dismantle all types of plain cement concrete works up to 150 mm thick stacking serviceable Materials at site andremoving rubbish as directed within a lead of 75 Metre in ground floor including roof upto 150 mm. thick.	2.00	Per Cum	1220.70	2,441.40
5	Dismantle R.C. floor, roof beams etc. including	2.00	Per	2542.80	

	42		1	1	
	cutting rods and removing rubbish as directed		Cum		5,085.60
	within a lead of 75 Mtr including stacking of				
	steel bars in ground floor including roof.				
6	Dismantle artificial stone flooring up to 50 mm	5.00	Per	65.00	
	thick by carefully chiselling without damaging		Sqm		325.00
	base and removing rubbish as directed within				
	a lead of 75Mtr.				
	In ground floor including roof.				
7	Filling in foundation or plinth by silver sand in	5.00	Per %	121707.30	
	layers not exceeding 150 mm as directed and		Cum		6,085.37
	consolidating the same by thorough				,
	saturation with water, ramming complete				
	including the cost of supply of sand. (payment				
	to be made on measurement of finished				
	quantity.				
8	Strip off worn out plaster & raking out joints	300.00	Per	24.70	
0		300.00		24.70	7 410 00
	of walls ceilings etc. up to any height and in		Sqm		7,410.00
	any floor including, removing rubbish and				
	stacking any where within the compound as				
	directed.	20.00		460.30	
9	Provide and lay Single Brick Flat Soling of	30.00	Per	469.30	44.070.00
	picked jhama bricks including ramming and		Sqm		14,079.00
	dressing bed to proper level and filling joints				
	with local sand.				
10	Surface Dressing of the ground in any kind of	100.00	Per	5.58	
	soil including removing vegetation inequalities		Sqm		558.00
	not exceeding 15 cm depth and disposal of the				
	rubbish within a lead upto 75 m as directed.				
11	Provide and lay 25 mm. thick artificial stone in	10.00	Per	354.90	
	floor dado, staircase etc. with cement		Sqm		3,549.00
	concrete (4:2:1) with stone chips with 3 mm.				
	thick topping Made with ordinary/ white				
	cement (as necessary) Marble dust in				
	proportion (2:1) including smooth finishing				
	and rounding of corners and including				
	application of cement slurry before flooring				
	works using cement @ 1.75 kg. / sq. Mtr. all				
	complete including all Materials and labour. 3				
	mm. thick topping (High polishing grinding on				
	this item is not permitted with ordinary				
	cement).				
	Using grey cement in ground floor				
12	Ordinary Cement concrete (mix 1:2:4) with	3.00	Per	8114.00	
	graded stone chips (20 mm nominal size)	3.55	Cum		24,342.00
	excluding shuttering and reinforcement, if any,				= 1,0 .2.00
	in gound floor as per relevant IS codes.				
	Pakur Variety				
13	Ordinary Cement concrete (mix 1:1.5:3) with	3.00	Per	8806.00	
13	,	3.00		0000.00	26 410 00
	graded stone chips (20 mm nominal size)		Cum		26,418.00
	excluding shuttering and reinforcement, if any,				
	in gound floor as per relevant IS codes.				
4.	Pakur Variety	25.00	_	6057.50	
14	Ordinary Cement concrete (mix 1:2:4) with	35.00	Per	6857.50	0.40.000.00
	graded stone chips (6mm nominal size)		Cum		2,40,012.50

	43		1	_	
	excluding shuttering and reinforcement,if any,				
	in gound floor as per relevant IS codes.				
	Pakur variety				
15	Hire and labour charges for the shuttering	15.00	Per	435.50	
	with centering and necessary staging up to		Sqm		6,532.50
	4Mtr using approved stout props and thick				,
	hard wood planks with required bracing for				
	concrete slabs, beams and columns, lintels				
	curved or straight including fittings, fixing and				
	striking out after completion of the works (up				
	, , , , , , , , , , , , , , , , , , , ,				
	to roof of ground floor) 25 mm to 30 mm thick				
	wooden shuttering as per decision & direction				
	of Engineer – In – Charge.				
16	Provide reinforcement for reinforced concrete	0.10	MT	76260.60	
	work in all sorts of structures including				7,626.06
	distribution bars, stirrups, binders etc. initial				
	straightening and removal of loose rust (if				
	necessary cutting to requisite length, Hooking				
	and bending to correct shape, placing in				
	proper position and binding with 16 gauge				
	black annealed wire at every inter section,				
	complete as per drawing and direction. For				
	works in foundation and upto roof of ground				
	floor/ upto 4Mtr. Tor steel/Mild steel.				
	Other manufacturer not specified.				
17	M.S. structural works in columns, beams etc.	0.25	MT	94383.90	
1,	with simple rolled structural members (e.g.	0.23	''''	34303.30	23,595.98
	joists, angle, channel sections conforming to				23,333.36
	•				
	IS: 226, IS: 808 & SP (6)- 1964 connected to				
	one another with bracket, gussets, cleats as				
	per design, direction of Engineer-in- charge				
	complete including cutting to requisite shape				
	and length, fabrication with necessary bolting,				
	metal arc welding conforming to IS: 816- 1956				
	& IS: 1995 using electrodes of approved make				
	and brand conforming to IS:814- 1957,				
	haulage, hoisting and erection all complete.				
	The rate includes the cost of rolled steel				
	section, consumables such as electrodes, gas				
	and hire charge of all tools and plants and				
	labour required for the work including all				
	incidental chages such as electricity charges,				
	labour insurance charges etc. Payment to be				
	made on the basis of calculated weight of				
	structural members only in finished work as				
	per IS specified weight. Payment for gusset,				
	bracket, cleat, rivets, bolts and nuts may be				
	make by adding the actual weight of such				
	items with the weight of finished structural				
	members or 7% of weight for finished				
	structural members weighing not less than				
	22.5 Kg. / m. or 15 % of weight for finished				
	structal members weighing less than 22.5 Kg. /				
	m. may be increased allow for bracket, cleat,			1	

	44				
18	rivet, bolts and nuts etc. and no seperate payment being made for these items, as per direction of Engineer In Charge. The rates are considered for a height of erection 8m. / 2nd floor level from the ground. Add 1.5% extra over the rate for each additional floor or 4m. beyond initial 8m. or part thereof. For Structural members of specific section weighing less than 22.5 kg/m. Priming one coat on steel or other metal	300.00	Per	37.70	
	surface with synthetic oil bound primer of approved quality including smoothening surfaces by sand papering etc. (This item is applicable to new work or old work when the original surface has been exposed by removal of old paint.)		Sqm		11,310.00
19	Priming one coat on timber or plastered surface with synthetic oil bound primer of approved quality including smoothening surfaces by sand papering etc.(This item is applicable to new work or old work when the original surface has been exposed by removal of old paint.)	450.00	Per Sqm	49.40	22,230.00
20	Painting with best quality synthetic enamale paint of approved make and brand including smoothening surface by sand papering etc. including using of approved putty etc. on the surface if necessary. On timber plastered, steel or other metal surface with high gloss of approved quality. (a)Two coats on timber or plastered surface With super gloss (hi-gloss) of approved quality with any shade except white.	450.00	Per Sqm	105.30	47,385.00
	(b) Two coats (with any shade except white) on steel surface. With super gloss (hi-gloss) of approved quality	300.00	Per Sqm	102.70	30,810.00
21	Removing old scales, blisters, etc. of interior surface of walls, ceiling by scraping, etc. and preparing smooth and even surface with rendering of cement mortar (1:2) (as necessary), to make the surface suitable receiving distemper as per direction of the Engineer at site.	500.00	Per %Sqm	1322.10	6,610.50
22	Applying one coat water based Interior grade Acrylic Primer of approved quality and brand on plastered or cencrete surface old or new surface to receive Distemper/ Acrylic emulsion paint including scraping and preparing the surface throughly, complete as per manufacturer's specification and as per direction of the EIC.	500.00	Per %Sqm	4004.00	20,020.00
23	Applying Luxury Quality Acrylic Emulsion Paint of approved make and brand on walls and ceiling including sand papering in	500.00	Per Sqm	91.00	45,500.00

	45	1	1		
	intermediate coats including putty (to be done				
	under specific instruction of Superintending				
	Engineer) : (Two coats)				
24	Rendering the Surface of walls and ceiling with	500.00	Per	158.60	
	White Cement base WATER PROOF wall putty		Sqm		79,300.00
	of approved make & brand.(1.5 mm thick)				
(a)	Ist floor Level (External Surface)	100.00	Per	159.54	
			Sqm		15,954.00
25	Acrylic Distemper to interior wall, ceiling with	1100.00	Per	91.00	
	a coat of solvent based interior grade acrylic		Sqm		1,00,100.00
	primer (as per manufacturer's specification)				
	including cleaning and smoothning of surface.				
	Two Coats				
26(a)	Applying Exterior grade Acrylic primer of	650.00	Per	4082.00	
, ,	approved quality and brand on plastered or		%Sqm		26,533.00
	cencrete surface old or new surface to receive				
	decorative textured (matt finish) or smooth				
	finish acrylic exterior emulsion paint including				
	scraping and preparing the surface throughly,				
	complete as per manufacturer's specification				
	and as per direction of the EIC. In Ground				
	Floor: One Coat				
(b)	For 1st floor	600.00	Per	4174.30	
			%Sqm		25,045.80
(c)	For 2nd floor level	400.00	Per	4266.60	
(-,			%Sqm		17,066.40
27(a)	Protective and Decorative Acrylic exterior	650.00	Per	109.20	
	emulsion paint (Premium 100% Acrylic	030.00	Sqm	103.20	70,980.00
	Emulsion) of approved quality, as per		94		7 0,000.00
	manufacturer's specification and as per				
	direction of Engineer-in-Charge to be applied				
	over acrylic primer as required. The rate				
	includes cost of material, labour, scaffolding				
	and all incidental charges but excluding the				
	cost of primer.				
	In Ground floor (Two Coat)				
(b)	For 1st floor	600.00	Per	110.12	
(2)	1.0. 1001	000.00	Sqm	110.12	66,072.00
(c)	For 2nd floor level	400.00	Per	111.05	00,072.00
(0)	1.5. Ella filoti fevel	100.00	Sqm	111.03	44,420.00
28	White washing including cleaning and	1300.00	Per	2358.20	,===0.00
20	smoothening surface thoroughlyAll floorsTwo	1300.00	%Sqm	2330.20	30,656.60
	coats		7034111		30,030.00
29	125 mm. thick brick work with 1st class bricks	40.00	Per	956.80	
23	in cement mortar (1:4)	70.00	Sqm	550.00	38,272.00
	(a) in ground floor.		34111		30,272.00
	(b) In 1st floor	10.00	Per	972.40	
	(2) 130 11001	10.00	Sqm	3,2.40	9,724.00
30	Brick work with 1st class bricks in cement	4.00	Per	7036.90	3,727.00
30	morter (1:6).	4.00	Cum	7030.90	28,147.60
	(a) In foundation and plinth		Cuili		20,177.00
	(b) In superstructures, ground floor.	1.00	Per	7326.80	
	(b) iii superstructures, ground 11001.	1.00	Cum	7320.00	7,326.80
<u> </u>		Î	Cuili		1,320.00

Sqm Sqm	46	
rounding off or chamfering corners as directed and raking out joints or roughening of concrete surface by chipping, etc., including throating, nosing and drip course where necessary in ground floor. (a) 20 mm. thick plaster (1:6) (b) 15 mm. thick plaster (1:6) (c) 10 mm thick plaster (1:4) 25.00 Per 172.90 Sqm 29,445.0 (c) 10 mm thick plaster (1:4) 25.00 Per 372.90 Sqm 44.20 1.5 mm. thick in wall, dado, windowsills, floor drain, etc. Note: cement 0.152 Per Cum per 100 sq. Mtr. 33 Supplying & laying 3mm thick pre-fabricated plastomeric water proofing membrane conforming to EN 12311-1 & ASTMD 5147, manufactured with atactic poly propylene (APP) modified premium grade asphalt , specially reinforced with non-woven polyester core with polyester reinforcement @160 gms per sqm & both faces covered with thermofusible polyethylene film /Mineral on top face over a coat of primer @ 0.40 lit/sqm of manufacturer's specification on smooth, clean dry surface prepared wherever required. Lap joint shall be provided of 75 mm in longitudinal & 100 mm in transverse direction and fused using LPG/ Propane torch employing extra care ensuring full bondage, complete removal of entrapped air and sealing edges into grooves in appropriate manner as per direction of Engineer -in-charge		
and raking out joints or roughening of concrete surface by chipping, etc., including throating, nosing and drip course where necessary in ground floor. (a) 20 mm. thick plaster (1:6) (b) 15 mm. thick plaster (1:6) (c) 10 mm thick plaster (1:4) 25.00 Per 172.90 Sqm 29,445.0 (c) 10 mm thick plaster (1:4) 50.00 Per 24.20 Sqm 4,322.51 Provide and lay neat cement punning about 1.5 mm. thick in wall, dado, windowsills, floor drain, etc. Note: cement 0.152 Per Cum per 100 sq. Mtr. 33 Supplying & laying 3mm thick pre-fabricated plastomeric water proofing membrane conforming to EN 12311-1 & ASTMD 5147, manufactured with atactic poly propylene (APP) modified premium grade asphalt, specially reinforced with non-woven polyester core with polyester reinforcement @160 gms per sqm & both faces covered with thermofusible polyethylene film /Mineral on top face over a coat of primer @ 0.40 lit/sqm of manufacturer's specification on smooth,clean dry surface prepared wherever required.Lap joint shall be provided of 75 mm in longitudinal & 100 mm in transverse direction and fused using LPG/ Propane torch employing extra care ensuring full bondage, complete removal of entrapped air and sealing edges into grooves in appropriate manner as per direction of Engineer -in-charge	norter including Sqm 56	,875.00
and raking out joints or roughening of concrete surface by chipping, etc., including throating, nosing and drip course where necessary in ground floor. (a) 20 mm. thick plaster (1:6) (b) 15 mm. thick plaster (1:6) (c) 10 mm thick plaster (1:4) 25.00 Per 172.90 Sqm 29,445.0 (c) 10 mm thick plaster (1:4) 50.00 Per 24.20 Sqm 4,322.51 Provide and lay neat cement punning about 1.5 mm. thick in wall, dado, windowsills, floor drain, etc. Note: cement 0.152 Per Cum per 100 sq. Mtr. 33 Supplying & laying 3mm thick pre-fabricated plastomeric water proofing membrane conforming to EN 12311-1 & ASTMD 5147, manufactured with atactic poly propylene (APP) modified premium grade asphalt, specially reinforced with non-woven polyester core with polyester reinforcement @160 gms per sqm & both faces covered with thermofusible polyethylene film /Mineral on top face over a coat of primer @ 0.40 lit/sqm of manufacturer's specification on smooth,clean dry surface prepared wherever required.Lap joint shall be provided of 75 mm in longitudinal & 100 mm in transverse direction and fused using LPG/ Propane torch employing extra care ensuring full bondage, complete removal of entrapped air and sealing edges into grooves in appropriate manner as per direction of Engineer -in-charge	corners as directed	
concrete surface by chipping, etc., including throating, nosing and drip course where necessary in ground floor. (a) 20 mm. thick plaster (1:6) (b) 15 mm. thick plaster (1:6) 150.00 Per 196.30 Sqm 29,445.0 (c) 10 mm thick plaster (1:4) 25.00 Per 172.90 Sqm 4,322.5i 32 Provide and lay neat cement punning about 1.5 mm. thick in wall, dado, windowsills, floor drain, etc. Note: cement 0.152 Per Cum per 100 sq. Mtr. 33 Supplying & laying 3mm thick pre-fabricated plastomeric water proofing membrane conforming to EN 12311-1 & ASTMD 5147, manufactured with atactic poly propylene (APP) modified premium grade asphalt , specially reinforced with non-woven polyester core with polyester reinforcement @160 gms per sqm & both faces covered with thermofusible polyethylene film /MineraL on top face over a coat of primer @ 0.40 lit/sqm of manufacturer's specification on smooth,clean dry surface prepared wherever required.Lap joint shall be provided of 75 mm in longitudinal & 100 mm in transverse direction and fused using LPG/ Propane torch employing extra care ensuring full bondage, complete removal of entrapped air and sealing edges into grooves in appropriate manner as per direction of Engineer -in-charge	hening of	
throating, nosing and drip course where necessary in ground floor. (a) 20 mm. thick plaster (1:6) (b) 15 mm. thick plaster (1:6) (c) 10 mm thick plaster (1:4) 25.00 Per Sqm 29,445.0 (c) 10 mm thick plaster (1:4) 25.00 Per 372.90 Sqm 4,322.5i 32 Provide and lay neat cement punning about 1.5 mm. thick in wall, dado, windowsills, floor drain, etc. Note: cement 0.152 Per Cum per 100 sq. Mtr. 33 Supplying & laying 3mm thick pre-fabricated plastomeric water proofing membrane conforming to EN 12311-1 & ASTMD 5147, manufactured with atactic poly propylene (APP) modified premium grade asphalt , specially reinforced with non-woven polyester core with polyester reinforcement @160 gms per sqm & both faces covered with thermofusible polyethylene film /MineraL on top face over a coat of primer @ 0.40 lit/sqm of manufacturer's specification on smooth, clean dry surface prepared wherever required. Lap joint shall be provided of 75 mm in longitudinal & 100 mm in transverse direction and fused using LPG/ Propane torch employing extra care ensuring full bondage, complete removal of entrapped air and sealing edges into grooves in appropriate manner as per direction of Engineer -in-charge		
necessary in ground floor. (a) 20 mm. thick plaster (1:6) (b) 15 mm. thick plaster (1:6) (c) 10 mm thick plaster (1:4) 25.00 Per 172.90 Sqm 4,322.5i 32 Provide and lay neat cement punning about 1.5 mm. thick in wall, dado, windowsills, floor drain, etc. Note: cement 0.152 Per Cum per 100 sq. Mtr. 33 Supplying & laying 3mm thick pre-fabricated plastomeric water proofing membrane conforming to EN 12311-1 & ASTMD 5147, manufactured with atactic poly propylene (APP) modified premium grade asphalt , specially reinforced with non-woven polyester core with polyester reinforcement @160 gms per sqm & both faces covered with thermofusible polyethylene film /Mineral on top face over a coat of primer @ 0.40 lit/sqm of manufacturer's specification on smooth,clean dry surface prepared wherever required.Lap joint shall be provided of 75 mm in longitudinal & 100 mm in transverse direction and fused using LPG/ Propane torch employing extra care ensuring full bondage, complete removal of entrapped air and sealing edges into grooves in appropriate manner as per direction of Engineer -in-charge		
(a) 20 mm. thick plaster (1:6) (b) 15 mm. thick plaster (1:6) (c) 10 mm thick plaster (1:4) 25.00 Per 172.90 Sqm 4,322.51 32 Provide and lay neat cement punning about 1.5 mm. thick in wall, dado, windowsills, floor drain, etc. Note: cement 0.152 Per Cum per 100 sq. Mtr. 33 Supplying & laying 3mm thick pre-fabricated plastomeric water proofing membrane conforming to EN 12311-1 & ASTMD 5147, manufactured with atactic poly propylene (APP) modified premium grade asphalt , specially reinforced with non-woven polyester core with polyester reinforcement @160 gms per sqm & both faces covered with thermofusible polyethylene film /Mineral on top face over a coat of primer @ 0.40 lit/sqm of manufacturer's specification on smooth,clean dry surface prepared wherever required.Lap joint shall be provided of 75 mm in longitudinal & 100 mm in transverse direction and fused using LPG/ Propane torch employing extra care ensuring full bondage, complete removal of entrapped air and sealing edges into grooves in appropriate manner as per direction of Engineer -in-charge	ouise where	
(b) 15 mm. thick plaster (1:6) (c) 10 mm thick plaster (1:4) 25.00 Per Sqm 172.90 Sqm 4,322.5i 32 Provide and lay neat cement punning about 1.5 mm. thick in wall, dado, windowsills, floor drain, etc. Note: cement 0.152 Per Cum per 100 sq. Mtr. 33 Supplying & laying 3mm thick pre-fabricated plastomeric water proofing membrane conforming to EN 12311-1 & ASTMD 5147, manufactured with atactic poly propylene (APP) modified premium grade asphalt, specially reinforced with non-woven polyester core with polyester reinforcement @160 gms per sqm & both faces covered with thermofusible polyethylene film /MineraL on top face over a coat of primer @ 0.40 lit/sqm of manufacturer's specification on smooth,clean dry surface prepared wherever required.Lap joint shall be provided of 75 mm in longitudinal & 100 mm in transverse direction and fused using LPG/ Propane torch employing extra care ensuring full bondage, complete removal of entrapped air and sealing edges into grooves in appropriate manner as per direction of Engineer -in-charge		
(c) 10 mm thick plaster (1:4) (c) 10 mm thick plaster (1:4) 25.00 Per Sqm 4,322.5(32 Provide and lay neat cement punning about 1.5 mm. thick in wall, dado, windowsills, floor drain, etc. Note: cement 0.152 Per Cum per 100 sq. Mtr. 33 Supplying & laying 3mm thick pre-fabricated plastomeric water proofing membrane conforming to EN 12311-1 & ASTMD 5147, manufactured with atactic poly propylene (APP) modified premium grade asphalt , specially reinforced with non-woven polyester core with polyester reinforcement @160 gms per sqm & both faces covered with thermofusible polyethylene film /Mineral on top face over a coat of primer @ 0.40 lit/sqm of manufacturer's specification on smooth,clean dry surface prepared wherever required.Lap joint shall be provided of 75 mm in longitudinal & 100 mm in transverse direction and fused using LPG/ Propane torch employing extra care ensuring full bondage, complete removal of entrapped air and sealing edges into grooves in appropriate manner as per direction of Engineer -in-charge		
(c) 10 mm thick plaster (1:4) Provide and lay neat cement punning about 1.5 mm. thick in wall, dado, windowsills, floor drain, etc. Note: cement 0.152 Per Cum per 100 sq. Mtr. Supplying & laying 3mm thick pre-fabricated plastomeric water proofing membrane conforming to EN 12311-1 & ASTMD 5147, manufactured with atactic poly propylene (APP) modified premium grade asphalt , specially reinforced with non-woven polyester core with polyester reinforcement @160 gms per sqm & both faces covered with thermo- fusible polyethylene film /Mineral on top face over a coat of primer @ 0.40 lit/sqm of manufacturer's specification on smooth,clean dry surface prepared wherever required.Lap joint shall be provided of 75 mm in longitudinal & 100 mm in transverse direction and fused using LPG/ Propane torch employing extra care ensuring full bondage, complete removal of entrapped air and sealing edges into grooves in appropriate manner as per direction of Engineer -in-charge	, I I I I I I I I I I I I I I I I I I I	
32 Provide and lay neat cement punning about 1.5 mm. thick in wall, dado, windowsills, floor drain, etc. Note: cement 0.152 Per Cum per 100 sq. Mtr. 33 Supplying & laying 3mm thick pre-fabricated plastomeric water proofing membrane conforming to EN 12311-1 & ASTMD 5147, manufactured with atactic poly propylene (APP) modified premium grade asphalt , specially reinforced with non-woven polyester core with polyester reinforcement @160 gms per sqm & both faces covered with thermo- fusible polyethylene film /MineraL on top face over a coat of primer @ 0.40 lit/sqm of manufacturer's specification on smooth,clean dry surface prepared wherever required.Lap joint shall be provided of 75 mm in longitudinal & 100 mm in transverse direction and fused using LPG/ Propane torch employing extra care ensuring full bondage, complete removal of entrapped air and sealing edges into grooves in appropriate manner as per direction of Engineer -in-charge	Sqm 29	,445.00
32 Provide and lay neat cement punning about 1.5 mm. thick in wall, dado, windowsills, floor drain, etc. Note: cement 0.152 Per Cum per 100 sq. Mtr. 33 Supplying & laying 3mm thick pre-fabricated plastomeric water proofing membrane conforming to EN 12311-1 & ASTMD 5147, manufactured with atactic poly propylene (APP) modified premium grade asphalt , specially reinforced with non-woven polyester core with polyester reinforcement @160 gms per sqm & both faces covered with thermo- fusible polyethylene film /MineraL on top face over a coat of primer @ 0.40 lit/sqm of manufacturer's specification on smooth,clean dry surface prepared wherever required.Lap joint shall be provided of 75 mm in longitudinal & 100 mm in transverse direction and fused using LPG/ Propane torch employing extra care ensuring full bondage, complete removal of entrapped air and sealing edges into grooves in appropriate manner as per direction of Engineer -in-charge	25.00 Per 172.90	
1.5 mm. thick in wall, dado, windowsills, floor drain, etc. Note: cement 0.152 Per Cum per 100 sq. Mtr. 33 Supplying & laying 3mm thick pre-fabricated plastomeric water proofing membrane conforming to EN 12311-1 & ASTMD 5147, manufactured with atactic poly propylene (APP) modified premium grade asphalt , specially reinforced with non-woven polyester core with polyester reinforcement @160 gms per sqm & both faces covered with thermofusible polyethylene film /MineraL on top face over a coat of primer @ 0.40 lit/sqm of manufacturer's specification on smooth,clean dry surface prepared wherever required.Lap joint shall be provided of 75 mm in longitudinal & 100 mm in transverse direction and fused using LPG/ Propane torch employing extra care ensuring full bondage, complete removal of entrapped air and sealing edges into grooves in appropriate manner as per direction of Engineer -in-charge	Sqm 4,	322.50
1.5 mm. thick in wall, dado, windowsills, floor drain, etc. Note: cement 0.152 Per Cum per 100 sq. Mtr. 33 Supplying & laying 3mm thick pre-fabricated plastomeric water proofing membrane conforming to EN 12311-1 & ASTMD 5147, manufactured with atactic poly propylene (APP) modified premium grade asphalt , specially reinforced with non-woven polyester core with polyester reinforcement @160 gms per sqm & both faces covered with thermofusible polyethylene film /MineraL on top face over a coat of primer @ 0.40 lit/sqm of manufacturer's specification on smooth,clean dry surface prepared wherever required.Lap joint shall be provided of 75 mm in longitudinal & 100 mm in transverse direction and fused using LPG/ Propane torch employing extra care ensuring full bondage, complete removal of entrapped air and sealing edges into grooves in appropriate manner as per direction of Engineer -in-charge	punning about 50.00 Per 44.20	
drain, etc. Note: cement 0.152 Per Cum per 100 sq. Mtr. 33 Supplying & laying 3mm thick pre-fabricated plastomeric water proofing membrane conforming to EN 12311-1 & ASTMD 5147, manufactured with atactic poly propylene (APP) modified premium grade asphalt , specially reinforced with non-woven polyester core with polyester reinforcement @160 gms per sqm & both faces covered with thermofusible polyethylene film /MineraL on top face over a coat of primer @ 0.40 lit/sqm of manufacturer's specification on smooth,clean dry surface prepared wherever required.Lap joint shall be provided of 75 mm in longitudinal & 100 mm in transverse direction and fused using LPG/ Propane torch employing extra care ensuring full bondage, complete removal of entrapped air and sealing edges into grooves in appropriate manner as per direction of Engineer -in-charge		210.00
Note: cement 0.152 Per Cum per 100 sq. Mtr. 33 Supplying & laying 3mm thick pre-fabricated plastomeric water proofing membrane conforming to EN 12311-1 & ASTMD 5147, manufactured with atactic poly propylene (APP) modified premium grade asphalt , specially reinforced with non-woven polyester core with polyester reinforcement @160 gms per sqm & both faces covered with thermofusible polyethylene film /MineraL on top face over a coat of primer @ 0.40 lit/sqm of manufacturer's specification on smooth,clean dry surface prepared wherever required.Lap joint shall be provided of 75 mm in longitudinal & 100 mm in transverse direction and fused using LPG/ Propane torch employing extra care ensuring full bondage, complete removal of entrapped air and sealing edges into grooves in appropriate manner as per direction of Engineer -in-charge		
Supplying & laying 3mm thick pre-fabricated plastomeric water proofing membrane conforming to EN 12311-1 & ASTMD 5147, manufactured with atactic poly propylene (APP) modified premium grade asphalt , specially reinforced with non-woven polyester core with polyester reinforcement @160 gms per sqm & both faces covered with thermofusible polyethylene film /MineraL on top face over a coat of primer @ 0.40 lit/sqm of manufacturer's specification on smooth,clean dry surface prepared wherever required.Lap joint shall be provided of 75 mm in longitudinal & 100 mm in transverse direction and fused using LPG/ Propane torch employing extra care ensuring full bondage, complete removal of entrapped air and sealing edges into grooves in appropriate manner as per direction of Engineer -in-charge	n ner 100 sa. Mtr	
plastomeric water proofing membrane conforming to EN 12311-1 & ASTMD 5147, manufactured with atactic poly propylene (APP) modified premium grade asphalt , specially reinforced with non-woven polyester core with polyester reinforcement @160 gms per sqm & both faces covered with thermo- fusible polyethylene film /MineraL on top face over a coat of primer @ 0.40 lit/sqm of manufacturer's specification on smooth,clean dry surface prepared wherever required.Lap joint shall be provided of 75 mm in longitudinal & 100 mm in transverse direction and fused using LPG/ Propane torch employing extra care ensuring full bondage, complete removal of entrapped air and sealing edges into grooves in appropriate manner as per direction of Engineer -in-charge	·	
conforming to EN 12311-1 & ASTMD 5147, manufactured with atactic poly propylene (APP) modified premium grade asphalt , specially reinforced with non-woven polyester core with polyester reinforcement @160 gms per sqm & both faces covered with thermo- fusible polyethylene film /MineraL on top face over a coat of primer @ 0.40 lit/sqm of manufacturer's specification on smooth,clean dry surface prepared wherever required.Lap joint shall be provided of 75 mm in longitudinal & 100 mm in transverse direction and fused using LPG/ Propane torch employing extra care ensuring full bondage, complete removal of entrapped air and sealing edges into grooves in appropriate manner as per direction of Engineer -in-charge		7 542 00
manufactured with atactic poly propylene (APP) modified premium grade asphalt , specially reinforced with non-woven polyester core with polyester reinforcement @160 gms per sqm & both faces covered with thermo- fusible polyethylene film /MineraL on top face over a coat of primer @ 0.40 lit/sqm of manufacturer's specification on smooth,clean dry surface prepared wherever required.Lap joint shall be provided of 75 mm in longitudinal & 100 mm in transverse direction and fused using LPG/ Propane torch employing extra care ensuring full bondage, complete removal of entrapped air and sealing edges into grooves in appropriate manner as per direction of Engineer -in-charge		7,513.00
(APP) modified premium grade asphalt , specially reinforced with non-woven polyester core with polyester reinforcement @160 gms per sqm & both faces covered with thermo- fusible polyethylene film /MineraL on top face over a coat of primer @ 0.40 lit/sqm of manufacturer's specification on smooth,clean dry surface prepared wherever required.Lap joint shall be provided of 75 mm in longitudinal & 100 mm in transverse direction and fused using LPG/ Propane torch employing extra care ensuring full bondage, complete removal of entrapped air and sealing edges into grooves in appropriate manner as per direction of Engineer -in-charge	·	
specially reinforced with non-woven polyester core with polyester reinforcement @160 gms per sqm & both faces covered with thermofusible polyethylene film /MineraL on top face over a coat of primer @ 0.40 lit/sqm of manufacturer's specification on smooth,clean dry surface prepared wherever required.Lap joint shall be provided of 75 mm in longitudinal & 100 mm in transverse direction and fused using LPG/ Propane torch employing extra care ensuring full bondage, complete removal of entrapped air and sealing edges into grooves in appropriate manner as per direction of Engineer -in-charge		
core with polyester reinforcement @160 gms per sqm & both faces covered with thermo- fusible polyethylene film /MineraL on top face over a coat of primer @ 0.40 lit/sqm of manufacturer's specification on smooth,clean dry surface prepared wherever required.Lap joint shall be provided of 75 mm in longitudinal & 100 mm in transverse direction and fused using LPG/ Propane torch employing extra care ensuring full bondage, complete removal of entrapped air and sealing edges into grooves in appropriate manner as per direction of Engineer -in-charge	de asphalt ,	
per sqm & both faces covered with thermo- fusible polyethylene film /MineraL on top face over a coat of primer @ 0.40 lit/sqm of manufacturer's specification on smooth,clean dry surface prepared wherever required.Lap joint shall be provided of 75 mm in longitudinal & 100 mm in transverse direction and fused using LPG/ Propane torch employing extra care ensuring full bondage, complete removal of entrapped air and sealing edges into grooves in appropriate manner as per direction of Engineer -in-charge	n-woven polyester	
fusible polyethylene film /MineraL on top face over a coat of primer @ 0.40 lit/sqm of manufacturer's specification on smooth,clean dry surface prepared wherever required.Lap joint shall be provided of 75 mm in longitudinal & 100 mm in transverse direction and fused using LPG/ Propane torch employing extra care ensuring full bondage, complete removal of entrapped air and sealing edges into grooves in appropriate manner as per direction of Engineer -in-charge	ement @160 gms	
fusible polyethylene film /MineraL on top face over a coat of primer @ 0.40 lit/sqm of manufacturer's specification on smooth,clean dry surface prepared wherever required.Lap joint shall be provided of 75 mm in longitudinal & 100 mm in transverse direction and fused using LPG/ Propane torch employing extra care ensuring full bondage, complete removal of entrapped air and sealing edges into grooves in appropriate manner as per direction of Engineer -in-charge	ed with thermo-	
over a coat of primer @ 0.40 lit/sqm of manufacturer's specification on smooth,clean dry surface prepared wherever required.Lap joint shall be provided of 75 mm in longitudinal & 100 mm in transverse direction and fused using LPG/ Propane torch employing extra care ensuring full bondage, complete removal of entrapped air and sealing edges into grooves in appropriate manner as per direction of Engineer -in-charge		
manufacturer's specification on smooth,clean dry surface prepared wherever required.Lap joint shall be provided of 75 mm in longitudinal & 100 mm in transverse direction and fused using LPG/ Propane torch employing extra care ensuring full bondage, complete removal of entrapped air and sealing edges into grooves in appropriate manner as per direction of Engineer -in-charge	·	
dry surface prepared wherever required.Lap joint shall be provided of 75 mm in longitudinal & 100 mm in transverse direction and fused using LPG/ Propane torch employing extra care ensuring full bondage, complete removal of entrapped air and sealing edges into grooves in appropriate manner as per direction of Engineer -in-charge	·	
joint shall be provided of 75 mm in longitudinal & 100 mm in transverse direction and fused using LPG/ Propane torch employing extra care ensuring full bondage, complete removal of entrapped air and sealing edges into grooves in appropriate manner as per direction of Engineer -in-charge		
longitudinal & 100 mm in transverse direction and fused using LPG/ Propane torch employing extra care ensuring full bondage, complete removal of entrapped air and sealing edges into grooves in appropriate manner as per direction of Engineer -in-charge		
and fused using LPG/ Propane torch employing extra care ensuring full bondage, complete removal of entrapped air and sealing edges into grooves in appropriate manner as per direction of Engineer -in-charge		
employing extra care ensuring full bondage, complete removal of entrapped air and sealing edges into grooves in appropriate manner as per direction of Engineer -in-charge		
complete removal of entrapped air and sealing edges into grooves in appropriate manner as per direction of Engineer -in-charge		
sealing edges into grooves in appropriate manner as per direction of Engineer -in-charge	ng full bondage,	
manner as per direction of Engineer -in-charge	ped air and	
manner as per direction of Engineer -in-charge	n appropriate	
applicable taxes. (Payment shall be made on		
the basis of finished surface area.). Membrane		
	·	
Property: Softening Point > 150 deg C, Cold		
Flexibility < -6 deg C, Tensile Strength, N/cm:		
600 (longitudinal), 450 (transverse), Tearing		
Strength, N: 300 (longitudinal), 200	31), 200	
(transverse)		
34 Provide M.S. or W.I. ornamental grill of 0.50 Per 12854.40	ntal grill of 0.50 Per 12854.40	
approved design, joints continuously welded Qntl. 6,427.20	inuously welded Qntl. 6,	427.20
with M.S. W.I. flats and bars for windows	for windows	
railing etc. fitted and fixed with necessary	rith necessary	
screws and lugs, in ground floor.	· I I I I I I I I I I I I I I I I I I I	
i) Grill weighing above 10 kg/sq. m. and up to		
16 Kg. / Sq. m.	54 and up to	
	will be	
The weight of grill per sq. m. will be		
determined by taking the physical weight of	·	
fabricated grill and dividing the same by		
covered area of the same. No shop priming	o shop priming	

	47				
	will be allowed to facilitate inspection of				
	workmanship. Weight of grill is to be taken				
	after final grinding and finishing the weld.				
35	Provide iron butt hinges of approved quality	20.00	Each	36.40	
	fitted and fixed with steel screws, with I.S.I.				728.00
	Mark.				720.00
	(a) 75 mm. x 40 mm. x 1.12 mm.				
	(b) 100 mm. x 58 mm. x 1.90 mm.	20.00	Each	61.10	
					1,222.00
36	Anodised aluminium barrel / tower / socket	15.00	Each	81.90	
	bolt (full covered) of approved manufactured				1,228.50
	from extruded section conforming to I.S.				
	204/74 fitted and fixed with cadmium plated				
	screws:Provide iron socket bolt of approved				
	1				
	quality fitted and fixed complete.				
	(a) 150 mm. long x 10mm. dia. bolt.				
	(b) 225 mm. long x 10mm. dia. bolt.	15.00	Each	109.20	
					1,638.00
37	Anodised aluminium Aldrop / Sliding bolts of	5.00	Each	302.90	
	approved quality manufactured from				1,514.50
	extruded section conforming to I.S.				•
	specification (I.S. 2681/66) fitted and fixed				
	complete.				
20	1	6.00	Fach	26.00	
38	Provide M.S. clamp for fixing door and	6.00	Each	26.00	456.00
	window frame made of 40 mm. x 6 mm. 125				156.00
	mm long flat bent bar end bifurcated fixed in				
	cement concrete with stone chips (4:2:1)				
	fitted and fixed as per direction (cost of				
	cement concrete will be paid separately).				
39	Provide 125 mm grip x 12 mm dia anodised	10.00	Each	133.90	
	aluminium D – Type handle of approved				1,339.00
	quality manufactured from extruded section				,
	conforming to IS specification (IS 230/72)				
	fitted and fixed complete with continuous				
	·				
	plate base (hexagonal / round rod).	40.00		01.00	
40	Provide anodised aluminium door stopper.	10.00	Each	91.00	
					910.00
41	Take out door and window shutters and	10.00	Per	101.40	
	rehanging the same with old fitting with new		Sqm		1,014.00
	iron screws.				
42	Labour for taking out door and window frame	15.00	Per	154.70	
	including shutter for repair or replacement of		Sqm		2,320.50
	different parts of theframe and refixing the		34		_,5_5.55
	, ,				
	same including mending good all damages				
	complete. (Concrete and brick work for				
	mending damage will be paid separately)I				
	a) Upto area 2.5 Per Sqm.				
43	Easing doors and windows.	15.00	Each	22.10	
					331.50
44	Take out shutter of door and window	10.00	Per	163.80	
	dismantling by parts (for repair or	_	Sqm		1,638.00
			J 4		_,
i	Leblacement of damaged parts reassembling				
1	replacement of damaged parts) reassembling and refitting and rehanging same with old				

	40			T T	
	fittings but with new screws as necessary.				
45	Provide and fix panel shutters of door and	5.00	Per	3832.40	
	window of 35 mm thick shutters with 19 mm.		Sqm		19,162.00
	thick panel of size 30 to 45 cm with Sishu,				
	Gamer, Champ, Badam, Bhola, Morga, Hallack				
	as per design (each panels consisting of single				
	plank without joint including the fitting and				
	fixing the same in position but excluding the				
	cost of hinges and other fittings in ground				
	floor. In case of non-supply of single plank				
	panel rate of reduction of 20% well be Made.				
1.0	·	0.10	Dou	100102.40	
46	Provide woodwork in door and window frame	0.10	Per	108183.40	40.040.04
	fitted and fixed complete with Malayasian Sal		Cum		10,818.34
	including protective coat of painting at the				
	contact surface of the frame excluding cost of				
	concrete, Iron Butt Hinges and MS clamp.(The				
	quantum should be corrected upto three				
	decimals)				
	Malayasian Sal.			<u> </u>	
47	Provide and fit 35 mm. thick Glazed shutters	3.00	Per	3577.60	
	with Sishu, Gamer,Champ, Badam,Bhola,		Sqm		10,732.80
	Morga, Hallack of doors, window, fan light,				•
	clerestory windows, etc. as per design (with				
	ordinary glass of 7.4 kg. / sq. m., 3 mm. thick)				
	fitted with putty bed and teak wood bead and				
	nails including fitting and fixing shutter in				
	position but excluding the cost of hinges and				
	, ,				
	other fittings, cost of glass, putty, wooded				
	beads etc. which will be paid separately in				
	ground floor.				
48	Styles and rails of wooden shutters fitted and	2.00	Per	2979.60	
	fixed complete. (Payment to be made on area		Sqm		5,959.20
	of new work only). In Ground Floor: Sishu,				
	Gamar, Champ,Badam,Bhola, Mogra, Hallak.				
	35mm thick				
49	Panel (made of single plank) of door and	2.00	Per	1513.20	
	window shutters to design as directed: In		Sqm		3,026.40
	Ground Floor (Payment to be made on area of				
	exposed new work). (In case of non-supply of				
	single plank penal rate of reduction to a				
	maximum of 30% will be made). 19mm thick				
	panel of 30cm to 45cm width. Sishu, Gamar,				
	Champ,Badam,Bhola, Mogra, Hallak.				
ΕO		9.00	Fach	2540.20	
50	Supplying Godrej mortice lock chromium	9.00	Each	2540.20	22.064.00
	plated with keys 6 levers including fitting &				22,861.80
	fixing complete.		<u> </u>	242155	
51	Godrej Hydraulic door closer fitted and fixed	5.00	Each	2164.50	
	complete. Medium type.				10,822.50
52	Supply best Indian sheet glass panes 3 mm	10.00	Per	620.10	
	thick (weighting 7.4 kg. / Sq. Mtr.) Set in putty		Sqm		6,201.00
	and fitted and fixed with nails and putty				
	complete in all floors for external wall & upto				
	6 Metre height for external walls.				
53	Renewing worn out putty of glass panes :	25.00	Each	42.90	
		_5.55		,	

	Panes not exceeding 0.2 Sq.m.				1,072.50
54(a)	Renewing worn out putty of glass panes: Panes not exceeding 0.2 Sq.m. Renewing UPVC pipes A- Type and fittings conforming to IS:13592-1992 with all necessary clamp nails, including Making holes in walls, floor etc. cutting trenches in any soil through Masonry concrete structures etc if necessary and mending good damages including joining with jointing Materials (Spun Yarn, Valamoid/bitumen/M-Seal etc) complete. UPVC Pipes: 110 mm. Dia	15.00	Per Mtr.	342.62	5,139.30
(b)	Renewing Bend 87.5 degree. 110 mm. Dia.	5.00	Each	191.10	955.50
(c)	Shoe -110mm	5.00	Each	151.51	757.55
55	Taking out Mirzapur or glazed porcelain tiles carefully by chiselling from walls or floor including stacking serviceable material as directed.	60.00	Per Sqm	137.80	8,268.00
56(a)	Supplying, fitting & fixing 1st quality Ceramic tiles in walls and floors to match with the existing work & 4 Per Nos. of key stones (10mm) fixed with araldite at the back of each tile & finishing the joints with white cement mixed with colouring oxide if required to match the colour of tiles including roughening of concrete surface, if necessary or by synthetic adhesive & grout materials etc. Floor at Ground floor with Sand Cement Mortar (1:4) 20 mm thick & 2 mm thick cement slurry at back side of tiles using cement @ 2.91 Kg/Sq.m & joint filling using white cement slurry @ 0.20kg/Sq.m. Area of each tile above 0.09 Sq.m Coloured decorative	10.00	Per Sqm	1196.00	11,960.00
(b)	Floor at 1st floor level with Polymerised Adhesive and Epoxy grout pointing including spacer- 2 mm (When Tiles are laid over existing hard ready surface) Area of each tile above 0.09 Sq.m [using adhesive 4.5 mm thick] Coloured decorative	16.00	Per Sqm	1222.00	19,552.00
(c)	Wall in Ground floor With Sand Cement Mortar (1:3) 15 mm thick & 2 mm thick cement slurry at back side of tiles using cement @ 2.91 Kg/Sq.m & joint filling using white cement slurry @ 0.20kg/Sq.m. (a) Area of each tile above 0.09 Sq.m (i) Coloured decorative	30.00	Per Sqm	1441.70	43,251.00
(d)	Wall at 1st floor Level With Sand Cement Mortar (1:3) 15 mm thick & 2 mm thick cement slurry at back side of tiles using	60.00	Per Sqm	1448.20	86,892.00

white cement slurry @ 0.20kg/Sq.m. (a) Area of each tile above 0.09 Sq.m. (i) Coloured decorative 57(a) Supplying and laying true to line and level Double Charge Vitrified Tiles of approved brand conforming to IS 15622: 2006 (Group B I a) and tested as per IS 13630:2006 (relevant parts) [Non-modular sizes for tiles with Water Absorption (av.) ≤ 0.08 %] in floor, skirting etc. using polymerised adhesive of 6mm thick layer applied directly over finished artificial stone floor/Mosaic etc without any backing course and joints grouted with admixture of white epoxy grout materials of approved brand including spacer -2mm as directed and removal of wax coating of top surface of tiles with warm water and polishing the tiles using soft and dry cloth upto mirror finish complete including the cost of materials,labour and all other incidental charges complete as per direction of Engineer -in- Charge. (Note: This work should not be xecuted without specific permission of Superintending Engineer). At Ground Floor Level:(size not less than 600mmX 600mm X 9.5 mm thick).		50			1	
(a) Area of each tile above 0.09 Sq.m. (i) Coloured decorative 57(a) Supplying and laying true to line and level Double Charge Vitrified Tiles of approved brand conforming to 15 1552: 2206 (Group B I a) and tested as per IS 13630:2006 (relevant parts) (Non-modular sizes for tiles with Water Absorption (av.) ≥ 0.08 %) in floor, skirting etc. using polymerised adhesive of 6mm thick layer applied directly over finished artificial stone floor/Mosaic etc without any backing course and joints grouted with admixture of white epoxy grout materials of approved brand including spacer -2rmm as directed and removal of wax coating of top surface of tiles with warm water and polishing the tiles using soft and dry cloth upto mirror finish complete including the cost of materials, labour and all other incidental charges complete as per direction of Engineer -in- Charge. (Note: This work should not be xecuted without specific permission of Superintending Engineer). At Ground Floor Level/size not less than 600mmX 600mm X 9.5 mm thick). 57(b) Supplying and laying true to line and level Double Charge vitrified Tiles of approved brand conforming to IS 15622: 2006 (Group B I a) and tested as per IS 13630:2006 (Group B I a) and tested as per IS 13630:2006 (Group B I a) and tested as per IS 13630:2006 (Group B I a) and tested as per IS 13630:2006 (Group B I a) and tested as per B 13630:2006 (Group B I a) and tested as per direction of Engineer in thick layer applied directly over finished artificial stone floor/Mosaic etc without any backing course and joints grouted with admixture of white epoxy grout materials of approved brand including spacer-2mm as directed and removal of wax coating of top surface of tiles with warm water and polishing the tiles using soft and dry cloth upto mirror finish complete including the cost of materials, labour and all other incidental charges complete as per direction of Engineer -in- Charge. (Note: This work should not be xecuted without specific permission of Superintending Engineer). Inlist Floor		cement @ 2.91 Kg/Sq.m & joint filling using				
(i) Coloured decorative 57(a) Supplying and laying true to line and level Double Charge Vitrified Tiles of approved brand conforming to IS 15622: 2006 (Group B I a) and tested as per IS 13630:2006 (relevant parts) [Non-modular sizes for tiles with Water Absorption (av.) ≤ 0.08 %] in floor, skirting etc. using polymerised adhesive of form thick layer applied directly over finished artificial stone floor/Mosaic etc without any backing course and joints grouted with admixture of white epoxy grout materials of approved brand including spacer -2mm as directed and removal of wax coating of top surface of tiles with warm water and polishing the tiles using soft and dry cloth upto mirror finish complete including the cost of materials, labour and all other incidental charges complete as per direction of Engineer -in- Charge. (Note: This work should not be xecuted without specific permission of Superintending Engineer). At Ground Floor Level:(size not less than 600mmX 600mm X 9.5 mm thick). 57(b) Supplying and laying true to line and level Double Charge Vitrified Tiles of approved brand conforming to IS 15522: 2006 (Group B I a) and tested as per IS 13630:2006 (frelevant parts) [Non-modular sizes for tiles with Water Absorption (av.) ≤ 0.08 %] in floor, skirting etc. using polymerised adhesive of 6mm thick layer applied directly over finished artificial stone floor/Mosaic etc without any backing course and joints grouted with admixture of white epoxy grout materials of approved brand including spacer -2mm as directed and removal of wax coating of top surface of tiles with warm water and polishing the tiles using soft and dry cloth upto mirror finish complete including the cost of materials, labour and all other incidental charges complete as per direction of Engineer in- Charge. (Note: This work should not be xecuted without specific permission of Superintending Engineer). Inlist Floor; (size not less than 600mmX 600 mm X 9.5 mm thick). 58(a) Uproot and remove plants from the surface of walls parapet etc. and making		white cement slurry @ 0.20kg/Sq.m.				
Supplying and laying true to line and level Double Charge Vitrified Tiles of approved brand conforming to IS 15622: 2006 (Group B I a) and tested as per IS 13630: 2006 (relevant parts) [Non-modular sizes for tiles with Water Absorption (av.) ≤ 0.08 %] in floor, skirting etc. using polymerised adhesive of 6mm thick layer applied directly over finished artificial stone floor/Mosaic etc without any backing course and joints grouted with admixture of white epoxy grout materials of approved brand including spacer -2mm as directed and removal of wax coating of top surface of tiles with warm water and polishing the tiles using soft and dry cloth upto mirror finish complete including the cost of materials, labour and all other incidental charges complete as per direction of Engineer -in- Charge. (Note: This work should not be xecuted without specific permission of Superintending Engineer). At Ground Floor Level (size not less than 600mmX 600mm X 500mm X 9.5 mm thick). Supplying and laying true to line and level Double Charge Vitrified Tiles of approved brand conforming to IS 15622: 2006 (Group B I a) and tested as per IS 13630: 2006 (relevant parts) (Non-modular sizes for tiles with Water Absorption (av.) ≤ 0.08 %) in floor, skirting etc. using polymerised adhesive of 6mm thick layer applied directly over finished artificial stone floor/Mosaic etc without any backing course and joints grouted with admixture of white epoxy grout materials of approved brand including spacer -2mm as directed and removal of wax coating of top surface of tiles with warm water and polishing the tiles using soft and dry cloth upto mirror finish complete including the cost of materials, labour and all other incidental charges complete as per direction of Engineer -in- Charge. (Note: This work should not be xecuted without specific permission of Superintending Engineer). Inlist Floor: (size not less than 600mmX 600 mm X 9.5 mm thick). Sea		(a) Area of each tile above 0.09 Sq.m.				
Double Charge Vitrified Tiles of approved brand conforming to IS 15622: 2006 (Group B I a) and tested as per IS 13630:2006 (relevant parts) [Non-modular sizes for tiles with Water Absorption (av.) 2 o.08 %] in floor, skirting etc. using polymerised adhesive of 6mm thick layer applied directly over finished artificial stone floor/Mosaic etc without any backing course and joints grouted with admixture of white epoxy grout materials of approved brand including spacer-2mm as directed and removal of wax coating of top surface of tiles with warm water and polishing the tiles using soft and dry cloth upto mirror finish complete including the cost of materials, labour and all other incidental charges complete as per direction of Engineer-in- Charge. (Note: This work should not be xecuted without specific permission of Superintending Engineer). At Ground Floor Level (size not less than 600mmX 600mm x 9.5 mm thick). 57(b) Supplying and laying true to line and level Double Charge Vitrified Tiles of approved brand conforming to IS 15622: 2006 (Group B I a) and tested as per IS 13630:2006 (relevant parts) (Non-modular sizes for tiles with Water Absorption (av.) 2 0.08 %) in floor, skirting etc. using polymerised adhesive of 6mm thick layer applied directly over finished artificial stone floor/Mosaic etc without any backing course and joints grouted with admixture of white epoxy grout materials of approved brand including spacer-2mm as directed and removal of wax coating of top surface of tiles with warm water and polishing the tiles using soft and dry cloth upto mirror finish complete including the cost of materials, labour and all other incidental charges complete as per direction of Engineer-in- Charge, (Note: This work should not be xecuted without specific permission of Superintending Engineer). Inlist Floor; (size not less than 600mmX 600m x 9.5 mm thick). 58(a) Uproot and remove plants from the surface of walls parapet etc. and making good damages. Small plant of girth of exposed stem up to 75		(i) Coloured decorative				
permission of Superintending Engineer). At Ground Floor Level:(size not less than 600mmX 600mm X 9.5 mm thick). 57(b) Supplying and laying true to line and level Double Charge Vitrified Tiles of approved brand conforming to IS 15622: 2006 (Group B I a) and tested as per IS 13630:2006 (relevant parts) [Non-modular sizes for tiles with Water Absorption (av.) ≤ 0.08 %] in floor, skirting etc. using polymerised adhesive of 6mm thick layer applied directly over finished artificial stone floor/Mosaic etc without any backing course and joints grouted with admixture of white epoxy grout materials of approved brand including spacer -2mm as directed and removal of wax coating of top surface of tiles with warm water and polishing the tiles using soft and dry cloth upto mirror finish complete including the cost of materials, labour and all other incidental charges complete as per direction of Engineer -in- Charge. (Note: This work should not be xecuted without specific permission of Superintending Engineer). Inlst Floor:(size not less than 600mmX 600 mm X 9.5 mm thick). 58(a) Uproot and remove plants from the surface of walls parapet etc. and making good damages. Small plant of girth of exposed stem up to 75	57(a)	(i) Coloured decorative Supplying and laying true to line and level Double Charge Vitrified Tiles of approved brand conforming to IS 15622: 2006 (Group B I a) and tested as per IS 13630:2006 (relevant parts) [Non-modular sizes for tiles with Water Absorption (av.) ≤ 0.08 %] in floor, skirting etc. using polymerised adhesive of 6mm thick layer applied directly over finished artificial stone floor/Mosaic etc without any backing course and joints grouted with admixture of white epoxy grout materials of approved brand including spacer -2mm as directed and removal of wax coating of top surface of tiles with warm water and polishing the tiles using soft and dry cloth upto mirror finish complete including the cost of materials, labour and all other incidental charges complete as per direction of Engineer -in- Charge. (Note: This	20.00		2035.80	40,716.00
Supplying and laying true to line and level Double Charge Vitrified Tiles of approved brand conforming to IS 15622: 2006 (Group B I a) and tested as per IS 13630:2006 (relevant parts) [Non-modular sizes for tiles with Water Absorption (av.) ≤ 0.08 %] in floor, skirting etc. using polymerised adhesive of 6mm thick layer applied directly over finished artificial stone floor/Mosaic etc without any backing course and joints grouted with admixture of white epoxy grout materials of approved brand including spacer -2mm as directed and removal of wax coating of top surface of tiles with warm water and polishing the tiles using soft and dry cloth upto mirror finish complete including the cost of materials, labour and all other incidental charges complete as per direction of Engineer -in- Charge. (Note: This work should not be xecuted without specific permission of Superintending Engineer). Inlst Floor:(size not less than 600mmX 600 mm X 9.5 mm thick). S8(a) Uproot and remove plants from the surface of walls parapet etc. and making good damages. Small plant of girth of exposed stem up to 75		permission of Superintending Engineer). At Ground Floor Level:(size not less than				
Double Charge Vitrified Tiles of approved brand conforming to IS 15622: 2006 (Group B I a) and tested as per IS 13630:2006 (relevant parts) [Non-modular sizes for tiles with Water Absorption (av.) ≤ 0.08 %] in floor, skirting etc. using polymerised adhesive of 6mm thick layer applied directly over finished artificial stone floor/Mosaic etc without any backing course and joints grouted with admixture of white epoxy grout materials of approved brand including spacer -2mm as directed and removal of wax coating of top surface of tiles with warm water and polishing the tiles using soft and dry cloth upto mirror finish complete including the cost of materials,labour and all other incidental charges complete as per direction of Engineer -in- Charge. (Note: This work should not be xecuted without specific permission of Superintending Engineer). Inlst Floor: (size not less than 600mmX 600 mm X 9.5 mm thick). 58(a) Uproot and remove plants from the surface of walls parapet etc. and making good damages. Small plant of girth of exposed stem up to 75	57/h)	-	200.00	Dor	2051 40	
58(a) Uproot and remove plants from the surface of walls parapet etc. and making good damages. Small plant of girth of exposed stem up to 75 20.00 Each 65.00 1,300.00		Double Charge Vitrified Tiles of approved brand conforming to IS 15622: 2006 (Group B I a) and tested as per IS 13630:2006 (relevant parts) [Non-modular sizes for tiles with Water Absorption (av.) ≤ 0.08 %] in floor, skirting etc. using polymerised adhesive of 6mm thick layer applied directly over finished artificial stone floor/Mosaic etc without any backing course and joints grouted with admixture of white epoxy grout materials of approved brand including spacer -2mm as directed and removal of wax coating of top surface of tiles with warm water and polishing the tiles using soft and dry cloth upto mirror finish complete including the cost of materials, labour and all other incidental charges complete as per direction of Engineer -in- Charge. (Note: This work should not be xecuted without specific permission of Superintending Engineer). Inlst Floor:(size not less than 600mmX 600		Sqm		4,10,280.00
	58(a)	Uproot and remove plants from the surface of walls parapet etc. and making good damages. Small plant of girth of exposed stem up to 75	20.00	Each	65.00	1,300.00
58(b) Medium size plant of girth of exposed stem 10.00 Each 78.00	58/h)	·	10.00	Fach	78 NO	
above 75 mm. but not exceeding 150 mm. lift	30(0)		10.00	Lucii	, 5.00	780 00

	51				
	upto 6 mtr.				
59	Applying epoxy based reactive joining agent	30.00	Per	401.70	
	for joining the old concrete with fresh		Sqm		12,051.00
	concrete to be applied within manufacturer's				
	specified time as per manufacturers				
	specification. (0.4 Kg / m² of concrete surface).				
60	Supplying, fitting and fixing fibre reinforced	5.00	Per	579.80	
	polymer (FRP) Composite door frame as per		Mtr.		2,899.00
	approved section with glass fibre reinforced				
	plastic moulded skins and a special sandwich				
	core, so as to impart monolitaheic composite				
	structure as per approved technology of				
	Department of Science and Technology (DST)				
	to safisfy IS: 4020 door testing performance				
	criteria.				
61	Supplying, fitting & fixing 32 mm thick fibre	2.00	Dor	2501.00	
OI	1	2.00	Per	3591.90	7 402 00
	reinforced polymer (FRP) Composite door		Sqm		7,183.80
	shutters as per approved design with glass				
	fibre reinforced plastic moulded skins and a				
	special sandwich core, so as to impart				
	monolitaheic composite structure as per				
	approved technology of Department of				
	Science and Technology (DST) to satisfy				
	IS:4020 door testing performance criteria.				
	In ground floor.				
62	Providing and fixing stainless steel (Grade 304)	100.00	Per Kg.	871.70	
	railing made of hallow tubes, channels, plates				87,170.00
	etc. including welding, grinding, buffing,				
	polishing and making curvature (wherever				
	required) and fitting the same with necessary				
	accessories ans stainless steel fasteners				
	,stainless steel bolt etc. of required size, on				
	the top of the floor or the side of waist slab				
	with suitable arrangement as per approval of				
	E-I-C. (For payment purpose only weight of				
	stainless steel members shall be considered				
	excluding fixing accessories such as nuts,				
	bolts, fasteners etc.)				
63	Making V-groove line (12 mm wide,12 mm	75.00	Per	1276.60	
55	deep) in plastered surface.	, 5.00	Sqm	1270.00	95,745.00
64	Making V-groove line (12 mm wide,12 mm	100.00	Per %	754.00	23,7 .3.00
∪ ∓	deep) in plastered surface.	100.00	Mtr.	, 54.00	754.00
	Part-B Plumbing:		IVILI.		7,54.00
65	_	15.00	Each	700.70	
65	Supplying, fitting and fixing Chromium plated	15.00	Each	700.70	10 510 50
	Bib Cock short body (Equivalent to Code No.				10,510.50
	511& Model - Tropical / Sumthing Special of				
	ESSCO or similar brand.	2.00			
66(a)	Supplying, fitting and fixing Chromium plated	2.00	Each	640.90	
	Stop Cock (Equivalent to Code No. 513(A) &				1,281.80
	513(B) & Model - Tropical / Sumthing Special				
	of ESSCO or similar brand.				
(b)	Supplying, Fitting and fixing Chromium plated	15.00	Each	876.20	
	Concealed Stop Cock (Equivalent to Code No.		1		13,143.00

	52				
	514(A) & Model - Tropical / Sumthing Special				
	of ESSCO or similar brand).				
(c)	Supplying, Fitting and fixingHand	4.00	Each	1626.30	
	Shower(Health Faucet) with 1mtr Fexible Tube				6,505.20
	with Wall Hook(Equivalent to Code No.573 &				-
	Model -ALLIED of Jaquar or similar).				
67	Supplying, fitting and fixing Chromium plated	4.00	Each	468.00	
	round shower with revolving joint (Equivalent				1,872.00
	to Code No. 541(N) & Model - Tropical /				_,
	Sumthing Special of ESSCO or similar brand).				
68(i)	Supplying, fitting and fixing PVC pipes of	15.00	Per	131.30	
00(1)	approved make of Schedule 80 (medium duty)	15.00	Mtr.	131.50	1,969.49
	conforming to ASTMD - 1785 and threaded to		IVICI.		1,303.43
	match with GI Pipes as per IS : 1239 (Part - I).				
	with all necessary accessories, specials viz.				
	socket, bend, tee, union, cross, elbo, nipple,				
	longscrew, reducing socket, reducing tee,				
	short piece etc. fitted with holder bats clamps,				
	including cutting pipes, making threads, fitting,				
	fixing etc. complete in all respect including				
	cost of all necessary fittings as				
	required, jointing materials and two coats of				
	painting with approved paint in any position				
	above ground. (Payment will be made on the				
	centre line measurements of total pipe line				
	including all specials. No separate payment				
	will be made for accesories, specials. Payment				
	for painting will be made seperately)				
	For Exposed Work.				
	PVC Pipes.				
	(a) 15 mm				
	(b) 25 mm	25.00	Per	230.10	
			Mtr.		5,752.50
(ii)	For Concealed Work	25.00	Per	178.10	
` ′			Mtr.		4,452.50
	(b) 20 mm	15.00	Pere M	205.40	•
					3,081.00
	(c) 25 mm	6.00	Per	266.50	5,002.00
	(-,	3.00	Mtr.	_30.00	1,599.00
69	Supplying, fitting and fixing CPVC (Chlorinated	20.00	Per	182.00	_,555.00
	Polyvinyl Chloride) pipes of approved make	20.00	Mtr.	102.00	3,640.00
	conforming		17161.		3,040.00
	to IS-15778: 2007 . with all necessary				
	accessories,				
	specials viz. socket, bend, tee, union, cross,				
	•				
	elbo, nipple,				
	longscrew, reducing socket, reducing tee,				
	short piece etc. fitted with holder bats clamps,				
	including cutting pipes, fitting, fixing etc.				
	complete in all respect including cost of all				
	necessary fittings as required, jointing				
	materials in any position above ground.				
	(Payment will be made on the centre line				
1	measurements of total pipe line including all				

specials. No separate payment will be made for accesories, specials. For Concealed Work CPVC Pipes Class-1,SDR-11 15 mm. 70 Supplying, fitting and fixing 10 litre P.V.C. low-down cistern conforming to I.S. specification with P.V.C. fittings complete,C.I. brackets including two coats of painting to bracket etc. 71 Supply of Chlorinated Polyvinyl Chloride (CPVC) pipes & fittings conforming to IS-15778: 2007 (a) Ball Valve 15 mm 25 mm 1.00 Each 310.70 (b) Male threaded adopter (brass threaded) 25 mm dia 326.30 (c) Union 1.00 Each 157.30
For Concealed Work CPVC Pipes Class-1,SDR-11 15 mm. 70 Supplying, fitting and fixing 10 litre P.V.C. low-down cistern conforming to I.S. specification with P.V.C. fittings complete,C.I. brackets including two coats of painting to bracket etc. 71 Supply of Chlorinated Polyvinyl Chloride (CPVC) pipes & fittings conforming to IS-15778: 2007 (a) Ball Valve 15 mm 25 mm 1.00 Each 310.70 (b) Male threaded adopter (brass threaded) 25mm dia (c) Union 1.00 Each 157.30
CPVC Pipes Class-1,SDR-11 15 mm. 70 Supplying, fitting and fixing 10 litre P.V.C. low-down cistern conforming to I.S. specification with P.V.C. fittings complete,C.I. brackets including two coats of painting to bracket etc. 71 Supply of Chlorinated Polyvinyl Chloride (CPVC) pipes 8 fittings conforming to IS-15778: 2007 (a) Ball Valve 15 mm 25 mm 1.00 Each 310.70 (b) Male threaded adopter (brass threaded) 25mm dia (c) Union 1.00 Each 157.30
15 mm. 70 Supplying, fitting and fixing 10 litre P.V.C. low-down cistern conforming to I.S. specification with P.V.C. fittings complete, C.I. brackets including two coats of painting to bracket etc. 71 Supply of Chlorinated Polyvinyl Chloride (CPVC) pipes & fittings conforming to IS-15778: 2007 (a) Ball Valve 15 mm 25 mm 1.00 Each 310.70 (b) Male threaded adopter (brass threaded) 25mm dia 1.00 Each 326.30 (c) Union 1.00 Each 157.30
15 mm. 70 Supplying, fitting and fixing 10 litre P.V.C. low-down cistern conforming to I.S. specification with P.V.C. fittings complete, C.I. brackets including two coats of painting to bracket etc. 71 Supply of Chlorinated Polyvinyl Chloride (CPVC) pipes & fittings conforming to IS-15778: 2007 (a) Ball Valve 15 mm 25 mm 1.00 Each 310.70 (b) Male threaded adopter (brass threaded) 25mm dia (c) Union 1.00 Each 157.30
70 Supplying, fitting and fixing 10 litre P.V.C. low-down cistern conforming to I.S. specification with P.V.C. fittings complete,C.I. brackets including two coats of painting to bracket etc. 71 Supply of Chlorinated Polyvinyl Chloride (CPVC) pipes & fittings conforming to IS-15778: 2007 (a) Ball Valve 15 mm 25 mm 1.00 Each 310.70 (b) Male threaded adopter (brass threaded) 25mm dia (c) Union 1.00 Each 157.30
down cistern conforming to I.S. specification with P.V.C. fittings complete,C.I. brackets including two coats of painting to bracket etc. 71 Supply of Chlorinated Polyvinyl Chloride (CPVC) pipes & fittings conforming to IS-15778: 2007 (a) Ball Valve 15 mm 25 mm 1.00 Each 218.70 257.40 310.70 (b) Male threaded adopter (brass threaded) 25mm dia (c) Union 1.00 Each 157.30
with P.V.C. fittings complete,C.I. brackets including two coats of painting to bracket etc. 71 Supply of Chlorinated Polyvinyl Chloride (CPVC) pipes & fittings conforming to IS-15778: 2007 (a) Ball Valve 15 mm 25 mm 1.00 Each 310.70 (b) Male threaded adopter (brass threaded) 25mm dia (c) Union 1.00 Each 157.30
including two coats of painting to bracket etc. 71 Supply of Chlorinated Polyvinyl Chloride (CPVC) pipes & fittings conforming to IS-15778: 2007 (a) Ball Valve 15 mm 25 mm 1.00 Each 310.70 (b) Male threaded adopter (brass threaded) 25mm dia (c) Union 1.00 Each 157.30
71 Supply of Chlorinated Polyvinyl Chloride (CPVC) pipes & fittings conforming to IS-15778: 2007 (a) Ball Valve 15 mm 257.40 25 mm 1.00 Each 310.70 (b) Male threaded adopter (brass threaded) 25mm dia (c) Union 1.00 Each 326.30 1.00 Each 157.30
(CPVC) pipes 257.40 & fittings conforming to IS-15778: 2007 (a) Ball Valve 15 mm 1.00 Each 310.70 (b) Male threaded adopter (brass threaded) 1.00 25mm dia 326.30 (c) Union 1.00 Each 157.30
& fittings conforming to IS-15778: 2007 (a) Ball Valve 15 mm 25 mm 1.00 (b) Male threaded adopter (brass threaded) 1.00 25 mm dia 326.30 (c) Union 1.00 Each 326.30 326.30
(a) Ball Valve 15 mm 25 mm 1.00 (b) Male threaded adopter (brass threaded) 1.00 25 mm dia 326.30 (c) Union 1.00 Each 157.30
15 mm
25 mm
Column C
(b) Male threaded adopter (brass threaded) 1.00 Each 326.30 25mm dia 326.30 (c) Union 1.00 Each 157.30
25mm dia 326.30 (c) Union 1.00 Each 157.30
(c) Union 1.00 Each 157.30
35 die
25 mm dia 157.30
72 Supplying, fitting and fixing approved brand 5.00 Each 106.60
P.V.C. CONNECTOR white flexible, with both 533.00
ends coupling with heavy brass C.P. nut, 15
mm dia.
450 mm Long
73 Supplying, fitting and fixing Orissa pattern 1.00 Each 2096.90
water closet in white glazed vitreous 2,096.90
chinaware of approved make in position
complete excluding 'P' or 'S' trap (excluding
cost of concrete for fixing). 580mm X 440 mm
74 Supplying, fitting and fixing Polythene 32 mm 5.00 Each 201.50
dia. Flush Pipe of approved make with
necessary fixing materials and clamps
complete.
75 Supplying, fitting and fixing PTMT Smart Shelf 5.00 Each 289.90
of approved make of size 300 mm. 1,449.50 76 Supplying, fitting and fixing best quality Indian 5.00 Each 796.90
make mirror 5.5 mm thick with silvering as per 1.5 L. specifications supported on fibra glass
I.S.I. specifications supported on fibre glass
frame of any colour, frame size 550 mm X 400
mm
77 Supplying, fitting and fixing towel rail with two 5.00 Each 499.20
brackets C.P. over brass. 25 mm dia. and 450
mm long
78 Supplying, fitting and fixing cast iron100 mm 1.00 Each 1232.40
dia 'P' trap conforming to I.S. 3989/ 2009 and 1,232.40
1729/ 2002 including lead caulked joints and
painting two coats to the exposed surface.
(Painting to be paid seperately).
79(a) Supplying, fitting and fixing cast iron 5.00 Each 800.80
extension pipes for using in Traps only 4,004.00
(connector) conforming to I.S.3989/2009 and

	54				
	1729/2002 including lead caulked joints				
	complete and painting two coats to the				
	exposed surface with approved paint				
	complete. (Payment of Painting will however				
	be paid seperately).				
	100mm x450 mm.				
(b)	100 mm x150 mm	4.00	Each	599.30	
					2,397.20
(c)	Supplying, fitting & fixing H.C.I. 100 mm dia	7.00	Each	705.90	,
(,	bend with door with valamoid joints including	7.00		7 00.00	4,941.30
					7,571.50
	sealing the top with cement mortar (4:1)				
	conforming to I.S.S. including jointing				
	complete and painting two coats to the				
	exposed surface with approved paint				
	complete. (Payment of Painting will however				
	be paid seperately).				
80	Supplying, fitting & fixing 100 mm (Internal	20.00	Per	894.40	
		20.00	Mtr.	054.40	17 000 00
	dia)Cast iron soil pipe only conforming to I.S.		IVILI.		17,888.00
	3989/2009 and I.S. 1729/2002 with bobbins,				
	nails etc. including making holes in the wall,				
	floor etc. and cutting trenches etc. in any floor				
	through masonry concrete, if necessary, and				
	mending good damages with necessary				
	jointing materials and painting two coats to				
	the exposed surface with approved paint				
	, , , , ,				
	complete. (Measurement will be made along				
	the center line of the total pipe line in fitted				
	condition including specials, payment for				
	specials & Painting will however be paid				
	seperately).				
	With valamoid joints including sealing with				
	sand cement morter (4:1) upto quarter depth.				
81	Supplying, fitting and fixing100 mm C.I. round	1.00	Each	80.60	
01		1.00	Lacii	80.00	80.60
00	grating.	1.00		0202.70	80.00
82	Constructing Inspection pit of inside	1.00	Each	9293.70	
	measurement 600mm X 600mm X upto				9,293.70
	600mm (depth) with 250 mm thick 1st. class				
	brick work in cement mortar (1:4) on all sides,				
	bottom of the pit consisting of 100 mm thick				
	cement concrete (1:3:6) with stone chips over				
	a layer of jhama brick flat soling, 15 mm thick				
	, ,				
	(1:4) cement plaster to inside walls and out-				
	side walls upto G.L. and 20 mm.thick (1:4)				
	plaster to bottom of the pit, providing				
	necessary invert with cement concrete (1:3:6)				
	with stone chips as per direction, neat cement				
	finishing to entire internal surfaces, top of the				
	pit covered with 100 mm thick R.C.C. slab				
	(1:1.5:3) with stone chips and necessary				
	reinforcements upto 1% and shuttering				
	•				
	including 6 mm thick cement plaster (1:4) in				
	all external surfaces of the slab and one 560				
	mm dia. R.C.C. manhole cover of approved				
	make supplied, fitted and fixed in the slab				
					-

	55		1	ı	1
	with necessary fittings, necessary earthwork in				
	excavation in all sorts of soil, filling sides of				
	the pit with earth and removing spoils after				
	work complete in all respect with all costs of				
	labour and materials.				
	With Pakur variety (Other than				
	SAIL/TATA/RINL).				
83	Making connection with the existing pit.	1.00	Each	114.40	
_					114.40
84	Labour for dismantling G.I. pipe with fittings	40.00	Per	7.80	
	(i) 15 mm		Mtr.		312.00
	(ii) 20mm	30.00	Per	7.80	
			Mtr.		234.00
	(iii) 25 mm	20.00	Per	7.80	
			Mtr.		156.00
	(iv) 32mm	15.00	Per	7.80	
			Mtr.		117.00
	(v) 40mm	10.00	Per	10.40	
			Mtr.		104.00
85	Supplying, fitting and fixing G.I. pipes of TATA	15.00	Per	249.60	
	make with all necessary accessories, specials		Mtr.		3,744.00
	viz. socket, bend, tee, union, cross, elbo,				
	nipple, longscrew, reducing socket, reducing				
	tee, short piece etc. fitted with holder bats				
	clamps, including cutting pipes, making				
	threads, fitting, fixing etc. complete in all				
	respect including cost of all necessary fittings				
	as required, jointing materials and two coats of				
	painting with approved paint in any position				
	above ground. (Payment will be made on the				
	centre line measurements of total pipe line				
	including all specials. No separate payment				
	will be made for accesories, specials. Payment				
	for painting will be made seperately)				
	For Exposed Work.				
	(i) 15 mm dia medium quality				
	(ii) 20mm dia medium quality	10.00	Per	293.80	
			Mtr.		2,938.00
	(iii) 25 mm dia mediam qualily	10.00	Per	396.50	
			Mtr.		3,965.00
	(iv) 32mm dia mediam qualily	5.00	Per	461.50	
			Mtr.		2,307.50
	(v) 40mm dia mediam qualily	5.00	Per	539.50	
	· ,	-	Mtr.		2,697.50
86(a)	Refixing G.I. pipe with fittings after cleaning	10.00	Per	7.80	-
(-,	where necessary.		Mtr.		78.00
	15 mm				
(b)	20 mm	10.00	Per	7.80	
(~)		_0.00	Mtr.	/.55	78.00
(c)	25 mm	5.00	Per	7.80	10.00
(0)		3.00	Mtr.	,.55	39.00
(d)	32 mm	5.00	Per	10.40	33.00
(u)	34 IIIIII	5.00	Per	10.40	

	56			T	,
			Mtr.		52.00
(e)	40 mm	5.00	Per	11.70	
			Mtr.		58.50
87(a)	Renewing and fixing gunmetal wheel valve of approved brand and make tested to 21 kg per sq. cm. (for water lines only). 40 mm	5.00	Each	2067.00	10,335.00
(b)	32 mm	5.00	Each	1508.00	7,540.00
(c)	20 mm	5.00	Each	785.20	3,926.00
88(a)	Supply of galvanised iron socket with I.S.I. mark. 15 mm	5.00	Each	19.50	97.50
(b)	20 mm	5.00	Each	28.60	143.00
(c)	32 mm	3.00	Each	58.50	175.50
(d)	40 mm	5.00	Each	78.00	390.00
89(a)	Supply of long screw (150 mm long) of TATA make with sockets (TATA make) and jamnut. 40 mm	2.00	Each	127.40	254.80
(b)	32 mm	2.00	Each	96.20	192.40
90(a)	Supply of G.I. union. (a) 40 mm	2.00	Each	223.60	447.20
	(b) 32 mm	2.00	Each	182.00	364.00
91	Supply of G.I. plain equal elbow of approved brand and make. (a) 20 mm	5.00	Each	33.80	169.00
	(b) 32 mm	5.00	Each	85.80	429.00
	(c) 40 mm	5.00	Each	115.70	578.50
92	Supply of G.I. reducing tee of approved brand and make. (a) 40mm x 20mm	3.00	Each	170.30	510.90
	(b) 32 mm x20 mm	3.00	Each	124.80	374.40
93	Supply of G.I. nipple standard 50 mm long. 15 mm	10.00	Each	22.10	221.00
94(I)	Labour for fitting and fixing G.I. specials including cost of jointing materials. Socket, Reducing socket, Bend, Plain equal elbow, Reducing elbow, Nipple, Short piece. (a) Upto 25 mm dia.	15.00	Each	9.10	136.50
	(b) Above 25 mm upto 50 mm dia	16.00	Each	13.00	208.00
(11)	Cross, Union, Long screw. (a) Above 25 mm upto 50 mm dia	4.00	Per Mtr.	13.00	52.00
(III)	Plain tee, Reducing tee, Pendent tee, Jamnut,	6.00	Per	13.00	

	57			T	
	Socket and Nipple.		Mtr.		78.00
	(a) Above 25 mm upto 50 mm dia.				
95	Renewing C.I. clamp for pipe including cutting	10.00	Each	58.50	
	hole in wall etc.				585.00
	(a) 32 mm				
	(b) 40 mm	10.00	Each	59.80	
					598.00
96	Renewing P.V.C. clip with necessary screws.	25.00	Each	11.70	
	15 mm				292.50
97	Renewing 10 litre P.V.C. low-down cistern	3.00	Each	1385.47	
	conforming to I.S. specification with P.V.C.				4,156.41
	fittings complete, C.I. brackets including two				
	coats of painting to bracket etc.				
98	Supplying P.V.C. water storage tank of	1.00	Each	13564.20	
	approved quality with closed top with lid				13,564.20
	(Black) - Multilayer - 2000 litre capacity.				
99	Labour for hoisting plastic water storage tank	1.00	Each	293.80	
	above 1500 litre upto 5000 litre capacity Upto				293.80
	2nd story from G.L.				
100	Labour for lowering plastic water storage tank	1.00	Each	113.10	
	and stacking in places as directed upto 1500				113.10
	litre capacity from 2nd floor to G.L.				
101	Renewing low-down cistern parts.	3.00	Each	387.66	
	Internal fittings for cistern complete of		Set		1,162.98
	approved make.				•
102	Dismantling wash basin with brackets with or	7.00	Each	45.50	
	without waste fittings.				318.50
103	Supplying, fitting and fixing 550 mm X 400 mm	4.00	Each	2870.40	
-	size white vitreous china best quality	= =			11,481.60
	approved make wash basin with C.I. brackets				,
	on 75 mm X 75 mm wooden blocks, C.P. waste				
	fittings of 32 mm dia., one approved quality				
	brass C.P. pillarcock of 15 mm dia., C.P. chain				
	with rubber plug of 30 mm dia., approved				
	quality P.V.C. waste pipe with C.P. nut 32 mm				
	1 ' ' '		I .	1	
	dia., 900 mm long approved quality P.V.C.				
	dia., 900 mm long approved quality P.V.C. connection pipe with heavy brass C.P. nut				
	connection pipe with heavy brass C.P. nut				
	connection pipe with heavy brass C.P. nut including mending good all damages and				
	connection pipe with heavy brass C.P. nut including mending good all damages and painting the brackets with two coats of				
104	connection pipe with heavy brass C.P. nut including mending good all damages and painting the brackets with two coats of approved paint.	2.00	Each	91.00	
104	connection pipe with heavy brass C.P. nut including mending good all damages and painting the brackets with two coats of approved paint. Refixing wash basin with brackets with or	2.00	Each	91.00	182.00
	connection pipe with heavy brass C.P. nut including mending good all damages and painting the brackets with two coats of approved paint. Refixing wash basin with brackets with or without waste fittings.				182.00
	connection pipe with heavy brass C.P. nut including mending good all damages and painting the brackets with two coats of approved paint. Refixing wash basin with brackets with or without waste fittings. Renewing Wash basin vitreous china of	2.00	Each Each	91.00 1887.79	
	connection pipe with heavy brass C.P. nut including mending good all damages and painting the brackets with two coats of approved paint. Refixing wash basin with brackets with or without waste fittings. Renewing Wash basin vitreous china of approved make (without fittings)				182.00 7,551.16
	connection pipe with heavy brass C.P. nut including mending good all damages and painting the brackets with two coats of approved paint. Refixing wash basin with brackets with or without waste fittings. Renewing Wash basin vitreous china of approved make (without fittings) supplied, fitted and fixed in position on 75mm				
	connection pipe with heavy brass C.P. nut including mending good all damages and painting the brackets with two coats of approved paint. Refixing wash basin with brackets with or without waste fittings. Renewing Wash basin vitreous china of approved make (without fittings) supplied, fitted and fixed in position on 75mm X 75 mm X 75 mm wood blocks and C.I.				
	connection pipe with heavy brass C.P. nut including mending good all damages and painting the brackets with two coats of approved paint. Refixing wash basin with brackets with or without waste fittings. Renewing Wash basin vitreous china of approved make (without fittings) supplied, fitted and fixed in position on 75mm X 75 mm X 75 mm wood blocks and C.I. brackets including two coats of painting of C.I.				
	connection pipe with heavy brass C.P. nut including mending good all damages and painting the brackets with two coats of approved paint. Refixing wash basin with brackets with or without waste fittings. Renewing Wash basin vitreous china of approved make (without fittings) supplied, fitted and fixed in position on 75mm X 75 mm X 75 mm wood blocks and C.I. brackets including two coats of painting of C.I. brackets.				
105	connection pipe with heavy brass C.P. nut including mending good all damages and painting the brackets with two coats of approved paint. Refixing wash basin with brackets with or without waste fittings. Renewing Wash basin vitreous china of approved make (without fittings) supplied, fitted and fixed in position on 75mm X 75 mm X 75 mm wood blocks and C.I. brackets including two coats of painting of C.I. brackets. 550 mm X 400 mm size	4.00	Each	1887.79	
	connection pipe with heavy brass C.P. nut including mending good all damages and painting the brackets with two coats of approved paint. Refixing wash basin with brackets with or without waste fittings. Renewing Wash basin vitreous china of approved make (without fittings) supplied, fitted and fixed in position on 75mm X 75 mm X 75 mm wood blocks and C.I. brackets including two coats of painting of C.I. brackets. 550 mm X 400 mm size Supplying, fitting and fixing pedestal of				7,551.16
104 105 106	connection pipe with heavy brass C.P. nut including mending good all damages and painting the brackets with two coats of approved paint. Refixing wash basin with brackets with or without waste fittings. Renewing Wash basin vitreous china of approved make (without fittings) supplied, fitted and fixed in position on 75mm X 75 mm X 75 mm wood blocks and C.I. brackets including two coats of painting of C.I. brackets. 550 mm X 400 mm size	4.00	Each	1887.79	

	58				
	ends coupling with heavy brass C.P. nut, 15				
	mm dia.				
400	450 mm Long	0.00		00.50	
108	Supplying, fitting and fixing approved brand 32	8.00	Each	80.53	644.24
	mm dia.P.V.C. waste pipe, with PVC coupling				644.24
	at one end fitted with necessary clamps. 750				
100	mm long	1.00	Faab	CE07.00	
109	Supplying, fitting and fixing stainless steel sink with drain board 1050 mm X 450 mm X 180	1.00	Each	6507.80	6 507 90
					6,507.80
	mm complete with waste fittings and two coats of painting of C.I. brackets.				
110	Renewing pillar cock of approved make - 15	4.00	Each	757.57	
110	mm. (Equivalent to Code No. 507 & Model -	4.00	Lacii	/37.37	3,030.28
	Tropical / Sumthing Special of ESSCO or similar				3,030.28
	brand).				
111	Renewing Chromium plated Bib Cock or stop	5.00	Each	735.73	
111	cock. short body (Equivalent to Code No. 511	3.00	Lacii	/33./3	3,678.65
	& Model - Tropical / Sumthing Special of				3,070.03
	ESSCO or similar brand).				
112	Renewing 32 mm dia.Polythene Flush Pipe of	3.00	Each	211.57	
	approved make with necessary fixing	3.00	Lucii		634.71
	materials and clamps complete.				334.71
113	Renewing E.W.C seat of approved make with	3.00	Each	975.98	
110	lid and C.P. hinges, rubber buffer and brass	3.00	24011	373.30	2,927.93
	screws complete				_,5_7.50
	Bestolite (solid type) white.				
114	Renewing 100 mm dia (Internal) Cast iron soil	15.00	Per	939.12	
	pipe only conforming to I.S. 3989/ 2009 and		Mtr.		14,086.80
	I.S. 1729/2002 with bobbins, nails etc.				·
	including making holes in the wall, floor etc.				
	and cutting trenches etc. in any floor through				
	masonry concrete, if necessary, and mending				
	good damages with necessary jointing				
	materials and painting two coats to the				
	exposed surface with approved paint				
	complete. (Measurement will be made along				
	the center line of the total pipe line in fitted				
	condition including specials, payment for				
	specials & Painting will however be paid				
	seperately).				
	With valamoid joints including sealing with				
	sand cement morter (4:1) upto quarter depth.				
115	Renewing100 mm dia. Cast iron single branch	4.00	Each	1083.81	
	equal with door conforming to I.S. 1729/2002				4,335.24
	including joining and painting two coats to the				
	exposed surface with approved paint				
	complete. (Payment of Painting will however				
	be paid seperately).				
	With valamoid joints including sealing the top				
115	with cement mortar (4:1)	4.00	F .	4250.04	
116	Renewing Cast iron double branch equal with	4.00	Each	1250.34	F 004 36
	door				5,001.36
	conforming to I.S. 1729/2002 including				
	jointing and painting two coats to the exposed		I		

	surface with approved paint complete.				
	(Payment of Painting will however be paid				
	seperately).				
	With valamoid joints including sealing the top				
	with cement mortar (4:1)				
117	Supplying, fitting and fixing E.W.C. with 'P'	4.00	Each	1847.30	
	trap in white glazed vitreous chinaware of				7,389.20
	approved make complete in position with				
	necessary bolts, nuts etc.				
118	Supplying, fitting and fixing E.W.Closet seat	4.00	Each	929.50	
	[Bestolite (solid type) white] of approved				3,718.00
	make with lid and C.P. hinges, rubber buffer				
	and brass screws complete.				
119	Dismantling E.P. or Anglo-Indian W.C.	4.00	Each	58.50	
					234.00
120	Labour for punching hole in plastic water	2.00	Each	24.70	
	storage tank upto 50 mm dia.				49.40
121	Cleaning silt of inspection pit.	10.00	Each	200.20	
					2,001.98
122	Removing sludge from septic tank, soak well	2.00	Each	2745.60	
	etc. by methor labour including disposal of the				5,491.20
	same outside the compound as directed.Upto				
	30 users:-				
	(i) Within a lead of 150 metre				
				Total	26,39,575.37

Total Amount = Rs. 26,39,575.37

(Rupees twenty-six lakh thirty-nine thousand five hundred seventy-five and paisa thirty-seven only)

Tenderer to fill up the following [score out which is not applicable]

	price not to be q	<u>uoted here</u>
(a)%		
(in figures)	Below par (-) Rs.	
Percent	J	
(in words)		
(b)	At par	NIL
(c)%		
(in figures)	Above par (+) Rs.	
Percent		
(in words)	J	
	Total Tendered Amo	unt: Rs.
Total tendered amount (in words		

[The prices quoted shall be including all statutory levies excluding GST, which shall be paid extra]						
Maximum number of workmen likely to be engaged in days work numbers						
Permanent Income Tax A/C.No						
Date:						
(Signature of Tenderer)						
[Total amount of tender, completion time and preliminary time as quoted / stated above are to be carried over to Form of Tender attached]						
Witness: -						
(Name in block letters)						
Address:						
Occupation:						

$\frac{\textit{THE BOARD OF TRUSTEES FOR THE PORT OF KOLKATA}}{\textit{FORM OF TENDER}}$

To
The Chief Engineer,
Syama Prasad Mookerjee Port, Kolkata.

I/We	
Special Conditions of execute and complete Bill of Quantities, Gene the Trustees and at the from the date of order or in part. I / We also u such alterations or add Tender and incorpora Conditions of Contract said Specification, Bill	the of work, inspected the Drawings and read the specifications, General & contract and Conditions of the Tender, hereby tender and undertake to all the works required to be performed in accordance with the Specification all & Special Conditions of Contract and Drawings prepared by or on behalf of ates & prices set out in the annexed Bill of Quantities within 06 (six) Month to commence the work and in the event of our tender being accepted in fuldertake to enter into a Contract Agreement in the form hereto annexed with ions thereto which may be necessary to give effect to the acceptance of the guantities within the such Specification, Bill of Quantities, Drawing and Special & General of Quantities, Conditions of Contract Agreement is executed the form the such Contract Agreement is executed the such Contract Agreement is executed the form the such Contract Agreement is executed the form the such Contract Agreement is executed the such Contract Agreement is executed the form the such Contract Agreement is executed the form the such Contract Agreement is executed the such Contract Agreement is executed the form the such Contract Agreement is executed the such Contract Agreement is executed the such Contract Contract Contract Contract Contract Contract Contract.
THE TOTAL AMOUNT O	
I / We require	Not to mention here days / months preliminary time to arrange and procure the material om the date of acceptance of tender before I We could commence the work
, ,	. d with the Trustees' Manager (Finance), SMP, Kolkata, vide Receipt No of of as Earnest Money.
I / We agree that the than four months.	eriod for which the tender shall remain open for acceptance shall not be les
Dated:	(Signature of Bidder with Seal)
lame of the Bidder :	
ddress :	



KOLKATA PORT TRUST KOLKATA

DOCK SYSTEM

CIVIL ENGINEERING DEPARTMENT 15,STRAND

ROAD, KOLKATA -700001

GENERAL CONDITIONS OF CONTRACT

FORMS AND AGREEMENTS

SANCTIONED BY TRUSTEES UNDERRESOLUTION NO. 92 OF THE 6^{TH} MEETING HELD ON 27^{TH} MAY, 1993.

(Copy of Booklet Published on May, 1993)

TABLE OF CONTENTS

Page

- A. INDEX TO GENERAL CONDITIONS OF CONTRACT
- B. FORM OF TENDER
- C. FORM OF AGREEMENT
- D. FORM GC1, GC2, GC3
- E. PERFORMANCE BOND
- F. INTEGRITY PACT

GENERAL CONDITIONS OF CONTRACT

INDEX

<u>CLAUSE</u>

- 1. DEFINITIONS.
- 2. DUTIES 7 POWERS OF ENGINEER & ENGINEERS' REPRESENTATIVE.
- 3. THE TENDER/OFFER AND ITS PRE-REQUISITES.
- 4. THE CONTRACT & GENERAL OBLIGATION OF CONTRACTOR.
- 5 COMMENCEMENT, EXECUTION AND COMPLETION OF WORK.
- 6. TERMS OF PAYMENT.
- 7. VARIATION AND ITS VALUATION.
- 8. DELAY/EXTENSION OF COMPLETION TIME/LIQUIDATED DAMAGE/TERMINATION OF CONTRACT.
- 9. MAINTENANCE AND REFUND OF SECURITY DEPOSIT.
- $10.\ \mbox{INTERPRETATION}$ OF CONTRACT DOCUMENTS, DISPUTES & ARBITRATION.

1. **DEFINITIONS**

In the contract, as her-in-after defined, the following words and expressions shall have the meaning here-in assigned to them, except where the context otherwise required.

"Employer" or "Board" or "Trustees" means the Board of Trustees for the Port of Kolkata, a body c9orporate under Section 3 of the Major Port Trust Act, 1963, including their successors, representatives and assigns.

"Chairman" means the Chairman of the Board and includes the person appointed to act in his place under Sections 14 and 14A of the Major Port TrustsAct, 1963.

"Contractor" means the person or persons; Firm or Company whose tender /offer has been accepted by the Trustees and includes the Contractor's representative's heirs, successor and assigns, if any permitted by the Board / Chairman.

"Engineer" means the Board's official who has invited the tender on its behalf and includes the Chief Engineer, the Chief Mechanical Engineer, the Senior Executive Engineer the Chief Hydraulic Engineer, the Deputy Chief Engineer, the Deputy Chief Mechanical Engineer, the Senior Resident Engineer, The Manager (Infrastructure & Civic Facilities), the Manager (Plant & Equipment) the Deputy Manager (Infrastructure & Civic Facilities) and the Deputy Manager (Plant & Equipment), or other official as may be appointed from time to time by the employer, with written notification to the Contractor, to act as Engineer for the purpose of the contract, in place of the "Engineer' so designated.

"Engineer's Representative" means any subordinate Engineer or Assistant to the Engineer or any other official appointed from time to time by the Engineer toperform the duties set forth in Clauses 2.4 to 2.6 hereof.

"Work" means the Work to be executed in accordance with the Contract and includes authorized "Extra Works" and "Excess Works" and Temporary Works.

"Temporary Works" means all temporary works of every kind required in or about the execution, completion or maintenance of the works and includes (without thereby limiting the foregoing definitions) all temporary erections, scaffolding, ladders, timbering, soaking vats, site offices, cement and other god owns, platforms and bins for stacking building materials, gantries, temporary tracks and roads, temporary culverts and mixing platforms.

"Extra Works" means those works required by the Engineer for completion of the Contract which were not specifically and separately included in the schedule of items of works (i.e., Bills of Quantities) of the tender. "Excess Works" means the required quantities of work in excess of the provision made against any itemof the Bill of Quantities.

"Specifications" means the relevant and appropriate Bureau of Indian Standard's Specifications (latest revisions) for materials and workmanship unless stated otherwise in the Tender.

"Drawings" means the drawings referred to in the Tender and specification and any modification of such drawings approved in writing by the Engineer and such other drawings as may from time to time be furnished or approved in writing by the Engineer.

"Contract" means and includes the General and Special Conditions of Contract, Specifications, Drawings, priced Bill of Quantities, the Tender/Offer, the letter of acceptance of the Tender/Offer, the Contract Agreement if separately entered into and the Schedule of Rates and Price, if any, adopted by the Trustees at their discretion.

"Constructional Plant" means all appliances or things of whatsoever nature required in or about the execution, completion or maintenance of the works or temporary works and includes (without thereby limiting the foregoing definition) all machinery and tools but does not include materials or other thingsintended to form or forming part of the permanent work.

"Site" means the land and other places, on, under, in or through which the works are to be executed or carried out and any other lands or places provided by the Trustees for the purpose of the Contract.

"Contract Price" means the sum named in the letter of acceptance of the Tender/ Offer of the Contractor, subject to such additions thereto and deduction there from as may be made by the Engineer under the provisions here-in-after contained.

"Month" means English Calendar Month.

"Excepted risks" are riot in so far as it is uninsurable, war, invasion, act of foreign enemies, hostilities (whether war be declared or not) Civil War, rebellion, revolution, insurrection or military or usurped power or use or occupation by the Trustees of any portion of the works in respect of which a certificate of completion has been issued (all of which are herein collectively referred to as the excepted risks).

Word importing the **singular** only, also includes the **plural** and vice-versa where the context so required.

The **headings and marginal notes** in these General Conditions of Contract shall not be deemed to be part thereof or be taken into consideration in the interpretation or construction thereof or of the contract.

Unless otherwise stipulated the word "Cost" shall be deemed to include overhead costs of the contractor, whether on or off the site.

2. <u>DUTIES & POWERS OF ENGINEER & ENGINEER'S REPRESENTATIVE</u>

The Contractor shall execute, complete and maintain the works in terms of the contract to the entire satisfaction of the Engineer and shall comply with the Engineer's direction on any matter whatsoever.

The Contractor shall take instructions from the Engineer and subject to limitation of Clause 2.5 herein, from the Engineer's Representative.

The Engineer shall have full power and authority

- (a) to supply to the contractor from time to time during the progress of the works such further drawings and instructions as shall be necessary for the purpose of proper and adequate execution and maintenance of the works and the contractor shall carry out and be bound by the same.
- (b) to alter or modify the specification of any material and workmanship and to inspect the work at any time.
- (c) to order for any variation, alternation and modification of the work and for extra works.
- (d) to issue certificates as per contract.
- (e) to settle the claims & disputes of the Contractor and Trustees, as the first referee.
- (f) to grant extension of completion time.

The Engineer's representative shall:

- (a) watch and supervise the works.
- (b) test and examine any material to be used or workmanship employed in connection with the work.
- (c) have power to disapprove and material and workmanship not in accordance with the contract and the contractor shall comply with his direction in this regard.
- (d) take measurements of work done by the contractor for the purpose of payment or otherwise.
- (e) order demolition of defectively done work for its reconstruction all by the Contactor at his own expense.
- (f) have powers to issue alteration order not implying modification design and extension of completion time of the work and
- (g) have such other powers and authorities vested in the Engineer, which have been delegated to him in writing by the Engineer under intimation to the Contractor.

Provided always that the Engineer's Representative shall have no power:

- (a) to order any work involving delay or any extra payment by the Trustees,
- (b) to make variation of or in the works and
- (c) to relieve the Contractor of any of his duties or obligations under the Contract.

Provided also as follows:

- (a) Failure of Engineer's Representative to disapprove any work or materials shall not prejudice the power of the Engineer thereafter to disapprove such work or materials and to order the pulling down, removal, breaking-up thereof and reconstruction at the contractor's cost and the contractor shall have no claim to compensation for the loss sustained by him.
- (b) If the contractor shall be dissatisfied by reason of any decision of the Engineer's Representative, he shall be entitled to refer the matter to the Engineer who shall there upon confirm, reverse or vary such decision.
- (c) Any written instructions or written approval given by the Engineer's Representative to the contractor, within the terms of delegation of power and authority vested in Engineer to his Representative in writing shall bind the contractor and the Trustees as though it had been given by the Engineer, who may from time to time make such delegation. Contractor and the Trustees as though it had been given by the Engineer, who may from time to time, make such delegation.

3. THE TENDER / OFFER AND ITS PRE-REQUISITES

The Contractor shall, before making out and submitting his tender / offer be deemed to have inspected and examined the site, fully consider all factors, risks and contingencies, which will have direct and in direct impact on his expenses and profit from the work and shall be specifically deemed to have taken the following aspects into consideration:

- (a) The form and nature of the site and its surroundings including their subsurface, hydrological, tidal and climate conditions, the means of access to the site and all other local conditions including the likely charges and costs for temporary way-leave, if any, required for the work.
- (b) The drawings, specifications, the nature and extent of work to be executed and the quality, quantity and availability of the required materials and labour for the work and the need to execute the work to the entire satisfaction of the Engineer, and also by complying with the General and Special Conditions of Contract.
- (c) The accommodation required for the workmen and site office, mobilization / demobilization and storage of all plant, equipment and Constructionmaterials.
- (d) The sources and means of procurement of water for drinking, washing and execution of work, and source and availability of electrical power, all of Contractor's cost.
- (e) Payment of taxes and duties and compliance of all applicable statues, ordinances and law together with the rules made there under, the rules, regulations and bye-laws of public bodies or any local or other authority by the Contractor, keeping the Trustees indemnified against penalties and liabilities of every kind arising from the Contractor's failure in such compliance.

(f) Payment of all kinds of stamp-duty for exacting the agreement or for anylegal instrument including Bank Guarantees and Indemnity Bonds.

The Contractor's tender shall be in ink on the Tender Forms supplied by the Trustees, unless stipulated otherwise in the Notice-Inviting the Tender and shall be faultless in figures and free from erasing. Corrections, if any, shall only be made by scoring out and initialing of the revised figure.

- If required by the Engineer or the Trustees, the Contractors in their tender or subsequently, shall disclose the names of their owners/partners/Share Holders at the required points of time. The failure in this regard shall be treated as a breachand a contract, if entered into, shall be liable to be cancelled.
- (a) Unless otherwise stipulated in the Notice Inviting the Tender/Offer, every tender must be submitted with Earnest Money of the amount calculated as perthe following scale.

Estimated Value	Amount of Earnest Money		
	For works contract.	For contract of supplying	
		materials of equipment only	
Up to	5% of the estimated valueof	1% of the estimated valueof	
Rs.1,00,000/-	work	work.	
Over	2% of the estimated value	1/2% of the estimated	
Rs. 1,00,000/-	of work subject to a	value of work subject to a	
	maximum of Rs.20,000/-	maximum of Ts. 10,000/-	
	and minimum of	and minimum of Rs.	
	Rs. 5,000/-	1,000/-	

- (b) Earnest Money shall be deposited with Trustees' treasurer in cash or by Banker's Cheque of any Kolkata Branch of a Nationalized Bank of India drawn in favour of Kolkata Port Trust or in the form of an "Kolkata Port Trust" and payable at Kolkata / Haldia Holding as the case may be and the receipt granted there for be kept attached to the Tender / offer in the Sealed Cover.
- (c) Earnest Money of un-accepted tender shall be refunded without any interest through A/c. Payee Cheque drawn on a Nationalized Bank of Kolkata / Haldia.
- (d) The enlisted (registered) Contractors of the Trustees, who have deposited fixed Security with the Trustees FA & CAO / Manager (Finance) according to his Class of Registration, shall be exempt from depositing the Earnest Money, as per the following scale:

Class of	Amount of Fixed	Financial limit of each tender	
Registration	Security		
Α	Rs. 10,000/-	Any tender priced up to Rs.	
В	Rs. 5,000/-	2,00,000/-	
С	Rs. 2.500/-	Any tender priced up to	
		Rs.1,00,000/-	
		Any tender priced up to Rs.50,000/-	

- (e) (i) Tender submitted without requisite Earnest Money may be liable to rejection.
- (ii) If before expiry of the validity period of his Tender / offer, the tender amends his quoted rates or tender/ offer making them unacceptable to the Trustees and / or withdraws his tender / offer, the Earnest Money deposited shall be liable to forfeiture of the option of the Trustees.
 - (f) The Earnest Money of accepted Tender / offer shall be retained by the Trustees as part of the Security Deposit, for which a separate Treasury Receipt shall be issued to the Contractor after cancellation of the previous Receipt of Earnest Money.
 - (g) Balance security for works contract shall be recovered by deduction from all progressive Bill (including final Bill, if necessary) @ 10% of the gross value ofwork in each such bill, so that the total recovery may not exceed the quantum computed as per the under noted percentages of the total value of work actually done up to the stage of completion.

Value of Work	% of Security Deposit for works contract	% of Security Deposit for Contract of supplying materials and equipments only
For works up to Rs. 10,00,000/-	10% (Ten percent)	1% (One percent)
For works costing more than Rs.10,00,000/- and up to Rs.20,00,000/-	10% on first Rs. 10,00,000/- + 7½ % on the balance	1% on first Rs.10,0,000/- +1/2% on the balance
For works costing more than Rs.20,00,000/-	10% on first Rs. 10,00,000/- + 7½ % on next Rs.10,00,000/- + 5% on the balance	1% on first Rs.10,0,000/- +1/2% on next Rs.10,00,000/-+ 1/4% on the balance

- (h) Balance Security for Contract of supplying materials and equipment computed in terms of the percentages given above, shall have to be deposited with the trustees' Treasurer in advance and within 30 days from the date of placement of supply order, either in cash or by A/c. Payee Draft of a Nationalized Bank of India drawn in favour of Kolkata Port Trust and payable at Kolkata / Haldia, asthe case may be.
 - (i) No interest shall be paid by the trustees to the Tenderer / Contractor on the amount of Earnest Money / Security Deposit held by the Trustees, at any stage.
 - (i) The Security Deposit shall be refunded to the Contractor in terms of Clause 9.3 hereinafter and subject to deduction, if any, under the provision of Sub- Clause 3.5(ii) herein below. If, however, the contract provides for any maintenance period, 50% of the Security Deposit may be refunded against any of the Treasury Receipt for that amount on expiry of half of the

maintenance period and the balance deposit on the said maintenance period and after the Engineer has certified the final completion of work in form G.C.2 and the Contractor has submitted his "No Claim" Certificate in form G.C.3.

(ii) The Security Deposit/Earnest Money may be liable to forfeiture at the option of the Trustees, if the Contractor fails to carry out the work or to perform/observe any of the conditions of the contract. The Trustees shall also be at liberty to deduct any of their dues from the Security Deposit, fixed Security, Earnest Money or from any sum due or to become due to the Contractor under any other contract.

If stipulated in the contract as a Special Condition, the Contractor shall have to submit to the Engineer a performance Bond in the form of an irrevocable guarantee from Kolkata / Haldia Branch, as the case may be, of any Nationalized Bank of India in the proforma annexed hereto and for the sum and period as mentioned in the letter of acceptance of the Tender/Offer, within 15 days from the date of such letter, failing which the contract shall be liable to be terminated and the Earnest Money are liable to forfeiture; all at discretion of the Engineer. The cost of obtaining this or any other Bank Guarantee and/or the revalidation thereof, wherever required, has to be borne by the Contractor and it shall be hissole responsibility to arrange for timely revalidation of such bank guarantee, failing which and for non-fulfillment of any contractual obligation by the Contractor, the Engineer and/or the Trustees shall be at liberty to raise claim against the Guarantee and/or enforce the same unilaterally.

Every Tenderer / bidder shall submit in respect of a tender value of more than Rs. 5 crores, along with their tender comprising Special Conditions of Contract, General Conditions of Contract, BOQ, Earnest Money, etc., a document called **Integrity Pact Agreement** duly signed by their authorized representative. The proforma of the Integrity Pact Agreement shall as specified in the G.C.C. In case of tender value more than Rs. 5 crores, the Integrity Pact Agreement is an essential part and parcel of the bid document to be submitted by each tenderer, without which the tender shall not be considered.

4. THE CONTRACT & GENERAL OBLIGATIONS OF CONTRACTOR

4.1.

- (a) The contract documents shall be drawn-up in English language.
- (b) The contract shall be governed by all relevant Indian Acts as applicable only within the jurisdiction of the High Court at Kolkata, India, including thefollowing Act:
 - 1. The Indian Contract Act, 1872.
 - 2. The Major Port Trust, Act, 1963.
 - 3. The Workmen's Compensation Act, 1923.
 - 4. The Minimum Wages Act, 1948.
 - 5. The Contract Labour (Regulation & Abolition) Act, 1970.
 - 6. The Dock Workers' Act, 1948.
 - 7. The Indian Arbitration Act (1940) (in the case of a definite arbitration Agreement only).

After acceptance of his Tender / Offer and when called upon to do so by the Engineer or his representative, the Contractor shall, at his own expense, enter

into and execute a Contract Agreement to be prepared by him in the form annexed hereto. Until such Contract Agreement is executed the other documents referred to in the definition of the term "Contract" here-in-before shall collectively be the Contract.

Several documents forming the contract are to be taken as mutually explanatory of one another. Should there be any discrepancy, ambiguity, omission or error in the various contract documents, the Engineer shall have the power to correct thesame and his decision shall be final and binding on the parties to the Contract.

Two copies of the Drawing referred to in the General and Special Conditions of Contract and in the Bill of Quantities, shall be furnished by the Engineer to the Contractors free of cost for his use on the work, but these shall remain the properly of the Trustees and hence, the Contractor shall return them to the Engineer or his Representative on completion of the work. if not torn ormutilated on being regularly used at site.

The Contractor shall prove and make at his own expense any working or progress drawings required by him or necessary for the proper execution of the works and shall, when required, furnish copies of the same free of cost to the Engineer for his information and/ or approval, without meaning thereby the shifting of Contractor's responsibility on the engineer in any way whatsoever.

The Contractor shall not directly or indirectly transfer, assign or sublet the Contract or any part thereof without the written permission of the engineer. Evenif such permission be granted, the Contractor shall remain responsible (a) for theacts, defaults and neglect of any sub-contractor, his agents servants or workmenas fully as if these were the acts, defaults or neglects of the Contractor himself or his agents, servants or workmen, and (b) for his full and entire responsibility of the contract and for active superintendence of the works by him despite being sublet, provided always that the provision of labourers on a "piece rate" basis shall not be deemed to be subletting under this clause.

Unless otherwise specified, the Contractor shall be deemed to have included in his Tender / Offer all his cost for supplying and providing all constructional plant, temporary work, materials both for temporary and permanent works, labour including supervision thereof transporting to and from the site and in and about the work, including loading, unloading, fencing, watching, lighting, payment of fees, taxes and duties to the appropriate authorities and other things of every kind required for the construction, erection, completion and maintenance of the work.

The Contractor shall be solely responsible for the adequacy, stability and safety of all site operations and methods of construction, even if any prior approval thereto has been taken from the Engineer or his Representative. The Contractorshall not be responsible for the correctness of the design or specification of the Temporary and Permanent works formulated by the Engineer; but the contractorshall be fully responsible for the correct implementation thereof as also for any design and specification prepared / proposed / used by the Contractor.

Whenever required by the Engineer or his Representative, the Contractor shall submit to him the details of his (a) programme for execution of the work, (b)

proposed procedure and methods of work, (c) proposed deployment of plant, equipment labour, materials and temporary works. The submission to and/ or any approval by the Engineer or his Representative to any such programme or particulars, shall not relieve the Contractor of any of his obligations under the contract. If for any reason the contractor be unable to adhere to his earlier programme, he shall submit his revised programme for completion of work withinthe stipulated time whenever asked to do so.

Necessary and adequate supervision shall be provided by the Contractor during execution of the works and as long thereafter as the Engineer or his Representative shall consider necessary during the maintenance period. The Contractor or his competent and authorised agent or representative shall be constantly at site and instructions given to him by the Engineer or his Representative in writing shall be binding upon the Contractor subject to limitation in clause 2.5 hereof. The Contractor shall inform the Engineer or his Representative in writing about such representative / agent of his at site.

The Contractor shall employ in execution of the Contract only qualified, careful and experienced persons and the Engineer shall be at liberty to direct the Contractor to stop deployment of any of his staff, workmen or official at site andthe Contractor shall within 48 hours comply with such instruction without any demur, whenever the Engineer shall feel that the deployment of the person concerned will not be conducive to the proper and timely completion of the work.

The Contractor shall be responsible for the true and proper setting-out of the works in relation to reference points/lines/levels given by the Engineer in writing. The checking of any setting-out or of any alignment or level by the Engineer or his Representative shall not in any way relieve the contractor of his responsibility for the correctness thereof and he shall fully provide, protect and preserve all stakes, templates, bench marks, sight rails, pegs, level marks, profilemarks and other things used in setting-out the works.

From the commencement of the works till issue of the completion certificate in Form G.C.1, vide Clause 5.12 hereof, the contractor shall take full responsibility for the care thereof. Save for the excepted risks, any damage, lossor injury to the work or any part there of shall be made good by the Contractor at his down cost as per instruction and to the satisfaction of the Engineer, failing which the Engineer or his Representative may cause the same to be made good by any other agency and the expenses incurred and certified by the Engineer, shall be recoverable from the Contractor in whatever manner the Engineer shall deem proper. This Clause will not apply to that part of the work, which might have been taken over by the Trustees on partial completion of the work and in such case the Contractor's obligation will be limited to repairs and replacement for manufacturing or construction defects during the Maintenance period (Guarantee Period) as per the directions of the Engineer as also for defects/ damages if any caused to the work by the Contractor during such repairs and replacement in the maintenance period.

The Contractor shall at his own cost protect, support and take all precautions in regard to the personnel or structure or services or properties belonging to the Trustees or not, which may be interfered with or affected or disturbed or endangered and shall indemnify and keep indemnified the Trustees

against claim for injury, loss or damage caused by the Contractor in connection with the execution and maintenance of the work to the aforesaid properties, structures and services and/ or to any person including the Contractor's workmen. Cost of Insurance Cover, if any, taken by the Contractor shall not be reimbursed by the Trustees, unless otherwise stipulated in the Contract.

The Contractor shall immediately inform the Engineer's Representative if any fossil, coins, articles of value or antiquity and structures and other remains or things of geological or archaeological importance be discovered at site which shall remain the property of the Trustees and protect them from being damaged by his workmen and arrange for disposal of them at the Trustees expense as perthe instruction of the Engineer's Representative.

The Contractor shall be deemed to have indemnified the Trustees against all claims, demands, actions and proceedings and all costs arising there from onaccount of:

- (a) Infringement of any patent right, design, trade-mark, or name or other protected right, in connection with the works or temporary work.
- (b) Payment of all royalties, rent, toll charges, local taxes, other payments or compensation, if any, for getting all materials and equipment required for the work.
- (c) Unauthorized obstruction or nuisance caused by the Contractor in respect of Public or Private road, railway tracks, footpaths, crane tracks, waterways, quays and other properties belonging to the Trustees or any other person.
- (d) Damage / injury caused to any highway and bridge on account of the movement of Contractor's plants and materials in connection with the work
- (e) Pollution of waterway and damage caused to river, lock, sea-wall or other structure related to waterway, in transporting contractor's plants and materials.
- (f) The Contractor's default in affording all reasonable facilities and accommodation as per the direction of the Engineer or his Representative to the workmen of the Trustees and other agencies employed by or with the permission and / or knowledge of the Trustees on or near the site of work.

Debris and materials, if obtained by demolishing any properly, building or structure in terms of the Contract shall remain the property of the Trustees.

The Contractor's quoted rates shall be deemed to have been inclusive of the following:

- (a) Keeping the site free of unnecessary obstruction and removal from site of constructional plant wreckage, rubbish, surplus earth or temporary works no longer required.
- (b) Cleaning and removal from site the entire surplus materials of every kind to leave the site clean and tidy after completion of the work, without which payment against final bill may be liable to be withheld.
- (c) Precautionary measures to secure efficient protection of Docks, the River Hooghly and other waterways against pollution of whatever nature during execution and maintenance of the works, and to prevent rubbish, refuse and

other materials from being thrown into the water by the Contractor's menor those of his agency.

- (d) Making arrangements for deployment of all labourers and workers, local or otherwise including payment for their wages, transport, accommodation, medical and all other statutory benefits and entry permits, wherever necessary.
 - (e) Making arrangements in or around the site, as per the requirements of Kolkata Municipal Corporation or other local authority or the Engineer or his Representative, for preventing (i) spread of any infectious disease like smallpox, cholera, plague or malaria by taking effective actions for destruction of rats, mice, vermin, mosquitoes etc. and by maintaininghealthy and sanitary condition, (ii) illegal storage and distribution of Drugs, Narcotics, Alcoholic liquor, Arms and Ammunitions, (iii) unlawful, riotous or disorderly conduct of the Contractor's or his Sub-Contractor's workmen, (iv) deployment of workmen of age less than 16 years.

Every direction or notice to be given to the Contractor shall be deemed tohave been duly served on or received by the Contractor, if the same is posted or sent by hand to the address given in the tender or to the Contractor's Site Office or in case of Trustee's enlisted Contractor to the address as appearing in the trustee's Register or to the Registered Office of the Contractor. The timementioned in these conditions for doing any act after direction or notice shall bereckoned from the time of such posting or dispatch.

The Contractor and his sub-contractor or their agents and men and any firm supplying plant, materials, and equipment shall not publish or caused to be published any photographs or description of the works without the prior authority of the Engineer in writing.

The Contractor shall, at the Trustees' cost to be decided by the Engineer, render all reasonable facilities and Co-operation as per direction of the Engineer or his representative to any other Contractor engaged by the Trustees and their workmen, to the Trustees' own staff and to the men of other Public Body on or near the site of work and in default, the contractor shall be liable to the trustees for any delay or expense incurred by reason of such default.

The work has to be carried out by the Contractor causing the minimum of hindrance for any maritime traffic or surface traffic.

All constructional plants, temporary works and materials when brought tothe site by the contractor, shall be deemed to be the property of the Trustees who will have a lien on the same until the satisfactory completion of the work and shall only be removed from the site in part or in full with the written permission of the Engineer or his Representative.

5. COMMENCEMENT, EXECUTION AND COMPLETION OF WORK

The contractor shall commence the work within 7 days of the receipt of Engineer's letter informing acceptance of the Contractor's tender / offer by the Trustees o within such preliminary time as mentioned by the contractor in the

Form of Tender or the time accepted by the Trustees. The contractor shall then proceed with the work with due expedition and without delay, except as may be expressly sanctioned or ordered by the Engineer or his Representatives, time being deemed the essence of the contract on the part of the Contractor.

The Contractor shall provide and maintain a suitable office at or near the site, towhich the Engineer's Representative may send communications and instructions for use of the Contractor.

Unless specified otherwise in the contract or prior permission of the Engineer hasbeen taken, the contractor shall not execute the work beyond the working hours observed by the Engineer's Representative and on Sundays and Holidays observed in the trustees system, except in so far as it becomes essential on account of tidal work or for safety of the work. If the progress of the work lags behind schedule or the work has been endangered by any act or neglect on the part of the contractor, then the Engineer or his Representative shall order and the contractor at his own expense shall work by day and by night and on Sundays and Public Holidays. Any failure of the Engineer or his Representative topass such an order shall not relieve the contractor from any of his obligations. The Engineer's decision in this regard shall be final, binding and conclusive.

Unless stipulated otherwise in the contract, all materials required for the work shall be procured and supplied by the contractor with the approval of the Engineer or his Representative and subject to subsequent testing as may be required by the Engineer or his Representative. The engineer shall exercise his sole discretion to accept any such materials.

Unless stipulated otherwise, in the contract, all materials, workmanship method of measurement shall be in accordance with the relevant Codes (Latest Revision)of the Bureau of Indian Standards and the written instructions of the Engineer or his Representative. Where no specific reference is available in the contract, the materials and workmanship shall be of the best of their respective kinds to the satisfaction of the Engineer.

Samples shall be prepared and submitted for approval of the Engineer or his Representative, whenever required to do so, all at the contractor's cost.

Unless stipulated otherwise in the contract, the cost of any test required by the Engineer or his representative in respect of materials and workmanship deployed on the work shall be borne by the contractor.

Regarding the supply of any materials by the Trustees to the contractor in accordance with the contract, the following conditions shall apply:

- (a) The contractor shall, at his own expense, arrange for transporting the materials from the Trustees' Stores, watching, storing and keeping them in his safe custody, furnishing of statement of consumption thereof in the manner required by the Engineer or his representative, return of surplus and empty container to the Trustees' Stores as per the direction of the Engineeror his Representative.
- (b) Being the custodian of the Trustees' materials, the contractor shall remain solely responsible for any such materials issued to him and for any loss or damage thereof for any reason other than "Excepted Risks", the contractor

shall compensate the Trustees' in the manner decided by the Engineer and shall at no stage remove or cause to be removed any such material from the site without his permission.

- (c) The Trustees' materials will generally be supplied in stages and in accordance with the rate of progress of work, but, except for grant of suitable extension of completion time of work as decided by the Engineer, the contractor shall not be entitled to any other compensation, monetary or otherwise, for any delay in the supply of Trustees' materials to him. The Contractor shall, however communicate his requirement of such materials to the Engineer from time to time.
 - (d) Unless stipulated otherwise in the contract, the value of the Trustees' materials issued to the contactor shall be recovered from the Contractor's bills and / any of his other dues. Progressively according to the consumption thereof on the work and / or in the manner decided by the Engineer or his Representative and at the rate / stipulated in the contract. These rates shall only be considered by the contractor in the preparation of his tender / offer and these will form the basis of escalation / variation, if infuture the contractor is required to procure and provide any such material on the written order of the Engineer consequent on th
 Trustees' failure to

affect timely supply thereof.

- (e) If the Engineer decides that due to the contractor's negligence, and of the Trustees' materials issued to the contractor has been (i) last or damaged,
 - (ii) consumed in excess of requirement, and (iii) wasted by the contractor in excess of normal wastage, then the value thereof shall be recovered from the contractor's bills or from any of his other dues, after adding 19.25% extra over the higher one of the following:
 - 1. The issue rate of the materials at the Trustees' Stores, and
 - The market price of the material on the date of issue as would be determined by the Engineer.

The Engineer or his Representative shall have the power to inspect any material work at any time and to order at any time - (i) for removal from the site of any material which in his opinion is not in accordance with the contract or the instruction of the Engineer or his Representative, (ii) for the substitution of the proper and suitable materials, or (iii) the removal and proper re-execution of any work, which in respect of material and workmanship is not in accordance with the contract or the instructions of the Engineer. The contractor shall comply with such order at his own expense- and within the time specified in the order. If the contractor falls to comply, the Engineer shall be at liberty to dispose and such materials and re-do any work in the manner convenient to the Trustees by engaging any outside agency at the risk and expense of the contractor and aftergiving him a written prior notice of 7 days.

No work shall be covered up and put out of view by the contractor withoutapproval of the Engineer or his Representative and whenever required by him the contractor shall uncover any part or parts of the work or make openings in or through the same as may be directed by the Engineer or his Representative from time to time and shall reinstate or make good those part of works thus affected to the satisfaction of the Engineer, all at the cost of the contractor. The Trustees shall reimburse such cost as determined by the Engineer, if the initial covering upwas with prior written order of the Engineer or his Representative.

On a written order of the Engineer or his Representative the contractor shall delay or suspend the progress of the work till such time the written order to resume the execution is received by him. During such suspension the contractor shall protect and secure the work to the satisfaction of the Engineer or his Representative. All extra expenses in giving effect to such order shall beconsidered by the Trustees, unless such suspension is

Otherwise provide for in the contract, or

- 1. Necessary by reason of some default on the part of the Contractor, or
- 2. Necessary by reason of climatic conditions on the site, or
- 3. Necessary for proper execution of the works or for the safety of the works or any part thereof. The Engineer shall settle and determine such extra payment and / or Extension of completion time to be allowed to the contractor, as shall, in the opinion of the Engineer, be fair and reasonable.

If at any time before or after commencement of the work the Trustees do not require the whole of the work tendered for, the Engineer shall notify the same tothe contractor in writing and the contractor shall stop further works in compliance of the same. The Contractor shall not be entitled to any claim for compensation for underived profit or for such premature stoppage of work or onaccount of curtailment of the originally intended work by reason of alteration made by the Engineer in the original specifications, drawings, designs and instruction.

When the whole of the work has been completed to the satisfaction of the Engineer and has passed any final test prescribed in the contract, the contractor shall, within 21 days of submission of his application to the Engineer be entitled to receive from him a certificate for completion of work in Form G.C.1 annexed hereto. If any part of the total work having been completed to the satisfaction of the Engineer, be takeover and / or used by the Trustees the Contractor shall on application be entitled to partial completion certificate in the Form of G.C.1 indicating the portion of the work covered by it, so that the Contractor's liability during maintenance period of the contract, if any, shall commence from the date mentioned in such certificate so far as the completed portion of the work is concerned.

6. TERMS OF PAYMENT:

No Sum shall be considered as earned by or due to the Contractor in respect of the work till final and satisfactory completion thereof and until a certificate of final completion in Form G.C.2 has been given by the Engineer. On account payments, if any, made prior to issue of the certificate in Form G.C.2, shall all be treated as mere advances, which shall stand recoverable in full or in part, if the Engineer so decides in the context of Contractor's unfulfilled contract condition, ifany.

All payments shall be made to the Contractor on the basis of measurement of actual work done, as recorded in the Trustees' measurement books and at accepted tendered or at agreed rates, as the case may be except as otherwise provided in the contract and when the Engineer decided any other rate for change in the scope of work or omission, if any, on the part of the Contractor.

For work of sanctioned tender value more than Rs. 50,000/- or having an initially stipulated completion period of 4 months or more, on account payments may be made at the discretion of the Engineer or his Representative at intervals deemed suitable and justified by him. Provided always that, subject to execution of work of substantial value in the context of the contract price, the interval of such on account payments shall be decided by the Engineer or his Representative, whichshall ordinarily not be less than 1 month in between two payments for on account bill and / or advance.

Measurement for works done shall be progressively taken by the Engineer's Representative and entered in the Trustees' Measurement Book, at intervals deemed suitable and proper by him and / or the Engineer. The Contractor or hisduly accredited Representative or Agent shall remain present at the time of suchmeasurement and assist the Engineer's Representative in every manner required by him. After the measurements taken have been entered in the Measurement Book, the Contractor or his Agent shall sign the Measurement Book at the end of such Measurements over the Contractor's Rubber Stamp as a taken of acceptance of all such measurements, recorded above and prior to such signature. If the Contractor or his Agent fails to participate even other 3 days written notice from the Engineer's Representative the measurement shall be taken ex-part by the Engineer's representative and those shall be accepted by the Contractor.

Based on the quantum of work and the value thereof computed in the Measurement Book, the Contractor shall type out his bill in the proformaapproved by the Engineer and submit the same to the Engineer's Representative in quadruplicate, duly signed by him or his accredited Agent over his Rubber Stamp. The Engineer or his Representative may, in his absolute discretion, allowadvance payment against such bill to the extent of an amount not exceeding 75% of the "net payable' sum of the said bill, subject to adjustment thereof against the bill at the time of checking and auditing the bill at the Trustees end., The measurement Book will not be handed over to the Contractor; but he will obtain the abstracts of quantities, amount and recoveries to type out the bill.

At the discretion of the Engineer or his Representative and only in respect of accepted offers/ where estimated amount put to tender would be Rs. 2,00,000/-or more, advance payment may be made to the extent of 75% of the value of any material purchased and brought to the site by the Contractor. Provided always that:

- i. The materials shall, in the opinion of the Engineer or his Representative, be ofimperishable nature.
- ii. The value of such materials shall be assessed by the Engineer or his Representative, at their own discretion.
 - iii. A formal agreement has been drawn up with the contractor, under whichthe Trustees secure a lien on the contractor's materials.

- iv. The materials are safe-guarded by the contractor against losses, shortage and misuse due to the contractor postponing the execution of the work orotherwise.
- V. In the event of shortage of such materials within the Trustees' protected areas in the Docks, the contractor shall submit an indemnity Bond in the proforma and manner acceptable to Trustees' whereby the contractor shallindemnify the Trustees' against all financial loss/ damage, on account of loss/ damage to such materials for whatever reasons.
 - Vi. In the event of storage of such materials outside the Trustees' protected areas the Contractor shall submit to the Engineer an irrevocable Bank Guarantee favoring the Trustees and for the same sum as is being advance, in the proforma and manner acceptable to the Trustees. The Guarantee shall be of a Kolkata / Haldia Branch of any Nationalized Bank or a Scheduled Commercial bank, as the case may be, acceptable to the Trustees and shall remain valid till the anticipated period of consumption of such materials in the work. The Bank Guarantee must bear an undertaking by the issuing Bank guaranteeing automatic payment of the guaranteed sum to the Trustees by the Bank on the date of expiry of the validity of the Guarantee, unless with the prior written approval of the Engineer on behalf of the Trustees, the Bank has extended the validity of the Guarantee.
 - vii. The amount of advance shall be recoverable from the contractor's bills or any other dues, progressively with the consumption of the materials on the basis of quantity consumed. Consequent on full recovery of the advance the Indemnity Bond / Bank Guarantee, vide sub-clause (v) & (vi) above, shall be returned to the Contractor duly discharged by the Engineeron behalf of the Trustees.

No Certificate of the Engineer or his Representative shall protect the Contractor against or prevent the Trustees from obtaining repayment from the Contractor, in case the Engineer or his Representative should over certify for payment or the Trustees should over-pay the Contractor on any account.

No claim for interest shall be admissible to the Contractor at any stage and in respect of any money or balance or Bank Guarantee, which may be due to the Contractor from the Trustees, owing to dispute or otherwise or for any delay on the part of the Trustees in making interim or final payment or otherwise.

7. VARIATION AND ITS VALUATION:

The Quantities set out in the Bill of Quantities of the tender shall be treated as estimated quantities of the work and shall never be deemed as actual or correct quantities of the works to be executed by the contractor in fulfillment of his obligation under the contract.

The Engineer shall have the power to order the Contractor in writing to make any variation of the Quantity, quantity or form of the works or any part thereof that may, in his opinion, be necessary and the Contractor upon receipt of such an order shall act as follows:

- a) Increase or decrease the quantity of any work included in the contract.
- b) Omit any work included in the contract.
- c) Change the Character or quality or kind of any work included in the contract.
- d) Change the levels, lines, position and dimensions of any part of the work, and
- e) Execute extra and additional work of any kind necessary for completion of theworks.

No such variation shall in any way vitiate or invalidate the contract or be treated as revocation of the contract, but the value (if any) of all such variations evaluated in accordance with the Engineer's sole decision shall be taken into account and the contract price shall be varied accordingly.

Provided always that written order of the Engineer shall not be required for increase or decrease in the quantity of any work up to 15% where such increase or decrease is not the result of any variation order given under this clause but is the result of the quantities exceeding or being less than those stated in the bill of quantities. Provided also that verbal order of variation from the Engineer shall be complied with by the Contractor and the Engineer's subsequent written confirmation of such verbal order shall be deemed to be an order in writing within the meaning of this clause.

- a) The Contractor shall not be entitled to any claim of extra or additional work unless they have been carried out under the written orders of the Engineer.
- b) The Engineer shall solely determine the amount (if any) to be added to or deducted from the sum named in the tender in respect of any extra work done or work omitted by his order.
- C) All extra, additional or substituted work done or work omitted by order of the Engineer shall be valued on the basis of the rates and prices set out in the contract, if in the opinion of the Engineer, the same shall be applicable. If the contract does not contain any rates or prices directly applicable to the extra additional or substituted work, then the Engineer may decided the suitable rates on the basis of Schedule of Rates (including surcharge in force at the time of acceptance of tender), if any, adopted by the Trustees with due regard to the accepted contractual percentage, if any thereon. In all other cases the Engineer shall solely determine suitable rates in the manner deemedby him as fair and reasonable, and his decision shall be final, binding and conclusive.
- d) If the nature or amount of any omission or addition relative to the nature or amount of the whole of the contract work or to any part thereof shall be such that, in the opinion of the Engineer, the rate of prices contained in the contract for any item of the works or the rate as evaluated under sub-clauses
 - (b) and (c) of this clause, is by reason of such omission or addition rendered unreasonable or in-applicable the Engineer shall fix such other rate or price as he deems proper and the Engineer's decision shall be final, binding and conclusive.

8. <u>DELAY / EXTENSION OF COMPLETION TIME / LIQUIDATED DAMAGE /</u> TERMINATION OF CONTRACT

Should the quantum of extra or additional work of any kind or delayed availability of the Trustees' materials to be supplied as per contract or exceptionally adverse climatic conditions and natural phenomenon or strikes, lock-outs, civil commotions or other special circumstances of any kind beyond the control of the Contractor cause delay in completing the work, the contractor shall apply to the Engineer in writing for suitable extension of completion time within 7 days from the date of occurrence of the reason and the Engineer shall thereupon consider the stated reasons in the manner deemed necessary and shall either reject the application or determine and allow in writing the extension period as he would deem proper for completion of the work, with or without the imposition of "Liquidated Damaged" Clause (No. 8.3 hereof) on the Contractor and his decision shall be binding on the contractor. If an extension of completion time is granted by the Engineer, the clause No. 8.3 of the Liquidated damage shall apply from its date of expiry, if the work be not completed within the extended time, unless stated otherwise in the decision communication by the Engineer, as aforesaid.

- a) If the Contractor fails to complete the work within the stipulated dates or such extension thereof as communicated by the Engineer in writing, the contractor shall pay as compensation (Liquidated Damage) to the Trustees and not as a penalty, ½ % (half percent) of the total value of work (contract price) as mentioned in the latter of acceptance of the tender/offer, for every week or part thereof the work remains unfinished. Provided always that the amount of such compensation shall not exceed 10% the said value of work.
- b) Without prejudice to any of their legal rights, the Trustees shall have the power to recover the said amount of compensation / damage in Sub-Clause (a) of this clause, from any money due or likely to become due to the contractor. The payment or deduction of such compensation / damage shall not relieve the Contractor from his obligation to complete the work or from any of his other obligations / liabilities under the contract and in case of the Contractor's failure and at the absolute discreti9on of the Engineer, the work may be ordered to be completed by some other agency at the risk and expense of the Contractor, after a minimum three days notice in writing has been given to the contractor by the Engineer or his Representative.

Without being liable for any compensation to the Contractor, the Trustees may, in their absolute discretion, terminate the contract due to occurrence of any of the following reasons and decision of the Trustees in this respect, as communicated by the Engineer shall be final and conclusive:

- (i) The Contractor has abandoned the contract.
- (ii) In the opinion of the Engineer, either the performance of the Contractor is not satisfactory or the work is not getting completed within the agreed period on account of Contractor's lapses.

- (iii) The Contractor has failed to commence the work or has without any lawfulexcuse under these conditions, has kept the work suspended despite receiving the Engineer's or his Representative's written notice to proceed with the work.
- (iv) The Contractor has failed to remove materials from site after receiving from the Engineer or his Representative the written notice stating that thesaid materials or work are rejected by him .
- (v) The Contractor is not executing the work in accordance with the contract or is persistently or flagrantly neglecting to carry out his obligations under the contract.
- (vi) Any bribe, commission, gift or advantage is given, promised or offered byor on behalf of the contractor to any officer, servant or representative of the Trustees or to any person on his or their behalf in relation to the obtaining or to the execution of the contract.
- (vii) The Contractor is adjudged insolvent or enters in to composition with his creditors or being a company goes in to liquidation either compulsorily or voluntarily.

Upon receipt of the letter of termination of work, which may be issued by the Engineer on behalf of the Trustees, the Contractor shall hand over all the Trustees' tools, plant and materials issued to him at the place to be ascertained from the Engineer, within 7 days of receipt of such letter.

In all such cases of Termination of work, the Trustees shall have the power to complete the Work through any other agency of the Contractor's risk and expense and the Contractor shall be debited any sum or sums that may be expended in completing the work beyond the amount that would have been due to the contractor, had he duly completed the whole of the work in accordance with the contract.

Upon termination of contract, the contractor shall be entitled to receive payment of only 90 % of the value of the work actually done or materials actually supplied by him and subject to recoveries as per contracts, provided the work done and materials conform to specifications at the time of taking over by the Trustees. The payment for work shall be based on measurements of actual work done and priced at approved contract rates or otherrates, as decided by the Engineer. The payment for materials supplied shall be at the rates as decided by the Engineer, which shall in no case be more than market rates prevailing at the time of talking over by the Trustees. The Engineer's decision in all such case shall be final, binding and conclusive.

The Trustees shall have the power to retain all moneys due to the Contractor until the work is completed by other agency and the Contractor's Liabilities to the Trustees and known in all respect.

9. MAINTENANCE AND REFUND OF SECURITY DEPOSIT

On completion of execution of the work the contractor shall maintain t6he samefor a period, as may be specified in the form of a Special Condition of the Contract, from the date mentioned in the initial Completion Certificate in the Form G.C.1. Any defect / fault, which may appear in the work during aforesaid maintenance period, arising, in the sole opinion of the Engineer or his Representative, from materials or workmanship not in accordance with the contract or the instruction of the Engineer or his Representative, shall, upon the written notice of the Engineer or his Representative, be amended and made goodby the Contractor at his own cost within seven days of the date of such notice, to the satisfaction of the Engineer or his Representative, failing which the Engineer or his Representative shall have the defects amended and made good through other agency at the Contractor's risk and cost and all expenses, consequent thereon or incidental thereto, shall be recoverable from the Contractor in mannerdeemed suitable by the Engineer.

The Contract shall not be considered completed and the work shall not be treated as finally accepted by the Trustees, until a final Completion Certificate infrom G.C. 2 annexed hereto shall have been signed and issued by the Engineer to the contractor after all obligations under the Contract including that in the maintenance period, if any, have been fulfilled by the Contractor. Previous entryon the works or taking possession, working or using thereof by the trustees shall not relive the Contractor of his obligations under the contract for full and final completion of the work.

On completion of the contract in the manner aforesaid, the Contractor may applyfor the refund of his Security Deposit by submitting to the Engineer (i)The Treasury Receipts granted for the amount of Security held by the Trustees, and

(ii) his "No further claim" Certificate in from G.C.3 annexed hereto (in original), where upon the Engineer shall issue Certificate in from G.C.2 and within two months of the Engineer's recommendation, the Trustees shall refund the balance due against the Security Deposit to the Contractor, after making deduction there from in respect of any sum due to the Trustees from the Contractor.

10. INTERPRETATION OF CONTRACT DOCUMENTS, DISPUTES & ARBITRATION

In all disputes, matters, claims, demands or questions arising out of or connected with the interpretation of the Contract including the meaning of Specifications and Instructions or as to the quality of workmanship or as to the materials used in the work or the execution of the work whether during the progress of the work or after the completion and whether before or after the determination, abandonment or breach of the contract the decision of the Engineer shall be final and binding on all parties to the contract and shall forthwith be given effect to by the Contractor.

If, the Contractor be dissatisfied with any such decision of the Engineer, he shall within 15 days after receiving notice of such decision require that the matter shall be referred to Chairman, who shall thereupon consider and give a decision.

If , however , the contractor be still dissatisfied with the decision of the Chairman , he shall, within 15 days after receiving notice of such decision required that within 60 days from his written notice , the Chairman shall refer thematter to an Arbitrator of the panel of Arbitrators to be maintained by the Trustees for the purpose and any such reference shall be deemed to be a submission to arbitration within the meaning of Indian Arbitration Act , 1940 or any statutory modification thereof.

If the Arbitrator so appointed is unable or unwilling to act or resigns his appointment or vacates his office due to any reason whatsoever, another person from panel shall be appointed as Sole Arbitrator and he shall proceed from the stage at which it was left by his predecessor.

The Arbitrator shall be deemed to have entered on reference on the datehe issues notice to both the parties fixing the date of first hearing.

The time limit within which the Arbitrator shall submit his award shall normally be 4 months as provided in Indian Arbitration Act, 1940 or any amendment thereof. The Arbitrator may, if found necessary, enlarge thetime for making and publishing the award, with the consent of the parties.

The Venue of the arbitration shall be Kolkata or as may be fixed by the Arbitrator in his sole discretion. Upon every or any such reference to cost any incidental to the reference and award respectively shall be in discretion of the Arbitrator who may determine, the amount thereof or by whom and to whom and in what manner the same shall be borne and paid.

The Award of the Arbitrator shall be final and binding on all parties subject to the provisions of the Indian Arbitration Act, 1940 or any amendment thereof. The Arbitrator shall give a separate award in respectof each item of disputes and respective claim referred to him by each party and give reason for the award.

The Arbitrator shall consider the claims of all the parties to the contract within only the parameters of scope and conditions of the contract in question.

Save as otherwise provided in the contract the provisions of the Arbitration Act, 1940 and rules made there under, for the time being in force, shall apply to the arbitration proceedings under this Clause.

The Contractor shall not suspend or delay the work and proceed with the work with due diligence in accordance with Engineer's decisions. The Engineer also shall not withhold any payment, which, according to him, is due or payable

to the Contractor, on the ground that certain disputes have cropped up and are likely to be referred to arbitration.

Provided always as follows:

- (a) Nothing of the provisions in paragraphs 8.3 to 8.3.7 hereinabove would apply in the case of contracts, where tendered amount appearing in the letter ofacceptance of the tender / offer is less than Rs. 40,00,000/-.
- (b) The Contractor shall have to raise disputes or differences of any kind whatsoever in relation to the execution of the work to the Engineer within 30 days from the date of occurrence of the cause of dispute and before the preparation of the final bill, giving detailed justifications, in the context of contract conditions.
- (C) Contractor's dispute, if any, arising only during the maintenance period stipulated in the contract, must be submitted to the Engineer, with detailed justifications in the context of contract Conditions, before the final completion of the work. No dispute or difference on any matter whatsoever, pertaining to the contract can be raised by the contractor after the completion of the work.
- (d) Contractor's claim / dispute raised beyond the time limits prescribed in subclauses 8.5 (b) and 8.5 (c) hereinabove, shall not be entertained by the Engineer and / or by any Arbitrator, subsequently.
- (e) The Chairman / Trustees shall have the right to alter the panel of Arbitrators on their sole discretion, by adding the names of new Arbitrators and /or by deleting the names of existing Arbitrators, without any reference to the Contractor.

THE BOARD OF TRUSTEES FOR THE PORT OF KOLKATAFORM OF

TENDER

CONTRACT NO	
То,	
I/We	
	of

THE TOTAL AMOUNT OF TENDER Rs (Not To be filled up)

*********	***************************************
•	days/months preliminary time to arrange and the work from date of acceptance of the Tende Work.
(* This should be scored out	t in the case of labour contracts)
Officer / Manager (Finance), Hald	n the Trustees' Financial Advisor & Chief Account lia Dock Complex vide Receipt No as Earnest Money.
1/Ma sames that maried for	r which the Tender shall remain open for accontance
shall not be less than four months.	r which the Tender shall remain open for acceptanc
shall not be less than four months. Witness:	Signature of the Tenderer (Seal of the Tenderer)
witness: Signature	Signature of the Tenderer (Seal of the Tenderer) Name of the Tendere
witness: Signature	Signature of the Tenderer (Seal of the Tenderer) Name of the Tendere (In Block Letters)
Shall not be less than four months. Witness: Signature	Signature of the Tenderer (Seal of the Tenderer) Name of the Tendero (In Block Letters)
Shall not be less than four months. Witness: Signature	Signature of the Tenderer (Seal of the Tenderer) Name of the Tendere (In Block Letters) Date

THE BOARD OF TRUSTEES FOR THE PORT OF KOLKATAFORM

OF AGREEMENT

THIS	AGREEMENT	made	this			day
of	200betw	een the Board o	of Trustees f	or the Port of	Kolkata,a b	ody
corporate co	onstituted by th	ie Major Port	Trusts Act	, 1963 (ther	einafter ca	lled
"Trustees" w	hich expression s	shall unless excl	uded by or	repugnant to	the context	t be
deemed to	include their	successors	in office)	of the on	e part a	and
	noroimattar calla				من المماء م	loco
	hereinafter calle					
•	or repugnant to rs, representative					
aummstrato	rs, representative	s and assignees	JI SUCCESSOI	sin office) of t	пе отпет ра	ιι.
WHEREASthe	e Trustees are des	rous that certain	n works shou	ıld be executed	d/construc	ted
viz.	in docted are des	ii odo tilat oci tali		na se execute	x / 0011501 GO	·cu
a	nd have accepted	d a Tender / Offe	er by the Co	ntractor for th	e execution	1
and maintena	ance of such work	NOW THIS AGRE	EMENT WIT	NESSETH as fo	llows:	
1. In this	Agreement wor	•			•	
respectively	assigned	to them in Ge	neral Condi	tions of Contr	act hereina	fter
referred to.						
	ollowing docume		med to fron	n and be read	and constr	ued
as part of this	•	· ·				
(a)	The said Tender	-	•	he Tender / Of	ifer	
(b)	The General Con	ditions of Contra	ict			
(c)	The Special Cond	ditions of Contrac	ct			
(d)	The Conditions of	of Tender				
(e)	The Technical Sp	ecifications				
(f)	The Schedule of	Rates				
(g)	The Terms of Pa	yment				
(h)	All corresponde	nce by which, t	he contract	is added, ame	ended, varie	ed
ormo	dified in an	v way hy mutua	l consent			

4. The Trustees hereby covenants to pay to the Contractor, in consideration of such execution — and maintenance of the Work, the Contract Prices at the times and

by the Contract.

as hereinafter

of the contract.

execute and maintain the

in the manner prescribed

In consideration of the payments to be made by the Trustees to the Contractor

mentioned , the Contractor hereby covenant with the Trustees to

work in conformity in all respects with the provisions

seals)the day and year first above written.	and
	Seal
of	Cai
01	
Was hereunto affixed in the presence of:	
Name	
Address	
Address	
<u>Or</u>	
_	
SIGNED, SEALED AND DELIVERED	
by the	said
by the	said
•	said
•	said
•	said
In the presence of:	said
In the presence of: Name	said
In the presence of:	said
In the presence of: Name	said
In the presence of: Name	said
In the presence of: Name	said
In the presence of: NameAddress:	said

KOLKATA PORT TRUST

FORM G.C.1

Contractor	
Address	
	Date of Completion
Door Sir/s	
Dear Sir/s,	
This is to certify that the fo	-
Name of the Work	
dt	Estimate Number E.E.O
	dt
Work Order Number	
Allocation Contract Number	
Contract Number	
Which was carried out by you is in inevery respect on the Day	the opinion of the undersigned completing
accordance with clause 62 of the General	
	Days /weeks / months /
years.	
From theday of .	20
To theday of	20
	Signature (
	(Engineer / Engineer's Representative)
Name	
Designa	tion
	Office Seal
, ,	
The Deputy Manager ()	Officer
Financial Adviser & Chief Accounts Manager (Finance), Haldia Dock Co	•
manager (manee), maidia bock et	ompien.

KOLKATA PORT TRUST

FORM G.C.2

The Financial Adviser & Chief Accounts Officer. The

Manager (finance), Haldia Dock Complex.

CERTIFICATE OF FINAL COMPLETION

This is to certify that the following works viz.

Name of Work
Estimate No. E.E.O. No dt
C.E.O. Nodt
Work Order Nodtdt
Contract No.
Resoln. No & Meeting No
Allocation
Which was carried out by Shri /
Signature (
Name
Designation

KOLKATA PORT TRUST

FORM G.C.3

('No Claim' Certificate From Contractor)

The Engineer Kolkata Port Trust Kolkata / Haldia
(Attn:)
(Address, the Trustees' Official, mentioned in the work Order and under whom the Contract was executed)
Dear Sir,
I / We do hereby declare that I / We have received full and final payment from KolkataPort Trust for the execution of the following work, viz.
Name of Work
Work Order No dt
Contract No
Yours faithfully,
(Signature of Contractor)
Date
Name of Contractor
Address

(Official Seal of the Contractor)

<u>Draft Proforma of Bank Guarantee (Performance Bond) in lieu of cash Security</u>
<u>Deposit, to be issued by the Kolkata/Haldia Branch, as the case may be, of any nationalized Bank of India on Non-Judicial Stamp Paper worth Rs.50/- or asdecided by the Engineer / Legal Adviser of the Trustees.</u>

То
The Board of Trustees
for the Port of Kolkata.
BANK GUARANTEE
NODATE
Name of issuing Bank
Name of Branch
bialiti
Address

In consideration of the Board of Trustees of the Port Kolkata, a body corporate - duly constituted under the Major port Trust Act, 1963 (Act 38 of 1963), having agreed to exempt Shri / Messrs
Registered Company, having its Registered Office at
(hereinafter referred to as "The Contractor") from cash payment of Security Deposit / Payment of Security Deposit through deduction from the Contractors' bills under the terms and conditions of a contract made between the Trustees and the Contractor for
(write the name of the work as per
Work Order) in terms of the Work order No
we,/ Haldia, do on the advise of the contractor, hereby undertake to indemnify and keep indemnified the Trustees to the extent of the saidsum of Rs (Rupees
We/Haldia, further agree that if a written demand is made by the Trustees through any of its officials for honoring the Bank Guarantee constituted by these presents, We,

......................../Haldia shall have no right to decline to cash the same for any reason whatsoever and shall cash the same and pay the sum so demanded to the Trustees within a

of" con	Kolkata Port Trust", without any demur. Even if there be any dispute between the attractor and the Trustees, this would be no ground for us,
Gua	Branch, Kolkata/Haldia to decline to honour the Bank arantee in the manner aforesaid. The very fact that We,/Haldia, decline fail or neglect to honour the Bank Guaranteed in the manner aforesaid shall astitute sufficient reason for the Trustees to enforce the Bank Guarantee conditionally withoutany reference, whatsoever, to the contractor.
2.	We,
3.	Branch,Kolkata
4.	day of
	conditions of the said contract or to extend the time for full performance of the said contract including fulfilling all obligations under the said contract by the contractor or to postpone for any time or from time to time any of the powers exercisable by the Trustees against the contractor and to forebear or enforce any of terms and conditions relating to the said contract and We,

	any such va	riation or extension being granted to the cont	ractor or f	or any fore-
	bearance, ac	ct or commission on the part of the Trustees or	any indulg	ence by the
	Trustees to	the contractor or by any such matter or thing	of whatso	ever nature,
		the law relating to sureties would, but for this p		
	so relieving	us,	· ·	
	U	/Haldia.		Drancin,
5.	We		Branch,	Kolkata
		/Haldia, lastly undertake not to revoke this Bank	,	
		ept with the previous consent of the Trustees in		Ü
	, , , , , , , , , , , , , , , , , , ,			
		SIGNATURE		
		NAME		
		DESIGNATION		
		(Duly constituted attor	ney for and	on behalf
		of)BANK		
		BRANCH		
		Kolkata		./ HALDIA.

(OFFICIAL SEAL OF THE BANK)

INTEGRITY PACT

Between

Kolkata Port Trust (KoPT) hereinafter referred to as "The Principal"

And

Mereinafter referred to as "The Bidder/Contractor"

Preamble

The principal intends to award, under laid down organizational procedures, contract/s for......The Principal values full compliances with all relevant laws of the land, rules, regulations, economic use of resources and of fairness/ transparency in its relations with its Bidder(s) and/ or contractor(s).

In order to achieve these goals, the Principal will appoint an Independent External Monitor (IEM), who will monitor the tender process and the execution of the contract forcompliance with the principles mentioned above.

Section 1 - Commitments of the Principal

- (1) The Principal commits itself to take measures necessary to prevent corruption and to observe the following principles:
 - a. No employee of the Principal, personally or through family members, will, in connection with the tender for, or the execution of a contract, demand, take a promise for or accept, for self or third person, any materials or immaterial benefit which the person is not legally entitled to.
 - b. The Principal will, during the tender process, treat all Bidder(s) with equity and reason. The Principal will, in particular, before and during the tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential/additional information through which the Bidder(s) could obtain an advantage in relation to the tender process or the contract execution.
 - c. The Principal will exclude from the process all known prejudiced persons.
- (2) If the Principal obtains information on the conduct of any of its employees which is a criminal offence under the IPC/PC Act, or if there be a substantive suspicion in this regard, the Principal will inform the Chief Vigilance Officer and in addition can initiate disciplinary actions.

<u>Section 2 - Commitments of the Bidder(s)/Contractor(s)</u>

- (1) The Bidder(s)/Contractor(s) commit himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during hisparticipation in the tender process and during the contract execution.
 - a. The Bidder(s)/Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal's employees involved in the tender process or the execution of the contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the tender process or during the execution of the contract.

- b. The Bidder(s)/Contractor(s) will not enter with other Bidders into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non- submission of bid or any other actions to restrict competitiveness or to introduce cartelization in the bidding process.
- c. The Bidder(s)/Contractor (s) will not commit any offence under the relevant IPC/PC Act; further the Bidder(s)/Contractor(s) will not use improperly, for purpose of competition or personal gain, or pass on to others, any information or document provided by the Principal as part of the business relationship, regarding plans, technical proposals and business details including information contained or transmitted electronically.
- d. The Bidder(s)/Contractor(s) of foreign origin shall disclose the name and address of the Agents/representative in India, if any. Similarly the Bidder(s)/Contractor(s) of Indian Nationality shall furnish the name and address of the foreign principals, if any. Further details as mentioned in the "Guidelines on Indian Agents of Foreign Suppliers" shall be disclosed by the Bidder(s)/Contractor(s). Further, as mentioned in the Guidelines, all the payments made to the Indian Agent/representative have to be in Indian Rupees only. Copy of the Guidelines on 'Indian Agents of Foreign Suppliers" is annexed and marked as Annex-"A".
 - d. The Bidder(s)/Contractor(s) will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers orany other intermediaries in connection with the award of the contract.
- (2) The Bidder(s)/Contractor(s) will not instigate third persons to commit offencesoutlined above or be an accessory to such offences.

Section 3: Disqualification from tender process and exclusion from future contracts. If

the Bidder(s)/Contractor(s), before award or during execution has committed a transgression through a violation of Section 2 above, or in any other form such as to put his reliability or credibility in question, the Principal is entitled to disqualify the Bidder(s)/Contractor(s) from the tender process or take action asper the procedure

mentioned in the "Guidelines on Banning of

business dealings". Copy of the "Guidelines on Banning of business dealings" is annexed and marked as Annex "B".

<u>Section 4 – Compensation for Damages</u>

(1) If the Principal has disqualified the Bidder(s) from the tender process prior to the award according to Section 3, the Principal is entitled to demand the recover the damages equivalent to Earnest Money Deposit / Bid Security.

(2) If the Principal has terminated the contract according to Section 3 or if the Principal is entitled to terminate the contract according to Section 3, the Principal shall be entitled to demand and recover from the Contractor liquidated damages of the contract value or the amount equivalent to Performance Bank Guarantee.

Section 5 - Previous transgression

- (1) The Bidder declares that no previous transgressions occurred in the last 3 years with any other Company in any country conforming to the anti corruption approach or with any other Public Sector Enterprise in India that could justify his exclusion from the tender process.
- (2) If the Bidder makes incorrect statement on this subject, he can be disqualified from the tender process or action can be taken as per the procedure mentioned in "Guidelines on Banning of business dealings".

<u>Section 6 – Equal treatment of all Bidders / Contractors/ Subcontractors</u>

- (1) The Bidder(s)/ Contractor(s) undertake(s) to demand all subcontractors a commitment in conformity with this Integrity Pact, and to submit it to the Principal before contract signing.
- (2) The Principal will enter into agreements with identical conditions as this onewith all Bidders, Contractors and subcontractors.
- (3) The Principal will disqualify from the tender process all bidders who do not sign this Pact or violate its provisions.

<u>Section 7 - Criminal charges against violating Bidder(s)/Contractor(s)/ Subcontractor(s).</u>

If the Principal obtains knowledge of conduct of a Bidder, Contractor or Subcontractor, or of an employee or a representative or an associate of a Bidder, Contractor or Subcontractor which constitutes corruption, or if the Principal has substantive suspicion in this regard, the Principal will inform the same to the Chief Vigilance Officer.

Section 8 - Pact Duration:

This pact begins when both parties have legally signed it. It expires for the Contractors 12 months after the last payment under the contract, and for all otherBidders 6 months after the contract has been awarded.

If any claim is made/ lodged during this time, the same shall be binding and continue to the valid despite the lapse of this pact as specified above, unlessit is discharged/ determined by Chairman of KoPT.

<u>Section 9 - Other Provisions:</u>

(1) This agreement is subject to Indian Law. Place of performance and jurisdiction is the Registered Office of the Principal, i.e. New Delhi.

- (2) Changes and supplements as well as termination notices need to be made inwriting. Side agreements have not been made.
- (3) If the Contractor is a partnership or a consortium, this agreement must besigned by all partners or consortium members.
- (4) Should one or several provisions of this agreement turn out to be invalid, theremainder of this agreement remains valid. In this case, the parties will striveto come to an agreement to their original intentions.

(For & on behalf of the Principal)	(For & on behalf of Bidder/Contractor)
(Office Seal)	(Office Seal)
Place	
Date	
Witness 1:	
(Name & Address)	
Witness 2:	
(Name & Address)	