

TENDER DOCUMENT SYAMA PRASAD MOOKERJEE PORT

सिविल इंजीनियरिंगविभाग Civil Engineering Department अधीक्षण अभियंता, एन. एस. डॉक्स का कार्यालय

Office of the Superintending Engineer, N. S. Docks

51,सी. जी. आर.रोड,कोलकाता७००४३

51, C.G.R. Road, Kolkata – 700 043

E-mail id: sk.halder@kolkataporttrust.gov.in

निविदा के लिए —"एन.एस.डॉक के अंतर्गत सुभाष भवन की तीसरी मंजिल में पोर्ट वायरलेस अनुभाग का गहन नवीनीकरण/रीमॉडलिंग (सिविल और इलेक्ट्रिकल)"

<u>TENDER FOR</u> "Thorough renovation/remodelling (civil and electrical) of Port Wireless Section in the 3rd floor of Subhas Bhavan under N.S.Dock"

**** **** ***

सिविलइंजीनियरिंगविभाग श्यामाप्रसादमुखर्जीपत्तन,कोलकाता

Civil Engineering Department SYAMA PRASAD MOOKERJEE PORT, KOLKATA

निविदा संख्या /TENDER NO.: 271/NSD/23-24/ET/192 DT. 12.01.2024

विषय /Content /अनुक्रमणिका /Index

Sl. No.	Description	Page No.			
1.	NIT	3			
2.	ANNEXURE—A (Important instructions for E – tender)	6			
3.	ANNEXURE—B (Commercial terms & Conditions)	8			
4.	ANNEXURE—C (Techno-commercial Bid)	12			
5.	Instruction to Bidder	15			
6.	Special Conditions of the Contract	21			
7.	Pre-qualification criteria	22			
8.	Scope of Work	22			
9.	Schedule "T"	63			
10.	Schedule "O"	65			
11.	Proforma of Performance certificate/credential of works				
12.	ANNEXURE—D (Documents to be uploaded)	67			
13.	ANNEXURE—D1 (Undertaking to be submitted)				
14.	ANNEXURE—E (Price Bid)				
15.	Preamble to the Bill of Quantities				
16.	Bill of Quantities	75			
17.	Form of Tender	119			
18.	ANNEXURE—F (General Conditions of the Contract)	120			

SYAMAPRASADMOOKERJEEPORT,KOLKATA (FormerlyKOLKATAPORTTRUST)

श्यामा प्रसाद मुखर्जी पत्तन, कोलकाता (पूर्व में कोलकाता पोर्ट ट्रस्ट)

CivilEngineeringDepartment

सिविलइंजीनियरिंगविभाग

1.0 निविदाआमंत्रणसूचना / NOTICE INVITING TENDER

<u>एनआईटी नं/NIT NO.: 271/NSD/23-24/ET/192 Dt. 12.01.2024</u>

E-Tender is invited from reliable, bonafide& experienced agency with required experience as per Prequalification criteria stipulated in Tender Document for "Thorough renovation/remodelling (civil and electrical) of Port Wireless Section in the 3rd floor of Subhas Bhavan under N.S.Dock." as per Bill of Quantities the Bid Document may be seen from the https://kopt.enivida.in. Corrigenda or clarifications, if any, shall be hosted on theabove- mentioned website only. The tender is also published on SMPK website (www.smportkolkata.shipping.gov.in).

निविदा की अनुसूची /SCHEDULE OF TENDER (SOT)

a.निविदा संख्या /TENDER NO.	271/NSD/23-24/ET/192 DT. 12.01.2024
b. निविदा कातरीका /MODE OF TENDER	e-Procurement System (Online part Techno-Commercial Bid and Price Bid through Enivida Portalhttps://kopt.enivida.in/) The intending bidders are required to submit their offers electronically through e-tendering portal. No physical tender is acceptable by SYAMA PRASAD MOOKERJEE PORT, KOLKATA.
c.i) कार्यकाअनुमानितलागत/Estimated Cost 0f Work	Rs 22,81,728.60 (Rupees twenty two lakhs eighty one thousand seven hundred twenty eight and paisa sixty only) Rs. 45,635.00 (Rupees forty five thousand six hundred thirty five only) DD/Banker's Cheque in favour of Syama Prasad Mookerjee Port, Kolkata on any scheduled/Nationalised Bank payable at Kolkata otherwise their offer will be summarily rejected. As per cl. 2, page no.12 Or payable through DD / RTGS / NEFT

ii) अग्रिमधन जमा राशि/Earnest Money	tobetransferredon
Deposit	A/C:SyamaPrasadMookerjeePort,Kolkata
Deposit	A/cNo:067502000000491
	IFSC:IOBA0000675
	BankName:IndianOverseasBank
	BranchName:STRANDROADBranch
	The intending bidders should submit the
	tender cost of Rs.590/-(Rupees five
	hundred ninety only) including @18%
	GST)to KoPT through DD/Banker's
	Cheque in favour of Syama Prasad
	Mookerjee Port, Kolkata on any
	scheduled/Nationalised Bank payable at
	Kolkata otherwise their offer will be
	summarily rejected. As per cl. 2, page
	no.12
··· } • • • • • • • • • • • • • • • • • • 	Or
iii) निविदा दस्तावेज की कीमत/Tender	payable through DD / RTGS / NEFT /
Document fee (Non-refundable)	BankTransferetc.,)tobetransferredon
	A/C:SyamaPrasadMookerjeePort,Kolkata
	A/cNo:067502000000491
	IFSC:IOBA0000675
	BankName:IndianOverseasBank
	BranchName:STRANDROADBranch
iv)रेलटेल टेंडर प्रोसेसिंग शुल्क/ Railtel Tender	TPF- 0.1% of estimate cost (Minimum 750/-
Processing Fee (Non-refundable) Mode of	Maximum 7500/-+GST Registration Charges
Payment: - E-payment Only through	Rs.2000/- +Applicable GST Per Year.
Debit/Credit Card or Net Banking.	
d.पार्टियों को डाउनलोड करने	12.01.2024 to 02.02.2024 (up to 12:00 hrs.)
केलिएउपलब्धएनआईटी की तिथि/Date of NIT	,
available to parties to download	
e. प्रीबीडमीटिंग की तिथि औरसमय/ Pre – Bid	No Pre-bid meeting
Meeting Date & Time	
f. अग्रिमधन तथा निविदा दस्तावेज की कीमत जमा	02.02.2024 (up to 12:00 hrs.)
करने कीअंतिमतारीख/Last date of submission	\
of EMD & Tender Document fee at Syama	
Prasad Mookerjee Port, Kolkata	
g. ई-निविदा को ऑनलाइन जमा करने की	12.01.2024 (From 14:00 hrs. onwards)
1	12.01.2021 (110m 11.00 m3. 0nwards)
प्रारम्भिक तिथि/ Date of Starting of e-Tender	
for submission of online Techno Commercial	
Bid and Price Bid at Enivida Portal	02 02 2024 (U. 4- 45 00 1
h.ई-निविदा को ऑनलाइन जमा करने की अंतिम	02.02.2024 (Up to 15:00 hrs.)
तिथि/Date of closing of online e-tender for	
submission of Techno-Commercial Bid &	
Price Bid.	

i. ई-निविदाकोखुलनेकीतिथिऔरसमय/Date &	05.02.2024 (After 13:00 hrs.)
time of opening of Tender	

<u>ध्यान दे /Note</u>: In the event of any unforeseen closure of work / holiday on any of the above days, the same will beopened / held on the next working day without any further notice.

अनुलग्नकों की सूची / List of Annexures:

Important Instructions for E- procurement : - Annexure - A
Commercial Terms & Conditions : - Annexure - B
Techno Commercial Bid : - Annexure - C
List of Scanned Documents required to be uploaded : - Annexure - D

(Document consisting Annexure A to Annexure D

To be treated as Techno Commercial Part)

Price Bid (Financial Part) : - Annexure – E

(Both the Techno Commercial Part & Financial Part will be uploaded separately & will be available both in the SMPK website &Enivida Portal)

General Conditions of Contract : - Annexure – F

अधीक्षण अभियंता/ Superintending Engineer (NSD) सिविलइंजीनियरिंगविभाग / Civil Engineering Department श्यामा प्रसाद मुखर्जी पत्तन, कोलकाता / SYAMA PRASAD MOOKERJEE PORT, KOLKATA निविदा आमंत्रण प्राधिकारी / Tender Inviting Authority.

IDs:

2.0 ई-निविदा के लिए महत्वपूर्ण निर्देश/ Important Instructions for e-Tender

Bidders are requested to use internet Browsers Firefox version below 50 / Internet Explorer version 8 or above, and Java 8 Update 151 or 161.

Further, bidders are requested to go through the following information and instructions available on the Enivida Portal https://kopt.enivida.in before responding to this etender:

- ➤ Bidders Manual Kit
- ➤ Help for Contractors
- > FAQ
- 🕨 संपर्ककरें /Contact Persons (Syama Prasad Mookerjee Port, Kolkata):
 - 1. S.K.Halder, SuperintendingEngineer(NSD)
 - 2. M.R.Mukherjee, Executive Engineer(NSD), Mob. No. 9434160506

ई-मेल आईडी/E-mailIDs :- <u>sk.halder@kolkataporttrust.gov.in</u> & <u>mr.mukherjee@kolkataporttrust.gov.in</u>

संपर्क करें (एनीविडा पोर्टल) /Contact Persons (Enivida Portal):

फोन नंबर /Phone No.: - 7278929467/8448288981 ई / आईडी मेल-E-Mail

enividahelpdesk@gmail.com&ewizardkumar@gmail.com

	All entries in the tender should be entered in online Technical & Commercial Formats
1	without any ambiguity.
2	E-tender cannot be accessed after the due date and time mentioned in NIT.
3	SMPK reserves the right to cancel or reject or accept or withdraw or extend the tender in full or part as the case may be without assigning any reason thereof.
4	Any order resulting from this tender shall be governed by the terms and conditions mentioned therein.
5	No deviation to the technical and commercial terms & conditions are allowed.
6	The bidders must upload all the documents required as per terms of tender. Any other document uploaded which is not required as per the terms of the tender shall not be considered.
7	The bid will be evaluated based on the filled-in technical & commercial formats.
8	Bidder has fully read and understood the entire Tender Document, GCC,
	Corrigendum and Addenda, if any downloaded from under the instant e-tender and
	no other source, and will comply to the said document, GCC, Corrigendum and
	Addendum.
	A declaration in this regard is to be made by the bidder.
9	(A) Tender will be opened electronically on specified date and time as mentioned in
	the NIT. Bidders can witness electronic opening of Bid.
	(B) Necessary addendum/corrigendum (if any) of the tender would only be hoisted
	in the Enivida Portal.

10	Bidder has fully read and understood the entire Tender Document, GCC, Corrigendum and Addenda, if any downloaded from under the instant e-tender and no other source, and will comply to the said document, GCC, Corrigendum and Addenda					
	A declaration in this regard is to be made by the bidder.					
1	A) Tender will be opened electronically on specified date and time as mentioned in the					
1	NIT. Bidder's can witness electronic opening of Bid.					
	(B) Necessary addendum/corrigendum (if any) of the tender would only be hoisted in the					
	e-Enivida Portal					

Annexure -B

SYAMA PRASAD MOOKERJEE PORT

सिविल इंजीनियरिंगविभाग Civil Engineering Department अधीक्षण अभियंता, एन. एस. डॉक्स का कार्यालय

Office of the Superintending Engineer, N. S. Docks

51,सी. जी. आर.रोड,कोलकाता७००४३

51, C.G.R. Road, Kolkata – 700 043

E-mail id: sk.halder@kolkataporttrust.gov.in

3.0 वाणिज्यिक नियम और शर्तें / Commercial Terms & Conditions

SL. NO.	
22,110,	नियम /TERMS

- 1 Mere participation in e-tender will not mean that a particular bidder will be automatically considered qualified and their bids will be entertained. Such qualification will be reviewed at the time of technocommercial evaluation of bids also.
- 2 Copy of valid NSIC Certificate or MSME Certificate under **MSME** has to be submitted along with the bid.
- 3 अग्रिमधन राशि / EARNEST MONEY: As Per NIT
- 4 E-Tenderers submitted without requisite Earnest Money are liable to be rejected excepting in case of Micro & Small Enterprises (MSEs) registered with NSIC (under single point registration scheme) or MSME for items for which the tender is invited.
- 5 <u>काम की गुंजाइश /SCOPE OF WORK</u>: As per E-Tender Document
- The Terms and Conditions of E-Tender shall be read in conjunction with the General Conditions of Contract, Specifications, Bill of Quantities and other documents forming part of this Contract wherever the Contract so requires.
- The several documents forming the Contract shall be taken, as mutually explanatory to one another and in case of any discrepancies; the Bill of Quantities shall prevail over the Specifications and the Terms and Conditions over the General Conditions of Contract of SMP, Kolkata. In case of any dispute, question or difference either during the execution of the Contract or any other time as to any matter or thing connected with or arising out of this Contract, the decision of the Chief Engineer, SYAMA PRASAD MOOKERJEE PORT, KOLKATA, thereon shall be final and binding upon all parties.

- The Contract will include the Client's Bid Documents with the General Conditions of Contract and the Bidder's Offer as finally accepted by the Client, together with Addenda, if there be any. Trustees' General Conditions of contract is the integral part of the tender / contract. The above-mentioned General Conditions of Contract may be inspected at the office of the undersigned on any working day before quoting for the Tender.
- 9 The Trustees are not bound to accept the lowest or any Tender and reserve the right to accept a tender in full or in part and / or reject a tender in full or in part without assigning any reason thereof.
- 10 The contract shall be governed by all relevant Indian Acts applicable only within the jurisdiction of the High Court at Calcutta.
- 11 Intending bidders must take into account any cost or expense incurred by them in connection with the preparation and submission of their bids or for any other expenses incurred in connection with such bidding.
- Bidders are advised to visit the site of work prior to submission of their bid. Bidder shall get himself thoroughly familiarized with the site conditions, existing road facilities for carrying materials etc. before submission of the e-tender. He may contact **Superintending Engineer (Netaji Subhash Dock)**/ **Superintending Engineer (Electrical)**or his authorized representative at his office at 51, CGR Road, Kolkata- 43 in this regard. Non-compliance of the same will in no way relieve the successful bidder of any of his obligations in performing the work in accordance with this Bid Document within the quoted price.

13 वैधता /VALIDITY: -

The tender shall remain open for acceptance for a period of) 4चार/ महीने (4 (four) months from the date of opening of techno-commercial bid.

If before expiry of this validity period, the Bidder amends his quoted rates or tender, making them unacceptable to the Trustees and / or withdraws his tender, the Earnest Money deposited shall be liable to forfeiture at the option of the Trustees / sanctioning Authority.

14 <u>गैर-उत्तरदायी बोलीदाता /NON- RESPONSIVE BIDDER</u>: -

The offer/tender shall be treated as non-responsive, if it:

- (i) is not accompanied by requisite Earnest Money /valid NSIC Registration Certificate /MSME Registration Certificate.
- (ii) is not accompanied by requisite tender paper cost / or valid NSIC/MSME Registration Certificate.
- (iii) validity of the offer is less than tender stipulation,
- (iv) does not meet the Qualification Criteria as stipulated in the NIT.
- (v) The bidder submits conditional offer / impose own terms and conditions / does not accept tender conditions completely/offer or tender if submitted with any deviation from the tender terms & conditions.

In addition to above, a bidder may be disqualified if –

a) The bidder provides misleading or false information in the statements and documents submitted.

b) Record of unsatisfactory performance during the last seven years, such as abandoning of work or rescinding of contract for which the reasons are attributable to the non-performance of the contractor or inordinate delays in completion or financial bankruptcy etc.

The decision of Syama Prasad Mookerjee Port, Kolkata in this regard shall be final and binding on the Bidder.

Offer / tender is submitted with any deviation from the tender terms & conditions.

- 15 <u>बयाना राशि और सुरक्षा जमा/ EARNEST MONEY AND SECURITY DEPOSIT: :</u> As per tender Document.
- 16 प्रदर्शन की गारंटी /PERFORMANCE GUARANTEE: -

The Contractor should submit a Performance Guarantee in the form of B.G. for 10 % of contract value in SMPK's proforma from a Scheduled/ Nationalised Bank within 21 days from the date ofreceipt of LOI/Work Order, failing which the contract would be rescind without any further notice .TheP.G.should be obtained for the full period covering defect liability period of 1(one) years.

- In the event of the successful bidder failing to execute the order within the stipulated delivery period without sufficient reasons acceptable to the Trustees, the Security Deposit may be forfeited and the order be cancelled at the option of the Trustees' **apart from other actions**.
- 18 कीमतों /PRICES: As per BOQ given in the tender document.
- 19 The bidder shall quote his price as per the Bill of Quantities in the Price bid
- 20 Orders may be placed in full/part to the lowest bidder.
- 21 Price(s) to be quoted should remain firm over the contract period.
- 22 The prices quoted shall be including all statutory levies excluding GST, which shall be paid extra.
- 23 म्ल्यांकन पैमाना /EVALUATION CRITERIA: As per relevant clause of Tender document.
- 24 भगतान /PAYMENT: As per Tender document.
- 25 स्थान /LOCATION: As per Tender document.
- 26 पूरा होने का समय /TIME OF COMPLETION: As per Tender document.
- Work is to be carried out as per terms & condition of the contract document.
- 28 <u>न्यायालय का अधिकार क्षेत्र / JURISDICTION OF COURT</u>: -The contract shall be governed by all relevant Indian Acts applicable within the jurisdiction of Kolkata.
- 29 <u>व्यक्तिगत सुरक्षा उपकरण /PERSONAL PROTECTIVE EQUIPMENT (PPE):</u> Contractor and their workmen including driver & helper must use PPE i.e. safety helmet etc. at the time of work inside the dock premises. For safety measure Cl. No.25, page-23 may be referred to.
- 30 Compensation (Liquidated Damages) against failure to complete the work within the stipulated time as per tender condition.

- 31 मुल्य समायोजन खंड /PRICE ADJUSTMENT CLAUSE: As per Tender document.
- 32 तकनीकी क्षमता /TECHNICAL CAPACITY: As stipulated in Tender document.
- 33 वित्तीय क्षमता /FINANCIAL CAPACITY: As stipulated in Tender document.
- 34. <u>डॉक परमिट /DOCK PERMITS</u>: As per tender document.
- The bidder may offer a Bank Guarantee in the Trustees' specified proforma from any Scheduled/ Nationalized Bank of India having Branch at Kolkata in lieu of Earnest Money /Security Deposit beyond **Rupees 10 (Ten) lakhs**.

Besides the above conditions all other conditions as stated in the NIT, BOQ, Special Conditions of Contract, Instruction to the tenderers, G.C.C. shall have to be agreed by the Bidders.

SYAMA PRASAD MOOKERJEE PORT

सिविल इंजीनियरिंगविभाग Civil Engineering Department अधीक्षण अभियंता, एन. एस. डॉक्स का कार्यालय

Office of the Superintending Engineer, N. S. Docks

51,सी. जी. आर.रोड,कोलकाता७०००४३

51, C.G.R. Road, Kolkata – 700 043

E-mail id: sk.halder@kolkataporttrust.gov.in

<u>एनआईटी नं/ NIT NO</u>.: 271/NSD/23-24/ET/192 Dt. 12.01.2024

NOTE: निविदा दस्तावेज डाउनलोड करने की अंतिम तिथि /Last Date of **Download** of tender documents :02.02.2024(upto 14.00 hours)

<u>निविदा प्रस्तुत करने के कारण है/Tender is due for submission by 15.00 Hrs. On 02.02.2024</u>

निविदा खुलने वाली है/ Tender is due for opening after 13.00 Hrs. On 05.02.2024

तकनीकी वाणिज्यिक बोली /Techno Commercial Bid

निविदा के लिए "एन.एस.डॉक के अंतर्गत सुभाष भवन की तीसरी मंजिल में पोर्ट वायरलेस अनुभाग का गहन नवीनीकरण/रीमॉडलिंग (सिविल और इलेक्ट्रिकल)"

<u>TENDER FOR</u> "Thorough renovation/remodelling (civil and electrical) of Port Wireless Section in the 3rd floor of Subhas Bhavan under N.S.Dock."

*

लघु निविदा सूचना / SHORT TENDER NOTICE

E-Tender is invited from reliable, bonafide& experienced agency with required experience as per Pre-Qualification Criteria stipulated in Tender Document for the following work at Syama Prasad Mookerjee Port, Kolkata.

कार्यकानाम/Name of work	:	"Thorough renovation/remodelling (civil and electrical) of Port Wireless Section in the 3rd floor of Subhas Bhavan under N.S.Dock."
एनआईटी नंबर /NIT No	:	271/NSD/23-24/ET/192 Dt. 12.01.2024
अनुमानित लागत/ Estimated Cost	:	Rs 22,81,728.60 (Rupees twenty two lakhs eighty one thousand seven hundred twenty eight and paisa sixty only)
निष्पादन की अवधि/ Period of Execution	:	08(Eight) Months.
ईएमडी (बयाना राशि जमा)/बोली सुरक्षा /EMD (Earnest Money Deposit)/ Bid Security	:	Rs. 45,635.00 (Rupees forty five thousand six hundred thirty five only)
के डाउनलोड की अवधिई-निविदा(दोनों दिन सम्मिलित) / Period of Download of E-Tender (Both Days Inclusive)	:	12.01.2024 to 02.02.2024 (UPTO 14:00 hrs.) (Bid document will be available on website https://kopt.enivida.in). Bidders will have to participate in bidding process through website https://kopt.enivida.in/) only.
प्री-बिड मीटिंग और साइट विज़िट के लिए दिनांक और समय / Date and Time for pre-bid meeting & site visit	:	No pre-bid meeting.
ई-निविदा जमा करने और निविदा खोलने की अंतिम तिथि/Last date of submission of e-tender and opening of the tender	:	प्रस्तुत करना /Submission on 02.02.2024 Up to 15:00 hrs. खुल रहा है /Opening on 05.02.2024 after 13:00 hrs. (Commercial Part only)
निविदा दस्तावेज की लागत (नॉन रिफंडेबल) / Cost of Tender Document (Non-refundable)	:	The intending bidders should submit the tender cost of Rs 590/-(Rupees five hundred ninety only) including @18% GST) to KoPT through DD/Banker's Cheque in favour of Syama Prasad Mookerjee Port, Kolkata on any scheduled/Nationalised Bank payable at Kolkata otherwise their offer will be summarily rejected. As per cl. 2, page no.12
संपर्क व्यक्ति / Contact Person.	:	S.K.Halder, Superintending Engineer(N.S.Dock) M.R.Mukherjee, Executive Engineer (NSD),Mob.No 9434160506

4.0: बोलीदाता को निर्देश / INSTRUCTIONS TO BIDDER

E-TENDER FOR "Thorough renovation/remodelling (civil and electrical) of Port Wireless Section in the 3rd floor of Subhas Bhavan under N.S.Dock."

निविदा के लिए " एन.एस.डॉक के अंतर्गत सुभाष भवन की तीसरी मंजिल में पोर्ट वायरलेस अनुभाग का गहन नवीनीकरण/रीमॉडलिंग (सिविल और इलेक्ट्रिकल)

एनआईटी नं/ NIT NO.: 271/NSD/23-24/ET/192 Dt. 12.01.2024

1.0 आम/GENERAL

The work as described in the tender shall be executed in Kolkata and in accordance with the attached General Conditions of Contract, Special Conditions of Contract, Particular Specifications, and Drawings (if any) & detailed Bill of Quantities. Location Plan of the place of work might be inspected at the office of the Superintending Engineer (Netaji Subhash Dock)/Superintending Engineer (Electrical) of M&EE Deptt.on any working day before quoting for the tender.

- **2.0** Cost of tender paper and EMD are to be physically deposited at the office of Superintending Engineer (NSD), 51, CGR Road, Kolkata- 700043 by vendors/contractors throughBank Draft/Banker's Cheque/Demand Draft/Pay Order etc.On any scheduled/nationalised Bank, in favour of Syama Prasad Mookerjee Port, Kolkata, payable at Kolkata, within 3 working days after opening of tender.
- 2.1Details of cost of e-tender paper remitted should be entered by the participating vendor/contractor in the space provided in the e-tender as indicated hereunder:
- a) Name of remitting vendor/contractor:
- b) Tender No. :
- c) Amount remitted :
- d) Date of remittance :
- e) Bank Draft / Cheque No. :
- 2.2 Details of Earnest money remitted should be entered by the participating vendor/contractor in the space provided in the e-tender as indicated hereunder:
 - a) Name of remitting vendor/contractor:
 - b) Tender No. :
 - c) Amount remitted :
 - d) Date of remittance :
- e) Bank Draft / Cheque No.

Tender submitted without requisite cost of tender paper will be liable for rejection.

3.0 बोली प्रस्तुत करने का तरीका /MODE OF SUBMISSION OF BID:

3.1All bidders must submit their offers through e- tendering in accordance with the terms and conditions set out in the bid documents and no deviation will be accepted.

- 3.2 A Bid shall contain the following scanned copies of which are to be uploaded (Refer Annexure D):-
- i) GST registration certificate.
 - ii)a) Valid Trade Licence (Valid for current period & also for type of work).
 - b) The Firm has to submit copy of Electrical Supervisor's Valid License who will carry out & certify the electrical job.
 - iii) Valid Professional Tax Clearance Certificate / Up to date tax payment challan. If this is not applicable, the bidder must submit a declaration in this regard.
 - iv) Proof of possessing valid Employees' Provident Fund (EPF) Account. EPF Registration Certificate.
- v) Proof of being registered with Employees' State Insurance Corporation (ESIC), ESI Registration Certificate.
 - vi) Details of the firm as per Schedule-O (in Part-I) of the tender document duly filled up.
- vii) Credentials in the form of copies of Letters of Award of Works along with corresponding/successful Completion Certificates from owners to justify that the intending bidder satisfies the earlier mentioned pre-qualification criteria.
 - viii) Last three years balance sheet and profit & loss account in support of Annual Financial turnover ((i.e. 2020–2021, 2021-2022 and 2022-2023).. The same should be audited as per relevant norms wherever required along with UDIN of the Auditor.
- ix) PAN Card
- x) Bank Draft/ Pay order etc. regarding Cost of EMD and Tender documents/valid NSIC certificate
- xi) A list of technically qualified and skilled persons would be engaged to supervise and execute the work.
- xii) Self declaration of the bidder that the Bidding Firm has Not been debarred / de-listed by any Govt / Quasi Govt. / Public Sector undertaking in India(to be mentioned in the letter head of the Firm).
- xiii) Self-declaration regarding the proprietor/partner(s)/authorized signatory of the bidding firm (in the case of proprietorship firm /partnership firm /limited company, as the case may be) is/are not associated with any other firm bidding for the same work(to be mentioned in the letter head of the Firm).
- xiv) A list of works which are in hand at the time of submitting the offer as per the enclosed proforma titled 'Concurrent Commitments of The Bidder' vide 'Schedule –T' in Part-I of the tender document.
- xv) Undertaking of the tenderer to be submitted as per enclosed Pro-forma (ANNEXURE –D-1) in lieu of submission of signed copies of the full Tender document, G.C.C, addenda& corrigendum in the letter head of the Firm.
- xvi) Last page of "Bill of Quantities" & the "Form of Tender" duly filled up (without price quoted) shall be duly signed and stamped by the Bidder.

- xvii) Copy of duly Filled up Integrity Pact in Stamp Paper of value Rs. 100/-.
- xviii) TDS certificate including 26 AS should essentially be submitted to validate the legitimacy of the work completion certificate.
- N. B.-1 The bidder will have to produce the original documents or any additional documents, if asked for, to satisfy the Authorities for clarification of his documents or credibility.
- **N.B.-2**Even though the bidders meet the above qualifying criteria, they are subject to be disqualified if they have made misleading or false representations in the forms, statements and attachments submitted in proof of the qualification requirements and their EMD will be forfeited for such action.
- 3.3 All the bidders should submit the e-tender in accordance with the Mode of submission of Bid as afore-said.
- 4.0 सुरक्षा जमा राशि / SECURITY DEPOSIT:-
- 4.1 For the successful Bidder, the Security Deposit will be recovered from the contractors each and every On-Account Bill [including the final bill, if necessary] at the percentage of each such bills as set forth in Clause. 3.4, 3.5 & 3.6 of the General Conditions of Contract.
- 4.2 Refund of S.D. and forfeiture S.D. shall be guided by Cl. 3.5 (i) & (ii) of the G.C.C.
- 5. 0 विलंब/समय का विस्तार/परिसमापन क्षति/ठेके की समाप्ति / Delay/ Extension of time/ Liquidated Damage/ Termination of Contract.

Clause 8.0 of G.C.C. to be referred regarding Delay/ Extension of time/ Liquidated Damage/ Termination of Contract.

6.0 <u>बयाना राशि की वापसी /REFUND OF EARNEST MONEY:</u>
The Earnest Moneyreceived, will be refunded or released as the case may be to the unsuccessful Bidders without any interest after opening of Price bid (Part – II) of the tender document

7.0ऑफर की वैधता /VALIDITY OF OFFER:-

The e-tender shall remain valid for a period of 4 (ਬਾਨ) ਸਫ਼ੀਜੇ /4 (four) months from the date of opening the same. If before expiry of this validity period, the Bidder amends his quoted rates or tender, making them unacceptable to the Trustees and / or withdraws his e-tender, the Earnest Money deposited shall be liable to forfeiture at the option of the Trustees/Sanctioning Authority/Engineer.

8.0ई-निविदाकारों की विस्तृत जांच /DETAILED SCRUTINY OF E-TENDERERS:

- 8.1 During the course of examination of Part-I of the bid, the bidders, if asked for, shall furnish any or additional document(s) for the purpose of evaluation of his / their bids.

 9.0
- 9.1 During Techno-Commercial Evaluation, i.e. evaluation of Part-I of tender, an offer shall be considered non-responsive in case it:-

- (i) is not accompanied by requisite EMD/ Tender Paper Cost /NSIC /MSME Registration certificate.
- (ii) validity of the offer is less than tender stipulation,
- (iii) does not meet the Qualification Criteria as stipulated in the NIT.
- (iv) The bidder submits conditional offer / impose own terms and conditions / does not accept tender conditions completely/offer or tender if submitted with any deviation from the tender terms & conditions.

In addition to above, a bidder may be disqualified if –

- 9.2 a) The bidder provides misleading or false information in the statements and documents submitted.
- b) Record of unsatisfactory performance during the last seven years, such as abandoning of work or rescinding of contract for which the reasons are attributable to the non-performance of the contractor or inordinate delays in completion or financial bankruptcy etc.

 The decision of Syama Prasad Mookerjee Port, Kolkata in this regard shall be final and binding on the Bidder.
- 10. An amount of Cess for Building & Other Construction Workers' Welfare Cess [BOCWW Cess] calculated at the rate of 1% of the billed amount shall be progressively recovered from each running bill as well as from the final bill of the contractor for onward transmission of the same by the appropriate authority statutory deductions will also be made as applicable at the time of payment.

11. For Micro & Small Enterprises (MSEs) registered with NSIC & or MSME:-

- 11.1 Micro & Small Enterprises (MSEs) registered with NSIC (under single point registration scheme) **or MSME** are exempted from depositing Cost of Tender Document.
- 11.2 If Micro & Small Enterprises (MSEs) registered with **NSIC** or **MSME** intends to participate in the tender, for the items they are not registered with NSIC, then they will have to deposit cost of Tender Document, as per NIT. **Otherwise their offer will not be considered**.
- 11.3 Copy of valid NSIC Certificate for MSEs has to be submitted along with bid.

12.0 मूल्यांकन पैमाना /EVALUATION CRITERIA:-

12.1 During evaluation, provided that the bidder submits his offer following e-tender stipulations & specifications, the overall lowest offer receivedshall be considered for acceptance by the Trustees.

13.0 निविदा की स्वीकृति /ACCEPTANCE OF TENDER:-

- 13.1 Syama Prasad Mookerjee Port, Kolkata reserves the right to accept / reject any / all offer(s) without assigning any reason thereof and also reserve the right to accept the tender in part or as a whole.
- 13.2 Any attempt to exercise undue influence in the matter of acceptance of Tender is strictly prohibited and any Tenderer who resorts to this will render his tender liable to rejection.
- 13.3 The successful Tenderer will be notified in writing of the acceptance of his tender. The "Tenderer" then becomes the "Contractor" and he shall forthwith take steps to execute the

Contract Agreement within six weeks of issue of Letter Of acceptance and fulfil all his obligations as required by the Contract.

14.0 विविध/ MISCELLANEOUS:

- i) Bidder shall submit his offer for complete scope of work, strictly in accordance with the tender documents. Any deviation from the tender documents and / or any incomplete tender shall not be considered.
- ii) The bidder shall not impose his own terms & conditions in his offer or quote his rates based on his own terms and conditions, such E-Tenderers are liable to rejection at the option of the Trustees without further reference to the bidder.
- iii) All materials shall have to be procured by the successful Bidder and shall be of the best and approved quality conforming to relevant specifications. The successful Bidder shall also arrange for the supply of all labour, tools and plants as stipulated in the Special Conditions of Contract, required for efficient execution of the work.
- iv) All measuring units are in Metric System and rates and sums in the tender are in Indian Currency. The language used throughout shall be in English.
- v) The Tender Documents with all the enclosures, appendices, Abstract Form of Tender and Form of Tender shall be required to be complete, duly filled in and signed and uploaded.
- vi) Enlisted/registered contractor of SMPK will get the benefit of exemption of deposition of Earnest Money **up to the prescribed limit**. They are to upload the scan copy of the original T.R. issued to them by SMPK during registration to SMPK relating to **Permanent Security Deposit**.
- vii) The Bidder shall give a declaration about the names of their relations employed in Syama Prasad Mookerjee Port, Kolkata. It is not the intention to debar the Contractors from working if their relatives are working in SMPK, but such a declaration is necessary in the interest of Trustees against any possible lapses.

5.0: अनुबंध की विशेष शर्तें /SPECIAL CONDITIONS OF CONTRACT

<u>E-TENDER FOR</u>"Thorough renovation/remodelling (civil and electrical) of Port Wireless Section in the 3rd floor of Subhas Bhavan under N.S.Dock."

निविदा के लिए " एन.एस.डॉक के अंतर्गत सुभाष भवन की तीसरी मंजिल में पोर्ट वायरलेस अनुभाग का गहन नवीनीकरण/रीमॉडलिंग (सिविल और इलेक्ट्रिकल)"

1. <u>आम/ GENERAL</u>:

These provisions though given in a separate section are part of the tender documents which must be read as a whole, the various sections being complementary to one another and are to be taken as mutually explanatory. These provisions shall be read in conjunction with the other parts of the tender documents viz. General Conditions of Contract, Notice Inviting E-Tenders, and Instructions to Bidder, Particular Specifications, Drawings, Bill of Quantities and other documents forming part of the Contract. In case of any discrepancy or ambiguity in the documents, the order of precedence of the documents as stated below will apply. In particular, these provisions will over ride those in the General Conditions provided there is discrepancy between them.

2. निविदा दस्तावेजों की वरीयता का सहसंबंध और क्रम /CORRELATION AND ORDER OF PRECEDENCE OF TENDER DOCUMENTS:

If the stipulations in the various tender documents be found to be at variance in any respect, one will override others (but only to the extent these are at variance) in the order of precedence as given in the list below, i.e. any particular item in the list will take precedence over all those placed lower down in the list.

- (a) Order letter.
- (b) Bill of Quantities.
- (c) Drawings.
- (d) Particular Specifications of work.
- (e) Special Conditions of Contract.
- (f) General Conditions of Contract.

In case of any dispute, question or difference either during the execution of the work or any other time as to any matter or thing connected with or arising out of this Contract, the decision of the Chief Engineer, Syama Prasad Mookerjee Port, Kolkata, thereon shall be final and binding upon all parties.

The execution of work shall conform minutely to the approved & assigned drawings & specification & any other details drawings which shall be provided /duly approved by the Engineer during the progress of the work as to such other drawings those have formed part of the contract documents.

3. बोलीदाताओं के लिए पूर्व-योग्यता मानदंड /PRE-QUALIFICATION CRITERIA FOR

BIDDERS: -

- i)The intending bidder must have successfully completed "Construction/maintenance/remodelling/upgradation/modification of Buildings/Offices/Gates (Civil and electrical works) for the work "during the last 7(seven) years ending last day of month previous to one in which applications are invited and the experience should be Either of the following:-
- Either (i) 03 (Three) completed works each costing not less than 40 % of the estimated amount put to tender.
- Or (ii) 02 (Two) completed works each costing not less than 50 % of the estimated amount put to tender.
- Or (iii) 01 (One) completed work costing not less than 80% of the estimated amount put to tender.
- ii) The Average Annual Financial Turnover of the bidding firm during the last three years, ending on 31-03-2023, should be at least 30% of the estimated amount put to tender..The same should be audited as per relevant norms wherever required along with UDIN of the Auditor
- iii) Work experience as a sub-contractorshall not be considered as the requisite qualification.

4. काम की गुंजाइश /SCOPE OF WORK:

a) Civil Works (For 'PART A' of BOQ):

The work comprises of

- 1. Dismantling all types of masonry, plain cement, R.C. floor etc
- 2. Taking out Mirzapur or glazed porcelain tiles carefully by chiselling from walls or floor including stacking serviceable material as directed.
- 3. Stripping off worn out plaster and raking out joints of walls, celings etc. upto any height and in any floor
- 4. Taking out door and window shutters and rehanging the same with old fittings.
- 5. Taking out M.S. or W.I. Grills from wooden frame including cutting lugs from masonry wall and refitting the same and mending good damages
- 6. Brickwork, plaster and other associated works
- 7. Putty works
- 8. Supplying, fitting & fixing 1st quality Ceramic tiles in walls and floors
- 9. Supplying and laying true to line and level Anti-Skid, Full Body, Homogeneous & Granular finish Vitrified Tiles conforming to IS:15622-2006 & IS 4457-2007 and testing shall be made in accordance with IS:13630 [Non- modular sizes for tiles with Skid resistance > 0.5, Mohr's hardness > 5.0, Staining resistance: Class-1, Water Absorption: E < 0.5%], MOR > 35 N/sq.mm in Internal area of building e.g. Toilet Block, Passage, Corridor, Accessible Open Terrace etc.
- 10. Supplying & laying of approved make and brand of scratch proof, flexible & homogeneous P.V.C. Vinyle flooring conforming to IS:3462 1982

- 11. Supplying, fitting & fixing of 2-Track / 3-Track Aluminium sliding window of all Aluminium sections viz. window frame (top,bottom & side frame), shutter (top, bottom, side & interlock member) made of aluminium alloy extrusions conforming to IS 733-1983 & IS 1285-1975, annodisedconforming to IS 1868-1983, fitted with all other accessories viz. PVCroller, EPDM gasket, maruti lock, screws etc. including labour charges for fitting & fixing of aluminium 2-track/3-track sliding window with fixing of glass (excluding cost of glass) all complete
- 12. Supplying, fitting & fixing of Aluminium fixed partion wall of all aluminium sections viz top, bottom and side member, intermediate member, glazing clip made of Aluminium Alloy Extrusions conforming to IS: 733-1983 and IS: 1285-1975, annodized conforming to IS:1868-1983, fitted with all other accessories
- 13. Supplying, fitting & fixing of partly glazed partly panelled or fully glazed single leaf Aluminium swing door of all aluminium sections viz door frame (top and side frame), shutter(top rail, bottom rail, lock rail, door vertical), glazing clip made of Aluminium Alloy Extrusions conforming to IS: 733-1983 and IS: 1285-1975, annodized conforming to IS:1868-1983, fitted with all other accessories
- 14. Supplying bubble free float glass of approved make and brand
- 15. Wood work aand carpentary related fittings and fixtures works
- 16. Providing, fitting and fixing in position, medium density fibre board conforming to IS: 12406-1988 for plain and IS: 14587-1998
- 17. Supplying, fitting and fixing boiling water proof ply conforming to IS: 710-1977 bonded with phenol formaldehyde synthetic resin conforming to IS: 848-1974
- 18. Supplying fitting, fixing decorative lamination conforming to IS: 2046: 1995 as per approved make, brand, finish and thickness with fitting, fixing the same on particle/MDF / Ply Boards with recommended / approved adhesive with proper clipping the sides for better attachment.
- 19. Shuttering, reinforcement and concrete works
- 20.M.S.Structural works
- 21. False ceiling works
- 22. Plumbing works
- 23. Painting works
- 24. Removal of rubbish
- 25. Any other work and all other works as per specifications as set forth in the Bill of Quantities, including all appurtenant works together with additional or varied works, Trustees General Conditions of Contract and Special Conditions of Contract which may thereafter be required in accordance with Clause 7 of General Conditions of Contract and as per the direction and up to the satisfaction of the Engineer-in-Charge for successful completion of the work. The intending tenderer shall inspect the site of work in consultation with the **Superintending Engineer**, (**NSD**) and acquaint him with the nature of work before preparing his tender. His attention is drawn to **Clause No. 3.1** of the General Conditions of Contract in this regard. No excuse on ignorance as to the site

conditions, availability of space for storing materials and approaches to site etc., will be entertained.

Unless otherwise specified, the work to be provided for by the contractor shall include but not be limited to the following:-

- a) Provide all materials, supervision, services and other tools and plants, transportation, water supply, temporary drainage, dewatering of surface, necessary approaches, temporary fencing and temporary lighting as required for safety and work purposes etc.
- b) Prepare and submit for review and assessment to the Engineer how the work is actually going to be done.
- c) The Contractor shall at all time carry out work in a manner creating least interference to existing services while consistent with the satisfactory execution of the same. The Contractor shall execute the work in accordance with the direction of the Engineer-In-Charge and maintain during the execution of the work, a passage for traffic along a part of the existing carriage way.

b) <u>Electrical & Air-conditioning Works (For 'PART B' of BOQ):</u> SCOPE OF WORK AND TECHNICAL SPECIFICATION

- 1. Supply, delivery, installation and commissioning of LT Panels and/or MCB DBs as per Technical Specifications & BOQ.
- 2. Supply, delivery, laying, termination and commissioning of XLPE insulated, 1.1 kV grade armoured/un-armoured, Al/Cu Cable as per Technical Specifications & BOQ.
- 3. Supply delivery, installation and commissioning of Air-conditioners as per Technical Specifications & BOQ.
- 4. Supply, delivery, installation and commissioning of Power Units with Starter suitable for 2/1.5 TR ACs, Plug & Socket.
- 5. Supply, delivery, installation and commissioning of Ceiling fan & fan regulator, down rod canopy etc. as par Technical Specifications & BOQ.
- 6. Supply, delivery & fixing of LED Indoor as per Technical Specifications & BOQ.
- 7. Earthing of the Electrical Installation as per IS specification.
- 8. The entire work is to be carried out in co-ordination with Civil Construction work.

Any work, considered required by the contractor and not mentioned hereunder, for successful completion of the project, is to be included in the item of bill of Quantity suitably which should be finalized in the pre bid meeting.

The work including all appurtenant works shall be carried out as described and set forth in, Bill of Quantities, Special Conditions of contract, Technical Specification of works, and Specification of materials & Workmanship with all additional or varied works which may thereafter be required in Accordance with Clause 7 of General conditions of contract and as per direction of the Engineer-in-Charge.

The intending tenderer shall inspect the site of work in consultation with the Dy. CME or Superintending Engineer (Electrical), SMP, Kolkata and acquaint himself with the nature of Work before preparing his tender. His attention is drawn to the Conditions of Contract in this regard. No excuse on ignorance as to the site General Conditions will be entertained.

Unless otherwise specified, the work to be provided for by the contractor shall include but not be limited to the following:

- a) Provide all materials, supervision, services, scaffolding and temporary lighting as required for work purposes etc.
- b) Prepare and submit for review and assessment to the Engineer working drawings showing how the work is actually going to be done as may be required by him.
- c) The contractor shall carry out the work in phased manner as per availability of the site so that normal day-to-day activities are not affected for which no such extra payment will be entertained.

The work shall be carried out as per Indian Electricity Act, 2003, Central Electricity Authority (Measures relating to safety & electricity supply) Regulation, 2010 (and latest amendment) with latest revised IS code of Practice and relevant portion of National Building Code particularly with respect to fire safety and also code of practice for fire safety of buildings (general): Electrical Installations, IS: 1646: 1997 and code of practice for earthing IS 3043:1987 and Dock Safety Rule & Regulation.

The **Single Line Diagram**, **Drawing for LT Panels**, **Distribution Boards** etc. should be prepared by the Successful Tenderer and the same should be submitted to the Engineer for necessary approval.

The Contractor should arrange, at their own cost, all necessary tools, tackles, lifting machineries, transport etc., required for the execution of total work. They should also provide all materials, supervision, services, scaffolding and temporary lighting as required for work purpose etc.

Scope of work for installation of Main DBs & MCB DBs:

The Main Distribution Boards and MCB Sub-DBs are to be installed concealed within the wall as per Technical Specification & BOQ. The Main Distribution Boards/Panel & MCB Sub-DBs should also be connected with the nearest Earth Bus, using suitable size of insulated Copper wire as per Technical Specification & BOQ. All hardware items required for this job, should be provided & installed by the contractor.

Scope of work for installation of Ceiling Fans:

Installation of ceiling fan complete with blade, electronic regulator, canopy etc. with appropriate length of MS down rod & making necessary connection. Suitable length of down rod, if required, shall have to be supplied by the contractor. Cost of down rod shall be included in its installation price.

Scope of work for Light fittings:

Light fittings are to be supplied & installed as per Technical Specification & BOQ. However, extra care and safety precautions should be taken while carrying out electrical cabling and other allied work at and around swimming pool.

Earthing:

As per Technical Specification & BOQ.

Note:

Other Items specifically not mentioned in the T.S. shall be as per BOQ. Any other item required for installation but specifically not mentioned either in the BOQ or the T.S. like requisite length of G.I. Pipes, clamps and accessories shall be deemed to be included in the rates for installation of the items for which these items are intended. Tenderers are advised to build up the installation prices accordingly. Any claim in this regard on the plea that the item is not specifically mentioned shall not be entertained. Successful tenderer must execute the work as per site requirement and consume the material of BOQ as per instruction of Engineer or his representative only. The quantity of BOQ may increase or decrease as per requirement for which payment will be made as per actual.

Cleaning of site:

On completion of works, the contractor shall reinstate and make good at his own expense any property or land which might have been disturbed and/or damaged by his works. Contractor should also clean the site as required during execution and fully clear the site after completion of all the works. Any holes/drillings/openings/damages made on the wall/roof for drawing of cables/installation of equipment shall be made good by the tenderer at his own cost.

TECHNICAL SPECIFICATIONS

A. Technical Specification for Cable Work:

Cables should be generally compliance with **IS: 7098 (Part-1) / 1988** or latest amendment if any with following specifications:

Conductor:

- 1) Stranded Aluminium should comply to **IS: 8130 1984** or latest amendment, if any, of sizes as mentioned in the BOQ, Colour coded, Voltage Grade: 1.1KV, Insulation: XLPE, Inner Sheath: Extruded PVC, Armour: Galvanized Steel Strips, Outer Sheath: Extruded PVC.
- 2) Stranded Copper should comply to **IS: 8130 1984** or latest amendment if any of sizes as mentioned in the BOQ, Colour coded, Voltage Grade: 1.1KV, Insulation: PVC, Un-Armoured, Outer Sheath: Extruded PVC.

Laying:

• Laying Underground:

Cable shall be laid generally in accordance with IS: 1255-1983 or latest amendment, if any. The average depth of trench for laying cable, considering the site conditions, shall be as below:

- I) Directly in ground as mentioned in the BOQ or 0.50m.
- II) At road crossing as mentioned in the BOQ or 0.75m.

The trenches shall be excavated in reasonably straight line, and where there is a change in direction suitable curvature shall be provided with 12D radius where D is the diameter of the cable. Where gradients and changes in depth are unavoidable, this shall be gradual, except where otherwise directed by the Engineer. The cable shall be laid through suitable size HDPE/GI Pipe, as mentioned in BOQ. After laying of the cable the duct shall have to be filled up by fine excavated material. Where cables run in parallel, separate ducts and HDPE/GI pipe, as stated, shall have to be provided. G.I./HDPE pipe shall have to be used where cable pass through walls, roads, drains, culverts, railway line etc. The cable trench shall be filled back with riddled soil obtained from excavation. This shall be done in layer and compacted. Cable route marker shall have to be provided at a maximum distance of 50m.

• Laying through existing trench:

Cable shall be laid through existing covered/uncovered masonry trench taking out of RC covers, setting them in order, mending good the damages filling the trench with fine dry sand including supply of sand. Cables should be handled carefully during installation to prevent mechanical injury to the cables. Ends of cables leaving trenches should be coiled and provided with a protective pipe or cover, until such times, the final terminations to the equipment are completed. Insulation Test of the cable should be carried out in presence of the Engineer. Any cable, which is found defective, should be replaced before the next group of cables is laid.

• Laying on wall or structure:

Where cable shall be laid on wall or structure, the cable shall be laid by using MS Clamp of adequate strength and size. The maximum distance between clamps shall not be more than 400mm. The cable shall run as straight as possible. When the cable shall pass through wall/floor etc. GI/HDPE pipe protection shall have to be given.

• Laying through existing HDPE/GI Pipe:

Where cable shall be laid through HDPE/GI pipe, care should be taken to avoid mechanical damges to the cable. HDPE/GI pipe should have proper dia for the cable it is intended to and it should be laid with socket, bend, couplers etc.

Before laying of Power Cables, Cable Routes should be checked properly to avoid interference with the existing cables, structures, drains, pipings, etc. as far as possible and minor adjustments to be done to suit the field conditions, wherever deemed necessary, without any extra cost. Cable Routes should be carefully measured and the contractor shall ascertain the proper requirement of cable for a particular feeder. Sufficient lengths are to be kept for the final connections of the cables to the terminal of the equipment. Various cable lengths, cut off from the Cable Reels, should be carefully selected to prevent undue wastage of cables.

The cables should be neatly arranged in the Trench / Trays / Pipes in such a manner so that criss-crossing is avoided and final take off to the equipment / switchgear is facilitated.

When cables pass through foundation walls, or other underground structures, if necessary, ducts or opening shall have to be provided, by the contractor. However, shall it become necessary to cut holes in the existing foundations or structures, the contractor should obtain consent from Engineer, before cutting is done. Cutting, if necessary and mending good of any cut portion should be done by contractor at his cost and risk.

Cables should be handled carefully during installation to prevent mechanical injury to the cables. Ends of cables leaving trenches should be coiled and provided with a protective pipe or cover, until such times, the final terminations to the equipment are completed.

B. Technical Parameters of Moulded Case Circuit Breaker (MCCB):

a)	Rated normal current	:	As per BOQ.
b)	Impulse Voltage	:	8 kV
c)	Rated Operational Voltage	:	415 V AC
'			

d)	Insulation voltage	:	750 V AC
e)	Rated Frequency	:	50 Hz.
f)	Particulars of Specifications to be complied with	:	IS/IEC: 60947 – 2(2003) or latest amendment.
g)	Type of mechanism	:	Single/Double Break Type.
h)	Number of poles	:	As per BOQ.
i)	Rated short-circuit breaking current for 1 second.	:	As per BOQ.
j)	Rated service short-circuit breaking capacity (Ics)	=	Rated breaking capacity (Icu)=100%

C. <u>Technical Specification for Exhaust Fan:</u>

300 mm. Sweep, min 900 RPM Heavy Duty Exhaust Fan suitable for use with 230 V (nominal), 50 Hz., AC single phase system. The Exhaust Fans should generally conform to IS: 2312 and complete with Frame, Blade, and continuously rated capacitor type single phase induction motor and all accessories. The Exhaust Fans should have double ball bearings, and the winding of the Motor must be of super enamelled copper wire.

D. <u>Technical Specification for Luminaires:</u>

As per BOQ. Reports such as LM-79, LM 80 etc. or any other report from NABL or other national or internally accredited lab along with Technical datasheet for luminaires, drivers etc. needs to be submitted in order to substantiate technical data mentioned in the BOQ. Make of LED Chips to be used are as per below table. Valid BIS Certificate having R-Number for luminaries and driver has to be submitted.

List of Make

Item	Make
MCCB / MCB / DB/MCB	ABB/ Siemens/ Schneider/ L&T/
protected power units / AC	Legrand
starter/ Main Switch/ Ammeter/	
Voltmeter	
LED Chip	Cree/Nichia/Osram/Lumiled/Bridgelux
	/Citizen
Luminaires	Signify(Erstwhile Philips)/ K-Lite/
	Havells/ Wipro/Bajaj
PVC Copper wire for internal	Polycab/ KDK-Evershine/ Finolex/
wiring	Havells/ Gloster / KEI
Modular switches & boards/	Havells/ Panasonic/ Crabtree/ ABB/
Socket / Electronic regulator.	L&T/ Legrand
L.T. power cable	Gloster/ Universal/ Polycab /
	Havells/KEI
Rigid Conduit Pipe	ISI Mark
Exhaust Fan / Ceiling Fan.	Havells/ Usha/ Bajaj / Crompton/
_	Polar/ Atomberg
AC Machines	Mitsubishi/ Daikin/ Hitachi/ Carrier / O'
	General

4.0 LOCATION:

The site is located at office premises and work sites of Superintending Engineer (Development), SMPK.

5.0 ACCESS TO THE SITE:

(a) By Road: D H Road

(b) By Rail: Khidderpore Railway Station

6.कार्य स्थल / WORK SITE:

The work site is located at SUBHAS BHAWAN Area of Syama Prasad Mookerjee Port, Kolkata. Tenderer must visit the work site and its surrounding before submission of the tender, so that due consideration is given to the local conditions at site. The intending tenderer should contact Superintending Engineer (Netaji Subhash Dock) 51, C.G.R. Road, Kolkata 700043 and Superintending Engineer (Electrical, M&EE Deptt) No. 8 Work Shop, Kolkata 700043 to make the site inspection along with his representative.

7. साइट का निरीक्षण /INSPECTION OF SITE:

The Bidder shall inspect the site of work and thoroughly familiarise himself with the nature of work, site conditions, and access to the site and location before submission of the tender. He should contact the Superintending Engineer (Netaji Subhash Dock)at his office at 51, C.G.R. Road, Kolkata 700043 for Civil Work and for Electrical work Superintending Engineer (Electrical) at his office at No. 8 Work Shop at G.R. Road, Kolkata 700043 collecting information about the site before submission of the tender. No excuse will be entertained afterwards on the above ground. In case any part of the site cannot be handed over to the successful Bidder in time, no compensation for loss of labour or any other cause nor any claim will be entertained by the Trustees. Suitable extension of time shall, however, be granted to the successful Bidder on that ground if applied for.

8. साइट की शर्तें और काम करने का तरीका /SITE CONDITIONS & METHOD OF WORK:

The work shall have to be executed atWithin Dock Area of Netaji Subhash Dock under the jurisdiction of **NSD**(Netaji Subhash Dock)Divisionas detailed in the Scope of Work & B.O.Q.

The contractor shall take adequate measures so as to execute the work with due regard to the above. The cost of which shall have to be included in the quoted rates.

Further, if so required by the Engineer in the interests of normal working of the Port, if it is found necessary to shift / suspend some construction activity for some duration, this shall be done in compliance with the instructions of the Engineer and as per relevant clause of the G.C.C. The bidder shall consider all the above points while quoting as no separate claim for idle charges towards labour, material will be considered for payment.

Proper care should be taken to provide adequate protection to the existing structures and cables (telephone, computer, etc) all such installations against any damage at the Contractor's risk and expense. Any damage / defect to existing structures arising due to the faulty execution of the work shall have to be rectified forthwith as directed to the satisfaction of the Engineer, without charging extra.

9.पूरा होने का समय /TIME OF COMPLETION:

The work is urgent in nature and must be commenced immediately on receipt of the work order and to be completed in all respects within **08(Eight) Months**, including preliminary time from the date of placement of work order.

10. निविदा की पर्याप्तता /SUFFICIENCY OF TENDER:

- i)The tender drawings and all data / information as furnished herein or inspected and / or collected by the tenderer for the purpose of the work should be properly assessed, interpolated or utilised in his offer at his own responsibility and SMPK does not guarantee sufficiency or adequacy of the data / information so supplied to him or collected or understood by the tenderer.
- ii) The Contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the works and of the rates stated in the priced Bill of Quantities and the rates shall cover all his obligations under the contract and all matters and things necessary for the proper construction, completion, commissioning and maintenance of the work.
- i) In case rate of particular item is printed erroneously in B.O.Q., the rate stated in the schedule ofrates will prevail over the rate misprinted in B.O.Q.

11. जाँच और पर्यवेक्षण के लिए पहुँच / ACCESSIBILITY FOR CHECKING AND SUPERVISION:

The engaged Contractor is to provide necessary arrangement for free access to the SMPK officer's and personnel for supervision and checking of the subject work at his own cost.

12. कार्यक्रम और प्रगति /PROGRAMME AND PROGRESS:

The contractor shall submit a detailed **programme of work** within **7 [seven]days** from the date of Work Order / L.O.I. showing the commencement, duration and completion time of all major items of work including procurement of all materials etc. The sequence of work shown in the programme must be practicable and compatible with technical specifications and conditions prevailing at site.

The contractor shall maintain the progress of work as per the approved programme. In case of any slippage of programme the engineer may require the contractor to augment the input of plant, equipment, labour of any item as he may deem fit. The contractor shall comply with the engineer's directive in this regard, without any extra charge whatsoever.

In case of delays caused due to conditions or circumstances beyond the control of the contractor, the delays must individually be informed to the Engineer forthwith in writing and his acceptance in writing obtained.

13. कार्यों की पद्धति के लिए ठेकेदार की जिम्मेदारी /RESPONSIBILITY OF THE CONTRACTOR FOR METHODOLOGY OF WORKS:

- i) The Contractor shall be solely responsible for the methodology and detailed working for the whole of the works, keeping in mind the site conditions and shall supply to the Engineer such particulars thereof as he may require from time to time.
- ii) The Contractor shall submit within the time stipulated by the Engineer in writing, the details of actual methods that would be adopted by the Contractor for the execution of each item of the work supported by necessary details.
- iii) Approval, for the Drawings and sketches, if necessary including those of the plant and machinery that would be used, their locations, arrangements for conveying and handling materials etc., should be obtained from the Engineer well in advance for starting each item of work. The Engineer reserves the right to suggest modifications or make concrete changes in the methods proposed by the Contractor whether accepted previously or not at any stage of the work, to obtain the desired accuracy, quality and progress of the work, which will be final and binding on the Contractor.

15. सामग्री /MATERIALS:

It will be the responsibility of the contractor to make timely procurement of all materials for both temporary and permanent works required in accordance with the Bill of Quantities or for any extra/additional work required as per the directions of the Engineer. The contractor shall procure cement, reinforcement steel and other materials from manufacturers approved by the Engineer-In-Charge.

The contractor will be allowed to take away surplus materials on completion of the work, subject to Engineer's verification of contractor's records of entry and consumption of materials in the works.

16. गुणवत्ता नियंत्रण /QUALITY CONTROL:

Quality control is an essential part in the construction of and must be based on proper objective and qualitative measurement. The Contractor will have the full responsibility for quality control and delivering the acceptable quality in the field. Regular appraisal of the quality control to the Engineer should be made for effecting improvements in the construction techniques to ensure satisfactory quality of work. The quality control function shall include but not be limited to the following items.

17. निर्माणसामग्रीकानम्नाऔरपरीक्षण /SAMPLING AND TESTING OF CONSTRUCTION

MATERIALS:

Essentially to be carried out on the materials brought to site for construction work unless permitted otherwise by the Engineer. The Contractor shall undertake all field tests and laboratory tests for all such materials and workmanships as directed by the Engineer or his representative at his own cost. The samples shall be taken for test jointly by the representatives of the Engineer and the contractor at the worksite and tested /sent to a Govt. registered laboratory or Institutional laboratory as may be decided by the Engineer for testing. In case of field test, the contractor shall undertake the test by his own testing equipments or by any approved agency in presence of the representatives of the Engineer and the contractor at the worksite. All the testing charges and all incidental charges like packaging and transporting the test samples, equipments etc. shall be borne by the Contractor.

18. निर्दिष्टीकरण / कोड और मानक /SPECIFICATIONS/ CODES AND STANDARDS:

All works under this contract will be executed according to the Trustees' Specification for works. Whenever the details are not specifically covered in the specifications, relevant provisions in the latest revision and/ or replacements of the Indian Standard Specifications (IS) or any other International Code of Practice/ CPWD specifications will be followed. The Contractor shall have to procure copies of such codes/ standards for ready reference of his own personnel as well as the Engineer or his representative at site at his own cost and without any additional reimbursement.

19. अस्थायी कार्य /TEMPORARY WORKS:

The successful tenderer shall allow for providing labour and materials for the construction and removal of all temporary works, e.g. site office, site store, scaffolding, fencing lighting; watching, tube well and pipe lines etc. required for constructional purpose as well as for drinking water purpose of contractor's men, water supply, vats, platform, etc. as may be necessary for the successful execution, completion and maintenance of works without any extra cost to the Trustees and the rates should be quoted accordingly. No rent shall, however, be charged to the contractor for construction/erection of such temporary sheds and structures.

20. संयंत्र और निर्माण उपकरण /PLANT & CONSTRUCTIONAL EQUIPMENT:

The contractor shall supply his tools, plants and constructional equipments within his quoted rates. A list of plant as intended to be employed by the tenderers in this construction must be furnished with full details along with the tender.

21. कोंट्राक्ट क़ीमत /CONTRACT PRICE:

The "Contract Price" for this contract means the sum named in the tender subject to such additions thereto, deductions there from or reductions due to supply of any materials by the Trustees' as provided for in the Contract.

22. काम और प्रारंभिक माप से बाहर सेट करना /SETTING OUT OF WORK AND INITIAL

MEASUREMENTS:

The Engineer shall provide the initial reference and Bench Mark for the setting out of work. It will be the contractor's responsibility to set out the work accurately and get them checked by the Engineer. The Contractor shall provide at his own expense all necessary instruments, staff and labour for the checking of the survey.

The Contractor shall be responsible for the true setting out of the work and for the correctness of all dimensions, levels, lines, positions and alignment. Any error in any part of the works shall be rectified by the Contractor at his own cost. The Contractor would set up inspection facilities at Site at his own cost.

23. सामग्री का अग्रेषण /FORWARDING OF MATERIALS:

The contractor shall have to arrange transport for forwarding any useable/ saleable materials that may be found during the process of execution of the work to the Trustees' Sales yard or any other site/ godown including labourers, transportation, loading, unloading all complete as per the direction of the Engineer or his representative at site. No separate payment will be made to the contractor on this account unless specifically mentioned in the B.O.Q.

24. मौजूदा कार्यों का विवरण / PARTICULARS OF EXISTING WORKS:

Such information as maybe given in the specification as to the existing features and works other than those now under construction as part of "Syama Prasad Mookerjee Port, Kolkata" given without warranty of accuracy and neither the Trustees nor the Engineer will be liable for any discrepancies therein.

25. सुरक्षा उपाय / SAFETY MEASURES:

The contractor shall adhere to safe construction practice, guard against hazardous and unsafe working conditions and follow all safety precautions for prevention of injury or accidents and safeguarding life and property. The contractor shall comply with relevant provisions of Dock Workers (Safety, Health and Welfare) Act – 1986 and Dock Workers (Safety, Health and Welfare) Regulation – 1990 and Safety Officer of the Trustees or Safety Inspectors shall be afforded all facilities for inspection of the works, tools, plant, machineries, equipments etc. wherever so required. The contractor shall further comply with any instruction issued by the Engineer, Trustees' Safety Officer, Safety Inspector in regards to safety which may relate to temporary, enabling or permanent works, working of tools, plants, machineries, equipments, means of access or any other aspect.

The contractor shall provide all necessary first aid measures, rescue and life-saving equipment to be available in proper condition.

The contractor shall provide PPE's (Personal Protective Equipments) such as, helmet, safety shoe etc. to all workers and shall also provide job specific PPE's e.g. safety belts for working at heights; protective face and eye shield, goggles, hand gloves for welding / gas cutting works; protective foot wear and gloves for hot works; facemasks, gloves and overalls for painting works, mixing and handling materials etc. as directed by the Engineer-In-Charge.

All safety rules shall be strictly followed while working on live electrical systems or installations as stipulated in the relevant safety codes.

Use of hoisting machines and tackles including their attachments, construction tools, machineries and equipments shall comply to the relevant safety codes.

Before allowing workers in sewers, manholes, any duct or covered channel etc, the manhole covers shall have to be kept open and ventilated at least one hour in advance and necessary safety torches / lamps should be inserted first before allowing entry to the worker. Suitable hand gloves and other safety gear will be provided to the worker during handling / removing of slushes / sludge etc. without any extra cost. The contractor shall adopt all the above safety measures at his own cost.

The successful bidder shall also ensure that –

(i) No damage is caused to plants and vegetations unless the same is required for execution of the project proper.

- (ii) The work shall not pollute any source of water / land / air surrounding the work site so as to affect adversely the quality or appearance thereof or cause injury or death to animal and plant life.
- (iii) His office & labour hutment etc. shall be maintained in a clean and hygienic condition throughout the period of their use and different effluents of the labour hutment shall have to be disposed off suitably.

26.छट्टी या रविवार का काम /HOLIDAY OR SUNDAY WORK:

Subject to provisions in local Acts and any statutes of the State, the Contractor shall arrange for working on Holidays and Sundays whenever so desired by the Engineer to expedite progress and complete the works in time.

The Contractor shall not be entitled to any additional payment for taking up works on Holidays and Sundays. The Contractor should be prepared to resort to round-the-clock working by following shift timings for labour.

27. बिजली की आपूर्ति /POWER SUPPLY:

If available and if required, suitable power supply may be arranged by the Trustees at the nearest existing supply point of the site of work on receipt of request letter from the Contractor to that effect. All necessary arrangements for the distribution at site will have to be made by the Contractor at his own cost as approved by the Trustees' Engineer or his representative.

Charges for consumption of power shall be periodically recovered from the Contractor's Bill at the rates of SMPKas prevalent amended from time to time including installation and hire charges for meters. The Trustees do not guarantee uninterrupted power supply from the above sources and Contractor shall not be compensated for any delay in providing / irregularity of power supply. The Contractor shall have to arrange for the supply of power at his own cost during such periods.

28. जलापूर्ति / WATER SUPPLY:

The Contractor will arrange for supply of water both for drinking and for construction purposes. However, on written request from the Contractor, water for drinking purposes may be made available free of cost from the exiting water line of the Trustees at a point near the site of work. The contractor will have to arrange for laying pipelines, as necessary, as per approval of the Engineer or his representative, for storing and distributing the same to the work point at his own cost.

- i) Under no circumstances, the contractor would be allowed to use such drinking water for constructional works.
- ii) In any case Dock water will not be allowed to be used for any work including curing.

29. साइट और कार्य क्षेत्र को साफ रखना / KEEPING THE SITE AND WORKING AREA CLEAR:

The Contractor shall at all times keep the site and working areas free from all surplus materials, rubbish and offensive matter all of which shall be disposed off in a manner to be approved by the Engineer's Representative.

30. मौजूदा सेवाओं की सुरक्षा /PROTECTION OF EXISTING SERVICES:

The contractor must pay full attention to the fact that the existing service facilities for users are not distributed at any time due to storing of materials and rubbish and take every precaution to keep the entrance passage clear if the same are being used by the laborers. The contractor shall be held liable for all damage and interference to the existing service, caused by him in execution of works. Should any damage be done to the existing services, in general, the contractor shall make good the same and any further work considered necessary by the Engineer's representative without any delay otherwise the cost of such repairing shall be recovered for his running bill for which Engineer's decision shall be final and binding.

31. निष्पादन के दौरान और समापन के बाद सफाई /CLEANING DURING EXECUTION AND AFTER COMPLETION:

On completion of the works the contractor shall reinstate and make good at his own expense any property or land which might have been disturbed and/or damaged by his works. He should also clean the site as required during execution and fully clear the site after completion of all the works.

The contractor shall forward any usable materials found during the course of construction at the work site or its vicinity to SMPK stores/yards, dispose off the debris beyond the port area all at his own expenses by his own transport and labour and clean out all part of the work and leave everything clean and tidy to the entire satisfaction of the Engineer, failing which suitable deduction will be made from final bill as per discretion of the Engineer/Engineer's representative.

32.माप की विधि /METHOD OF MEASUREMENT:

Unless otherwise specified in the Particular Specifications and Bill of Quantities, the work shall be measured according to the current P.W.D.'s (Building, S&P & Road) Schedule of Rates (2014), Govt. of West Bengal and analysed rate. For details of measurement not covered by the above S.P.-27 1987 of B.I.S. shall be referred to.

33. खाते में भुगतान / ON ACCOUNT PAYMENT:

On account payment to the Contractor shall be arranged as and when required at the discretion of the Engineer on the basis of measurements of completed works at the quoted rates in the Bill of Quantities. The terms of payment shall be in accordance with Clause-6 of the General Conditions of Contract. The Bills should be submitted by the contractor in quadruplicate to the Office of the respective **Superintending Engineer (Netaji Subhash Dock) and Superintending Engineer (Electrical, M&EE Deptt.)** with necessary documents (including test certificates of Third Party, as applicable,) in original. Subject to the availability and feasibility of system, SMPK may make payment directly to the contractor's designated bank account. For this purpose, the contractor will have to indicate (i) name of bank (ii) branch name (iii) branch code and (iv) designated account number in the "Abstract Form of Tender". In case payment is made directly through bank, the contractor may be required to submit a pre-receipt as per instruction of SMPK. In case of extra item of work for electrical, fire-alarm & air-conditioning, the contractor needs to submit original invoice of OEM for materials/spares consumed in the said extra work for consideration of SMPK.

34. श्रम, उपकरण और पौधे / LABOUR, TOOLS & PLANTS:

The Contractor shall supply all necessary labour, tools and plants required for satisfactory execution of the work.

35. कीमतों में वृद्धि/भिन्नता / ESCALATION / VARIATION ON PRICES:

No Escalation / Variation on the prices on any account will be considered for adjustment / payment.

36. अनुबंध श्रम कानून /CONTRACT LABOUR LAWS:

The contractor shall be required to comply with the Minimum wages Acts 1948, Employees Liability Act, 1938, Industrial Disputes Act, 1947, and The Contract Labour (Regulation and Abolition) Act, 1970, or statuary amendments and the modifications thereof, any other laws relating thereto and the rules made there under from time to time. Payment to the labourers to be made as per the minimum wage rates fixed by Chief Labour Commissioner (Central) and as per M.W.A. Govt. of W.B. whichever is higher and revision from time to time.

It will be the duty of the contractor to abide by the provisions of the Act. Ordinances, Rules, Regulations, Byelaws and Procedures as are lawfully necessary in the execution of the works. The contractor will be fully responsible for any delay/damage etc. and keep the Engineer indemnified against all penalties and liabilities of any kind for noncompliance or infringement of such Acts, Ordinances, Rules, Regulations By-laws and Procedures. **The Contractor shall comply to the**

Employees' Bonus rules & to pay Bonus once a year to his workmen accordingly, for which no extra payment shall be made to the Contractor.

The contractor shall indemnify the SMPK against payment to be made under or for the observance of the laws aforesaid without prejudice to his right to claim indemnity from his subcontractor.

The aforesaid regulations shall be deemed to be a part of this contract and any breach thereof shall be deemed to be a Breach of Contract. It will be obligatory on the part of Contractor to obtain necessary Labour Licence from the Competent Authority for deploying requisite Nos. of labours in the work and submit to the Engineer-In-Charge prior to commencement of the work.

The contractor shall also be required to comply regarding 'Workmen Compensation Act, 1923 as amended by Amendment Act No.65 of 1976'

In addition to the above, the Personal Injuries (Compensation Insurance) Act, 1963 and any modifications thereof and rules made there under from time to time. The contractor shall take into account all the above said financial liabilities in his quoted rates and nothing extra, whatsoever, shall be payable to him on this account.

The Contractor shall indicate maximum number of workmen to be engaged on any day for execution of the work in the appropriate place in the ABSTRACT FORM OF TENDER & he shall have to obtain a regular /permanent license as per sec12(1) of the Contract Labour Act.

Further, whenever a contract work has commenced or completed, the contractor has to intimate the same to the Assistant Labour Commissioner(Central) /labour Enforcement Officer (Central) in Form IV-A within 15 days of such commencement or completion.

The contractor has to arrange for displaying the name of the Regional Labour Commissioner (Central), Asst. Labour Commissioner (Central) & Labour Enforcement Officer (Central) at his worksite(s). The contractor shall inform the Principal Employer the date, time & venue of disbursement to be made by him to his workers.

The successful bidder shall also be required to put up a notice at the site of work mentioning the date, time & venue of disbursement to be made by him to his workers and he or his authorized representative shall have to be present during period of disbursement.

37. <u>ई.पी.एफ. एवं म.प्र.</u> अधिनियम एवं ईएसआई अधिनियम <u>1948</u> का अनुपालन / **COMPLIANCE WITH E.P.F** & M. P. ACT & ESI Act 1948:

The successful contractor will have to comply with provision of EPF & MP Act 1952 and also for Employees State Insurance Act 1948 (along with amendments, if any), issued from time to time as applicable.

If asked for by the Employer, the contractor will be required to submit photocopy of all payment challans and produce the original for verification to the representative of the principal employer, i.e. Superintending Engineer (Netaji Subhash Dock).

38. क्षतिपर्ति /INDEMNIFICATION:

The successful bidder shall be deemed to indemnify and keep indemnified the Trustees from and against all actions, claims, demands and liabilities whatsoever under and in respect of the breach of any of the provisions of any law, rules or regulations having the force of law, including but not limited to –

- a) The Minimum Wages Act, 1948.
- b) The Dock Workers (Regulation of Employment) Act, 1948
- c) The Building and Other Construction Workers (Regulation of Employment & Conditions of Service)

Act, 1996

- d) The Dock Workers' Safety, Health & Welfare Act, 1986
- e) The Payment of Wages Act, 1936.
- f) The Workmen's Compensation Act, 1923.
- g) The Employees Provident Fund Act, 1952.
- h) The Contract Labour (Regulation and Abolition) Act, 1970; Rules 1971.
- i) The Equal Remuneration Act, 1976.
- j) The Employees State Insurance Act, 1948 & Employees State Insurance (Amendment) Act ,1989
- k) Child Labour (Prohibition and Regulation) Act, 1986.
- 1) The Maternity Benefits Act 1961
- m) Interstate Migrant Workmen (Regulation of Employment & Conditions Of Service) Act, 1979.
- n) Motor Vehicle Act, latest revision.
- o) The payment of Bonus Act, 1965.

39. कर और कर्तव्य / TAXES & DUTIES:

The prices quoted shall be including all statutory levies excluding GST, which shall be paid extra.

Supplier/service provider to confirm that the GST amount charged in invoice is declared in its returns and payment of taxes is also made.

- The Supplier/ Service Provider agrees to comply with all applicable GST laws, including GST acts,rules, regulations, procedures, circulars & instructions thereunder applicable in India from time to time and to ensure that such compliance is done within the time prescribed under such laws. Supplier/Service Provider should ensure accurate transaction details, as required by GST laws, are timely uploaded in GSTN. In case there is any mismatch between the details so uploaded in GSTN by Supplier/ Service Provider and details available with Syama Prasad Mookerjee Port, Kolkata, then payments to Supplier/Service Provider to the extent of GST relating to the invoices/s under mismatch may be retained from due payments till such time Syama Prasad Mookerjee Port, Kolkata is not sure that accurate tax amount is finally reflected in the GSTN to SMPK's Account and is finally available to Syama Prasad Mookerjee Port, Kolkata in terms of GST laws and that the credit of GST so taken by Syama Prasad Mookerjee Port, Kolkata is not required to be reversed at a later date along with applicable interest.
- Syama Prasad Mookerjee Port, Kolkata has the right to recover monetary loss including interest and penalty suffered by it due to any non-compliance of tax laws by the supplier/service provider. Any loss of input tax credit to Syama Prasad Mookerjee Port, Kolkata for the fault of supplier shall be recovered by Syama Prasad Mookerjee Port, Kolkata by way of adjustment in the consideration payable.
- Supplementary invoices/Debit note/credit note for price revisions to enable Syama Prasad Mookerjee Port, Kolkata to claim tax benefit on the same shall be issued by bidder for a particular year before September of the succeeding Financial Year.

The purchase order/ work order shall be void, if at any point of time bidder is found be to a black listed dealer as per GSTN rating system and further no payment shall be entertained.

40. विवादों का निपटारा / SETTLEMENT OF DISPUTES:

If a dispute of any kind whatsoever arises between the Employer and the Contractor in connection with or arising out of the contract or the execution of the works, the same shall be dealt as per relevant provisions of the General Conditions of Contract.

41. अनुबंध अनुबंध निष्पादित करने के लिए ठेकेदार /CONTRACTOR TO EXECUTE CONTRACT

AGREEMENT:

The contractor after acceptance of his tender shall be required to enter into and execute a Contract Agreement to be prepared in the form annexed to the General Conditions of Contract together with such modifications as may be necessary within one month from the date of placement of the order. The contractor shall have to submit copies in sextuplets of all documents; correspondence, connected papers etc. as detailed in the above from of Contract Agreement together with the instrument of Contract Agreement prepared on Non-Judicial stamped paper of requisite denomination having five more copies made on plain paper all at his own cost. The successful tenderer shall have to submit three sets of such Contract Agreement duly executed, sealed, signed and witnessed for execution by the Trustees. The other three sets shall be completed in all respects but not signed. If the successful tenderer or tenderers are a partnership concern, they will have to get Agreement signed by all the partners or by the partner who is authorized to sign for and on behalf of the other partners.

The contractor shall also comply with the requirements of Security Deposit for the due fulfillment of the contract. The blank proforma of tender documents shall be supplied in sextuplets to the successful tenderer free of charge for preparing the documents of the aforesaid Contract Agreement.

The successful tenderer shall have to copy out and prepare the documents of the Contract Agreement neatly and correctly. The necessary amendments, corrections etc. (if any) have to be done at his own cost. The **Superintending Engineer** in charge of the construction will direct the representatives of the contractor to maintain liaison with different sections of the other departments and the contractor must keep the concerned **Superintending Engineer** of the Civil Engineering Department informed and/or posted with the programme contemplated with other departments. The **Superintending Engineer** of the Civil Engineering Department shall be nodal authority in all these co-ordinations and / or liaison and all programmes must be vetted by him. In cases of exigencies, the contractor or his representatives may establish direct liaison/co-ordination but in all such case the **Superintending Engineer** should be informed promptly.

42.स्थानीय संसाधनों का नियोजन / EMPLOYMENT OF LOCAL RESOURCES:

The contractor shall pay special attention to engage the maximum possible number of local Engineer, other technical personnel, office workers; labourers (skilled, semiskilled, unskilled) both at site and in office, details of such recruitment etc. shall be submitted to the Engineer periodically or as and when called for.

43. कोलकाता पोर्ट ट्स्ट /KOLKATA PORT TRUST:

The expression "KOLKATA PORT TRUST' appearing anywhere in the tender documents, shall be construed to read as "SYAMA PRASAD MOOKERJEE PORT, KOLKATA".

44.बोलियों का स्पष्टीकरण / CLARIFICATION OF BIDS:

To assist in the examination and comparison of Tenders, the Employer may, at his discretion, ask any Tenderer for clarification of his Tender, including breakup/analysis of unit rates. The

request for clarification and the response shall be in writing, but no change in the price or substance of the Tender shall be sought, offered, or permitted except as required to conform the correction of arithmetic errors discovered by the Employer in the evaluation of the Tenders.

No Tenderer shall contact the Employer on any matter relating to his Tender from the time of the Tender opening to the time the contract is awarded. If the Tenderer wishes to bring additional information to the notice of the Employer, he should do so in writing.

Any effort by the Tenderer to influence the Employer's Tender evaluation, Tender comparison or contract award decisions, may result in the rejection of his Tender.

45. कामगार और मजदूरी /WORKMEN AND WAGES:

The Contractor shall deliver, if ordered, a weekly return for all labour employed in writing in the requisite form as instructed by the Engineer or his representative.

The contractor shall have to engage sufficient number of technically qualified and skilled persons to supervise and execute the work and this should be mentioned in the letter head of the Firm.

46. अतिरिक्त मदों के लिए भुगतान की दर /RATE FOR PAYMENT AGAINST EXTRA ITEMS:

For any unforeseen work not covered under the Bill of Quantities and Condition of Contract, depending on contingent situation at site, if required for successful completion of the work, extra items have to be carried out by the Contractor. If those items are already available in Trustees' Schedule of rate, payment will be made on the basis of Trustees' Schedule of rate; including surcharge in force at the time of acceptance of the tender, if any adopted by the Trustees with due regard to the accepted contractual percentage, if any, thereon, otherwise, if the rates are not available in the SMPK Schedule of Rates, then the Special Rates will be prepared as follows:-

- (i)The rate of payment of work involving labour & material shall be fixed on the following basis.
 - a) Cost of materials consumed including transport and wastage, plus
 - b) Cost of labour actually engaged in the works, plus
 - c) Taxes and Duties as applicable, plus
 - d) 16 % on the aggregate of (a) and (b) towards overhead, profit and cess.
- (ii) For any work involving only labour, rate of payment shall be fixed on cost of labour actually engaged in the work plus 11 % towards profit and cess.
- (iii) For only supply of any material at site, rate of payment shall be fixed on actual cost of material plus transport, loading & unloading (if any) plus 11 % towards profit and cess.

47. उद्धृत द्र/राशि में असमानता /DISPARITY IN QUOTED RATE/AMOUNT:

If there is any disparity between the quoted rate in percentage and the Tender Amount, the rate quoted in percentage shall prevail as the rate quoted by the tenderer and the Tender Amount shall be derived by adding/subtracting (as the case may be) this percentage with/from the Estimated Value put to tender. Similarly, in case of disparity between the rate quoted in figures and in words, the rate quoted in words shall prevail.

48. डॉक परमिट /DOCK PERMIT:

For works inside the Docks, Dock permit required for men, materials, vehicles and equipments etc. are to be procured by the successful tenderer at free of cost as per recommendation of the executing departments/divisions indicating the specific number of free permits to be issued.But for creation of individual IDs in permit system a charge as

applicable, will be levied per person (one time) even for companies/ Individuals who have been granted permission to obtain free permits by SMPK. In case the work has to be carried out in an operational zone, the tenderer should keep in mind that the work is to be executed without hampering the operational activities and should complete the work within the stipulated time specified in the tender.

49. कार्य अवधि /WORKING PERIOD:

Normally the work will be carried out between **8 A.M.** to **5 P.M.** on the Trustees' working days only. However, the tenderer should note that he might be required to carry out the job on Sundays, holidays and after normal working hours and at night in addition to the normal working hours to expedite the progress of the work if permitted by **Competent Authority**. The tenderer should include in his rates the cost, if any, involved on those accounts.

50. नकद सुरक्षा जमा के एवज में बैंक गारंटी / BANK GUARANTEE IN LIEU OF CASH SECURITY

DEPOSIT:

Security deposit shall be recovered from the On A/C. Bill as per Clause – 3.4 and 3.5 of General Conditions of Contract. However, Bank Guarantee may be considered in lieu of Cash Security Deposit. In that case, the Contractor shall have to submit to the Engineer a performance Bond in the form of an irrevocable guarantee from any Nationalized Bank at Kolkata in the proforma as given in the G.C.C. In this context Clause 3.6 of G.C.C. may be referred to.

51. प्रदूषण के खिलाफ उपाय /MEASURES AGAINST POLLUTION:

The contractor shall have to take proper measures against environmental pollution during execution of work as directed by the Engineer.

The contractor shall, abide by all the regulations and rules of Syama Prasad Mookerjee Port, Kolkata and those that may be issued from time to time without any extra cost to the SMPK.

52. बंदरगाह क्षेत्र के दायित<u>व /PORT AREA OBLIGATIONS</u>:

The Dock area is a custom bounded area and as such the contractor shall comply with all Regulations of the Port and Custom authorities and those that may be imposed from time to time in respect of the transit of all of contractor's plants, vehicles, materials, and staff in the area. Whenever regulations so require, permits shall have to be obtained for such transit of Contractor's plants, vehicles, staff and workmen. The contractor shall instruct his staff and

Contractor's plants, vehicles, staff and workmen. The contractor shall instruct his staff and Workmen tocomply with all requirements in this "Restricted Area".

The contractor shall suitably fence the area that may be allotted to him inside the "Bonded Area" of the port for stores and other requirements to the full satisfaction of the Port and Security Agencies. The contractor shall, abide by all the regulations and rules of Syama Prasad Mookerjee Port, Kolkata and those that may be issued from time to time without any extra cost to the SMPK..

53. दोष दायित्व अवधि / DEFECT LIABILITY PERIOD:

The defect liability period for the work is 1 (One) year from the date of completion. During thisperiod, if any defect arises the contractor is bound to repair the same or take any other action asdirected by the Engineer including replacement of the defective portion and redoing the same athis own cost within 7 days in case of repairing and 21 days in case of replacement and redoing from receipt of such instruction failing which the work may be done by the Trustees' by someother agencies and the cost of which including 19 1/4 % departmental charges plus GST will be recovered from the security deposit or any other dues of the contract.

54. मात्रा के बिल में त्रृटियां /ERRORS IN THE BILL OF QUANTITIES:

In case rate of particular item is printed erroneously in BOQ, the rate stated in the Schedule of rates will prevail over the rate misprinted in BOQ.

55. PerformanceSecurity

SecurityDepositshallconsistoftwo parts;i) PerformanceGuarantee to besubmittedatawardof workandii)SecurityDeposittoberecoveredfrom RunningBills.

PerformanceGuarantee:

b.The Contractor should submit a Performance Guarantee in the form of B.G. for 10 % of contract value in SMPK's proforma from a Scheduled/ Nationalised Bank within 21 daysfrom the date of receipt of LOI/Work Order, failing which the contract would be rescindwithout any further notice. The P.G. should be obtained for the full period covering defectliabilityperiod of l (one)years.

The P.G shall be accepted with effect from the date of W.O/LOI. The SMPK bank account detailsto which amount is to be transferred (accepted only online payable through DD / RTGS / NEFT /Bank Transfer etc)ismentioned below:

A/C:SyamaPrasadMookerjeePort,KolkataA/cNo:067502000000491

IFSC:IOBA0000675

Bank Name: IndianOverseas BankBranchName: STRANDROAD Branch,Kolkata

The contractor shall be required to deposit an amount equal to 10% of the Contractvalue of the contract as PerformanceGuarantee. PerformanceGuarantee is to be furnished within 21 (twenty-one) days after notification of the award and it should remain valid for a period of 60 (sixty) days beyond the date of completion of all contractual obligations of the contractor, including Defect

LiabilityPeriod(DLP). The performances ecurity will be for feited and credited to the procuring entity's account in the event of a breach of contract by the contractor.

56. Refund of performance Guarantee:

The performance guarantees to be refunded to the contractor without interest, after he duly performs and completes all obligations under the contract but not later than 365 days of completion of the Defect Liability Period (DLP).

57. Deployment of Technical Staff:

A. For Civil Works:-

Minimum Civil technical staff to be deployed for supervision and execution of work:

Sl. No.	Position	Educational	Qualificationand	No. of Personnel
		Experience		

1.	Engineer	Graduate / Diploma in Civil	1
		Engineering.	
		Minimum 5 years of experience in	
		execution of Civil Construction	
		Works / Repairing Works.	

Note:

- 1. Bidder needs to submit authorization letter for the aforesaid Engineers and supporting educational and experience document during techno-commercial bid. During execution, if the declared technical staff(s) are to be replaced with another staff, prior intimation has to be given to Engineer In-charge for due approval along with aforementioned supporting documents.
- 2. Additionally, the contractor needs to deploy other technical staff, labours etc. as required for smooth and timely completion of work, whose details are to be furnished positively in terms of Sl. No. xi of Annexure-D of the tender document

B. For Electrical Work:

Minimum electrical technical staff to be deployed for supervision and execution of work:

Requirement of Technical Staff Qualification Number		Minimum Relevant Experience in LT and/or HT side electrical
		work (Years)
Supervisor with valid electrical supervisory certificate	01	5

Note:

- 1. Bidder needs to submit authorization letter for the aforesaid staff and supporting educational and experience document during techno-commercial bid. During execution, if the declared technical staff(s) are to be replaced with another staff, prior intimation has to be given to Engineer In-charge for due approval along with aforementioned supporting documents.
- 2. Additionally, the contractor needs to deploy other technical staff, labours etc. as required for smooth and timely completion of work, whose details are to be furnished positively in terms of Sl. No. xi of Annexure-D of the tender document

SCHEDULE T

ANNEXURE-C (Contd.) SYAMA PRASAD MOOKERJEE PORT, KOLKATA

CONCURRENT COMMITMENT(S) OF THE BIDDER (i.e. Works in The Hand Of The Bidder At The Time Of Submission Of Tender Offer)

(To be submitted with Part-I of Offer) Bidders must fill in the under noted columns.

Sl. No.	Full particulars of works to be executed concurrently by the bidder. (i) Name of work. (ii) Client. (iii) W.O. No. & Date.	Sanctioned Tender Value. (inRs.)	Completion time as stated in tender.	Name and address to whom reference can be made.
1	(i)			
	(ii)			
	(iii)			
2	(i)			
	(ii)			
	(iii)			
3	(i)			
	(ii)			
	(iii)			
4	(i)			
	(ii)			
	(iii)			

(To be submitted with Part-I of Offer) <u>ANNEXURE-C (Contd.)</u> SCHEDULE 'O' SHEET – 1

The Bidders are also requested to furnish the following particulars:-A) In case of Limited Company -1) Name of Company 2) Address of its present registered office. 3) Date of its incorporation 4) Full name and address of each of its Directors - any special particulars as to Directors if desire to be stated. 5) Name, address and other necessary particulars of Managing Agents, if any appointed by the Company. 6) Copies of Memorandum, Articles of Association (with the latest amendments, if any). 7) Copies of audited balance sheets of the Company for the last three years. In case of a firm -B) 1) Name and address of the firm.

2) When business started

3) If registered a certified copy of certificate of registration.

4) A certified copy of the Deed of Partnership

5) Full name and address of each of the partners and the interest of each partner in the partnership – any special particulars as to partners if desired to be stated.

6) Whether the firm pays income tax over Rs.10, 000/- per year

(To be submitted with Part-I of Offer)

SCHEDULE 'O' SHEET – 2.

C) <u>In case of an Individual</u> :	
1) Full name and address of the Bidder any special particulars of the Bidder if desired to be stated.	
2) Name of the father of the Bidder.	
3) Whether the Bidder carries on business in his own name or any other name.	
4) When business was started and by whom.	
5) Whether any other person is interested in the business directly or indirectly, if so, name and address etc. of such persons and the nature of such interest.	
6) Whether the Bidder pays Income Tax over Rs.10, 000/- per year.	
Dated:	(Full Signature of Bidder)

(Proforma of Performance certificate/credential of works) [To be issued on issuing authority's letterhead duly signed with office seal]

1.	Name of the Certifying Authority:	
2.	Name of the work:	
3.	Name of the Contractor:	
4.	Schedule date of commencement and completion of the work as per Work Order:	
5.	Date of actual commencement of work & date of actual completion:	
6.	i) If there is time overrun, whether delay is due to the contractor (Yes/No.):ii) If yes, what is the extent of delay attributable to the contractor:	
7.	Sanctioned Tender value & Actual value executed:	
8.	Quality of work (Excellent/satisfactory/poor):	
9.	Remarks (If any):	

ANNEXURE – D

भाग-। के साथ अपलोड किए जाने वाले दुस्तावेज/DOCUMENTS TO BE UPLOADED ALONG

WITH PART -I

अपलोड करने के लिए निम्नलिखित दस्तावेजों की स्कैन की गई कॉपीScanned copy of the following documents to be uploaded:-

- i) GST registration certificate.
- ii)a) Valid Trade Licence (Valid for current period & also for type of work).
- b)Copy of Valid Electrical Supervisor's License who will carry out & certify the electrical job.
- iii) Valid Professional Tax Clearance Certificate / Up to date tax payment challan. If this is not applicable, the bidder must submit a declaration in this regard.
 - iv) Proof of possessing valid Employees' Provident Fund (EPF) Account.EPF Registration Certificate.
 - v) Proof of being registered with Employees' State Insurance Corporation (ESIC), ESI Registration Certificate
 - vi) Details of the firm as per Schedule-O (in Part-I) of the tender document duly filled up.
 - vii) Credentials in the form of copies of Letters of Award of Works along with corresponding Completion Certificates from owners to justify that the intending bidder satisfies the earlier mentioned pre-qualification criteria.
- viii) Balance sheet and Profit and Loss account / Trading account for the last 3 (three) financial years (i.e. 2020–2021, 2021-2022 and 2022-2023). The same should be audited as perrelevant norms wherever required along with UDIN of the Auditor
 - ix) Bank Draft/ Pay Order etc. regarding Cost of EMD and Tender documents / valid NSIC certificate.
 - x) PAN Card
 - xi) A list of technically qualified and skilled persons would be engaged to supervise and execute the work (to be mentioned in the letter head of the Firm).
- xii) Self- declaration of the bidder that the Bidding Firm has Not been debarred / de-listed by any Govt / Quasi Govt. / Public Sector undertaking in India (to be mentioned in the letter head of the Firm).
 - xiii) Self declaration regarding the proprietor/partner(s)/authorized signatory of the bidding firm (in the case of proprietorship firm /partnership firm /limited company, as the case may be) is/are not associated with any other firm bidding for the same work (to be mentioned in the letter head of the Firm).
 - xiv) A list of works which are in hand at the time of submitting the offer as per the enclosed proforma titled 'Concurrent Commitments of The Bidder' vide 'Annexure-C' (Schedule –T) in Part-I of the tender document.

- xv) Undertaking of the tenderer to be submitted as per enclosed Pro-forma (Annexure –D-1) in lieu of submission of signed copies of the full Tender document, G.C.C, addenda & corrigendum in the letter head of the Firm.
- xvi) Last page of "Bill of Quantities" & the "Form of Tender" duly filled up (without price quoted) shall be duly signed and stamped by the Bidder.
- xvii) Copy of duly Filled up Integrity Pact in Stamp Paper of valued Rs. 100/

xviii)TDS certificate including 26 AS should essentially be submitted to validate the legitimacy of the work completion certificate.

$\underline{\text{N.B.-1}}$ The bidder will have to produce the original documents or any additional documents, if asked for, to satisfy the Authorities.

<u>N.B.-2</u>Even though the bidders meet the above qualifying criteria, they are subject to be disqualified if they have made misleading or false representations in the forms, statements and attachments submitted in proof of the qualification requirements and their EMD will be forfeited for such action.

NIT NO.271/NSD/23-24/ET/192 dated 12.01.2024

[DOCUMENT TO BE DOWNLOADED, FILLED IN UNDER BIDDER'S LETTERHEAD, SIGNED, SCANNED AND UPLOADED]

Undertaking to be submitted in lieu of uploading/submitting signed copy of full tender document

Ref. No	Dated:
The Chief Engineer, Syama Prasad Mookerjee Port, Kolkata, Civil Engineering Department, 15, Strand Road, Kolkata – 700 001	
Dear Sir,	
1. We,(Name of Tenderer) h	nave fully read
and understood the entire Tender Document, GCC, Corrigendum and Addenda, if any	, downloaded
from under the instant e-tender and no other source, and will comply to the said doc	cument, GCC
Corrigendum and Addenda.	
We are submitting this undertaking in lieu of submission of signed copy of t documents GCC, Corrigendum and Addenda.	he full tender
Yours faithfully,	
Signature of Tenderer	
Name:	
Designation:	
Date:	
Seal of the tenderer:	

SYAMA PRASAD MOOKERJEE PORT

सिविल इंजीनियरिंगविभाग Civil Engineering Department अधीक्षण अभियंता, एन. एस. डॉक्स का कार्यालय

Office of the Superintending Engineer, N. S. Docks

51,सी. जी. आर.रोड,कोलकाता७००४३

51, C.G.R. Road, Kolkata – 700 043 **E-mail id:** sk.halder@kolkataporttrust.gov.in

एनआईटੀ ਜਂ/ NIT NO.: 271/NSD/23-24/ET/192 dated 12.01.2024

NOTE: निविदा दस्तावेज डाउनलोड करने की अंतिम तिथि /Last Date of **Download** of tenderdocuments :02.02.2024(upto 14.00 hours)

निविदा प्रस्तुत करने के कारण है / Tender is due for submission by 15.00 Hrs. On 02.02.2024

निविदा खुलने वाली है/ Tender is due for opening after 13.00 Hrs. On 05.02.2024

मूल्य बोली /PRICE BID

निविदा के लिए —"एन.एस.डॉक के अंतर्गत सुभाष भवन की तीसरी मंजिल में पोर्ट वायरलेस अनुभाग का गहन नवीनीकरण/रीमॉडलिंग (सिविल और इलेक्ट्रिकल)"

<u>TENDER FOR</u> "Thorough renovation/remodelling (civil and electrical) of Port Wireless Section in the 3rd floor of Subhas Bhavan under N.S.Dock"

ANNEXURE-E (CONTD.)

E-TENDER FOR "Thorough renovation/remodelling (civil and electrical) of Port Wireless Section in the 3rd floor of Subhas Bhavan under N.S.Dock."

निविदा के लिए " एन.एस.डॉक के अंतर्गत सुभाष भवन की तीसरी मंजिल में पोर्ट वायरलेस अनुभाग का गहन नवीनीकरण/रीमॉडलिंग (सिविल और इलेक्ट्रिकल)"

मूल्य बोली /PRICE BID

TENDER PARTICULARS

अनुमानित लागत/ Estimated Cost	Rs 22,81,728.60 (Rupees twenty two lakhs eighty one thousand seven hundred twenty eight and paisa sixty only)
ईएमडी (बयाना राशि जमा)/बोली सुरक्षा/ EMD (Earnest Money Deposit)/ Bid Security	Rs. 45,635.00 /- (Rupees forty five thousand six hundred thirty five only)
निविदा दस्तावेज की लागत(नॉन रिफंडेबल) / Cost of Tender Document (Non-refundable)	The intending bidders should submit the tender cost of Rs.590/-(Rupees five hundred ninety only) including @18% GST)to KoPT through DD/Banker's Cheque in favour of Syama Prasad Mookerjee Port, Kolkata on any scheduled/Nationalised Bank payable at Kolkata otherwise their offer will be summarily rejected. As per cl. 2, page no.12
पूरा होने का समय/ TIME OF COMPLETION	08(eight) Months.
के डाउनलोड की अवधिई-निविदा(दोनों दिन सम्मिलित) /Period of Download of E-Tender (Both Days Inclusive)	12.01.2024 to 02.02.2024(UPTO 14:00 HRS.) (Bid document will be available on website https://kopt.enivida.in). Bidders will have to participate in bidding process through website https://kopt.enivida.in/only.
प्री-बिड मीटिंग और साइट विज़िट के लिए दिनांक और समय / Date and Time for pre-bid meeting & site visit	No pre- bid meeting
ई-निविदा जमा करने और निविदा खोलने की अंतिम तिथि/ Last date of submission of e-tender and opening of the tender	प्रस्तुत करना / Submission on 02.02.2024 Up to 15:00 hrs. खुल रहा है / Opening on 05.02.2024 after 13:00 hrs.

SYAMA PRASAD MOOKERJEE PORT

सिविल इंजीनियरिंगविभाग Civil Engineering Department अधीक्षण अभियंता, एन. एस. डॉक्स का कार्यालय

Office of the Superintending Engineer, N. S. Docks

51,सी. जी. आर.रोड,कोलकाता७००४३

51, C.G.R. Road, Kolkata – 700 043

E-mail id: sk.halder@kolkataporttrust.gov.in

<u>E-TENDER FOR</u>"Thorough renovation/remodelling (civil and electrical) of Port Wireless Section in the 3rd floor of Subhas Bhavan under N.S.Dock."

एनआईटीनं/ NIT NO.: 271/NSD/23-24/ET/192 dated 12.01.2024

- 1.1 The Bill of Quantities must be read with the General Conditions of Contract, the Special Conditions of Contract and the Particular Specifications of Work and the Bidder is deemed to have examined the above documents and to have thoroughly familiarise himself with the total scope of work and its mode of execution.
- 1.2 The quantities given in the Bill of Quantities are approximate only and are given to provide a common basis for tendering. Payment will be made according to the quantities of each item of work actually carried out at the accepted rates as per Order Letter. The measurements of each item of work shall be measured jointly by the Engineer-in-Charge or his representative.
- 1.3 General direction and description of work or materials given elsewhere in the contract documents are not necessarily repeated in the description of items in the "Bill of Quantities".
- 1.4 The prices and rates entered by the Contractor in the "Bill of Quantities" shall be deemed to cover the complete and finished work, inter-alia, all costs and expenses which may be required for successful completion of the works together with all risks, liabilities, contingencies, insurance, octroi, royalties, taxes and obligations imposed or implied by the Contractor.
- 1.5 Where separate items such mobilisation, demobilisation, temporary works etc., have not been provided in the "Bill of Quantities" for works required under the Contract, then the cost of such works shall be deemed to have been included in the prices and rates of other items.
- 1.6 Without affecting the generality of the foregoing provisions, the prices and rates entered in the Bill of Quantities by the Contractor shall include inter-alia, all costs and expenses involved in or arising out the followings:-
- 1.7 The provision, storage, transport, handling, use distribution and maintenance of all materials, plans, equipment machineries and tools including all costs, charges dues demurrages or other outlays involved in the transportation.
- 1.8 The provision and maintenance of all his staff and labours and their payments, accommodation, transport, taxes and other requirements.

- 1.9 Setting out including the location and preservation of survey markers, measurement and supervision.
- 2.0 The provision, storage, transport, use handling, distribution and maintenance of consumable stores, fuel, water and electricity.
- 2.1 All First Aid, Welfare and safety requirements.
- 2.2 Damage caused to the works, plants, materials and consumables stores caused by weather.
- 2.3 Licence, fees and other charges for compliance of Government Acts and Rules that are inforce and applicable.
- 2.4 The Contractor should be held responsible for the safe custody of materials, machineries etc. at site procured by him or issued to him by the Trustees.
- 2.5 This being a percentage rate tender, the Bidder shall quote his rates as percentage above / below / at par with the estimated amount put to tender **on line** based on his own analysis.

The Tender Price thus established would be taken for comparative evaluation of E-Tenderers

- 2.6The Contractor shall at all times keep the site and working areas free from all surplus materials, rubbish, otherexcavated/offensive matter etc. all of which shall be disposed off in a manner to be approved by the Engineer's Representative.
- 2.7 On completion of the works the contractor shall reinstate and make good at his own expense any property or land which might have been disturbed and/or damaged by his works. He should also clean the site as required during execution and fully clear the site after completion of all the works.

The contractor shall forward any usable materials found during the course of construction at the work site or its vicinity to SMPK stores/yards, dispose off the debris beyond the port area all at his own expenses by his own transport and labour and clean out all part of the work and leave everything clean and tidy to the entire satisfaction of the Engineer, failing which suitable deduction will be made from final bill as per discretion of the Engineer/Engineer's representative.

SYAMA PRASAD MOOKERJEE PORT

सिविल इंजीनियरिंगविभाग Civil Engineering Department अधीक्षण अभियंता, एन. एस. डॉक्स का कार्यालय

Office of the Superintending Engineer, N. S. Docks

51,सी. जी. आर.रोड,कोलकाता७००४३

51, C.G.R. Road, Kolkata – 700 043

E-mail id: sk.halder@kolkataporttrust.gov.in

<u>E-TENDER FOR</u>"Thorough renovation/remodelling (civil and electrical) of Port Wireless Section in the 3rd floor of Subhas Bhavan under N.S.Dock."

<u>एनआईटीनं/ NIT NO</u>.: 271/NSD/23-24/ET/192 dated 12.04.2024

मात्रा का बिल /BILL OF QUANTITIES

	PART-A. CIVIL WORKS						
Item No.	Description Of Item	Quantity	Unit	Rate Rs. P.	Unit	Amount Rs. P.	
1	Taking out Mirzapur or glazed porcelain tiles carefully by chiselling from walls or floor including stacking serviceable material as directed.	50.0	Sqm	106.00	Per Sqm	5300.00	
2	Stripping off worn out plaster and raking out joints of walls, celings etc. upto any height and in any floor including removing rubbish within a lead of 75m as directed.	150.0	Sqm	19.00	Per Sqm	2850.00	
3	Taking out door and window shutters and rehanging the same with old fittings. a) With new iron screws.	17.5	Sqm	78.00	Per Sqm	1365.00	
4	Dismantling all types of masonry excepting cement concrete plain or reinforced, stacking serviceable materials at site and removing rubbish as directed within a lead of 75 m. b) Extra rate for each addl. Floor over the rate of ground floor 3rd Floor	3.0	Cum	597.00	Per Cum	1791.00	

5	Dismantling R.C. floor, roof, beams etc. including cutting rods and removing rubbish as directed within a lead of 75 m. including stacking of steel bars. (b) Extra rate for each addl floor over the rate of ground floor. 3rd floor	0.5	Cum	2106.00	Per Cum	1053.00
6	Taking out M.S. or W.I. Grills from wooden frame including cutting lugs from masonry wall and refitting the same and mending good damages after repairs. (Excluding the cost of necessary repair of damages) or doing any other necessary works.	4.0	Each	99.00	Per No	396.00
7	Brick work with 1st class bricks in cement mortar (1:6) (b) In superstructure, ground floor Add extra for basement and each additional floor over the rate for ground floor on item Nos. 5 to 10 and 13 of subhead A at 3rd Floor	0.5	Cum	5969.00	Per Cum	2984.50
8	125 mm. thick brick work with 1st class bricks in cement mortar (1:4) in ground floor.Add extra for each additional floor over the rate for ground floor on items from3rd floor	75.0	Sqm	772.00	Per Sqm	57900.00
9	Plaster (to wall, floor, ceiling etc.) with sand and cement mortar including rounding off or chamfering corners as directed and raking out joints including throating, nosing and drip course, scaffolding/staging where necessary (3rd floor).[Excluding cost of chipping over concrete surface] With 1:6 cement mortar 15 mm thick plaster	270.0	Sqm	163.00	Per Sqm	44010.00

10	Rendering the Surface of walls and ceiling with White Cement base WATER PROOF wall putty of approved make & brand.(1.5 mm thick) 3rd Floor	270.0	Sqm	124.16	Per Sqm	33523.20
11	Supplying, fitting & fixing 1st quality Ceramic tiles in walls and floors to match with the existing work & 4 nos. of key stones (10mm) fixed with araldite at the back of each tile & finishing the joints with white cement mixed with colouring oxide if required to match the colour of tiles including roughening of concrete surface, if necessary or by synthetic adhesive & grout materials etc. (B) Wall With Sand Cement Mortar (1:3) 15 mm thick & 2 mm thick cement slurry at back side of tiles using cement @ 2.91 Kg/Sq.m & joint filling using white cement slurry @ 0.20kg/Sq.m. (b) Area of each tile above 0.09 Sq.m (i) Coloured decorative	25.0	Sqm	1109.00	Per Sqm	27725.00

12	Cumplying and laying true to	32.0	Sam	042.00	Per	20144.00
12	Supplying and laying true to	32.0	Sqm	942.00		30144.00
	line and level Anti-Skid, Full				Sqm	
	Body, Homogeneous &					
	Granular finish Vitrified Tiles					
	conforming to IS:15622-2006					
	& IS 4457-2007 and testing					
	shall be made in accordance					
	with IS:13630 [Non-modular					
	sizes for tiles with Skid					
	resistance > 0.5, Mohr's					
	hardness > 5.0, Staining					
	resistance: Class-1, Water					
	Absorption: $E < 0.5\%$], MOR >					
	35 N/sq.mm in Internal area of					
	building e.g. Toilet Block,					
	Passage, Corridor, Accessible					
	Open Terrace etc. set in 20 mm					
	sand cement mortar (1:4) and 2					
	mm thick cement slurry at back					
	side of tiles using cement @					
	2.91 Kg./Sqm or using					
	Polymerised Adhesive (6 mm					
	thick layer applied directly over					
	finished artificial stone floor/					
	Mosaic etc without any backing					
	course) laid after application					
	slurry using 1.75 Kg of cement					
	per Sqm below mortar only,					
	joints grouted with admixture of					
	white cement and colouring					
	pigment to match with colour of					
	tiles/ epoxy grout materials of					
	approved make as directed and					
	removal of wax coating of top					
	surface of tiles with warm water					
	and polishing the tiles using					
	soft and dry cloth upto mirror					
	finish complete including the					
	cost of materials, labour and all					
	other incidental charges					
	complete true to the					
	manufacturer's specification and					
	direction of Engineer-in-					
	Charge. (White					
	cement, synthetic adhesive and					
	grout material to be supplied by					
	the contractor).					
	Note: Add extra for each addl,					
	floor over the rate above					

	Ground Floor (I) upto 4 th floor- Rs. 12/-per Sq.m					
13	Supplying & laying of approved make and brand of scratchproof, flexible & homogeneous P.V.C. Vinyle flooringconforming to IS:3462 - 1982 in required finish, fixed withsynthetic acrylic adhesive after preparing the floor, levelling &smothaning when necessary with suitable putty, as per thedesign & instruction of the Engineer-in-charge.(i) 2 mm thick (Plain)	95.0	Sqm	510.00	Per Sqm	48450.00

14	Supplying, fitting & fixing of 2-	22.0	kg	448.00	per kg	9856.00
14	Track / 3-Track Aluminium	22.0	Kg.	140.00	perkg	7050.00
	sliding					
	Window of all Aluminium					
	sections viz. window frame					
	(top,bottom & side frame),					
	shutter (top, bottom, side &					
	interlock member) made of					
	aluminium alloy extrusions					
	conforming to IS 733-1983 &					
	IS 1285-1975,					
	annodisedconforming to IS					
	1868-1983, fitted with all other					
	accessories viz. PVCroller,					
	EPDM gasket, maruti lock,					
	screws etc. including labour					
	charges for fitting & fixing of					
	aluminium 2-track/3-track					
	sliding window with fixing of					
	glass (excluding cost of glass)					
	all complete as per architectural					
	drawings and direction of					
	Engineer-in-charge. 10-12					
	Micron thickness Annodizing					
	film					
	Natural white For 2-Track					
	window: Members for Bottom					
	frame @ 0.875 Kg per Mtr. and					
	for Top and Side frame @					
	0.778 Kg per Mtr. and for					
	shutter Bottom and Top					
	member @ 0.472 Kg per Mtr.,					
	Style side member @ 0.493 Kg					
	per Mtr. and Interlock member					
	@ 0.612 Kg per Mtr. For 3-					
	Track window: Members for					
	Bottom frame @ 1.233 Kg per					
	Mtr. and for Top and Side					
	frame @ 1.067 Kg per Mtr. and					
	for shutter Bottom and Top					
	member @ 0.472 Kg per Mtr.,					
	Style side member @ 0.493 Kg					
	per Mtr. and Interlock member					
	@ 0.612 Kg per Mtr.					

15	Supplying, fitting & fixing of	400.0	kg	387.00	per kg	154800.00
	Aluminium fixed partion wall					
	of all					
	aluminium sections viz top,					
	bottom and side member,					
	intermediate					
	member, glazing clip made of					
	Aluminium Alloy Extrusions					
	conforming to IS: 733-1983 and					
	IS: 1285-1975, annodized					
	conforming to IS:1868-1983,					
	fitted with all other accessories					
	viz. EPDM gusket,cleat, angle					
	screws etc. including labour					
	charges for fitting and fixing of					
	aluminium fixed partition wall					
	with glass / panel board all					
	complete as per architectural					
	drawings and direction of					
	Engineer-in-charge. (Excluding					
	cost of glass/ panel board,					
	10-12 Micron thickness					
	Annodizing film.					
	Natural white.					
	b) For unsupported length of					
	vertical member above 1.50m.					
	height of					
	both ends of vertical member					
	restrained but panel above 0.90					
	sqm (unit wt of Top, bottom & side					
	member @ 1.978; intermediate					
	member					
	@ 2.055; glazing clip @ 0.167					
	kg/m respectively)					
	kg/iii respectively)					

16	Supplying, fitting & fixing of partly glazed partly panelled or fully glazedsingle leaf Aluminium swing door of all aluminium sections viz doorframe (top and side frame), shutter(top rail, bottom rail, lock rail, doorvertical), glazing clip made of Aluminium Alloy Extrusions conforming toIS: 733-1983 and IS: 1285-1975, annodized conforming to IS:1868-1983, fitted with all other accessories viz. EPDM gusket, cleat, anglescrews etc. including labour charges for fitting and fixing of aluminiumdoor with door spring, aluminium hinges, glass / Panel board allcomplete as per architectural drawings and direction of Engineerincharge. (Excluding cost of glass/ panel board, door spring/ Al hinges, doorcloser, door stoper, handle, tower bolt and locking arrangment etc)10-12 Micron thickness Annodizing film Natural white(unit wt of to Top & side frame @1.366 kg/m; top rail @ 1.296 kg/m; bottom rail @ 1.974 kg/m; lock rail @ 1.590 kg/m; door vertical @	60.0	kg	385.00	per kg	23100.00
	1.590 kg/m; door vertical @ 1.412kg/m; glazing clip @ 0.167 kg/m.)					
17	Filling the gap in between aluminium frame & adjacent RCC / Brick/ Stone work by providing weather silicon sealant over 6mm dia backer rod of approved quality as per architectural drawings and direction of Engineer-in-Charge complete. Upto 5 mm depth and 5 mm width a) Ground Floor	40.0	mtr.	78.00	per mtr.	3120.00

	b) Extra for each additional floor					
18	Supplying bubble free float glass of approved make and brand conforming to IS: 2835-1987. vi) 6mm thick coloured / tinted / smoke glass.	50.0	Sqm	661.00	Per Sqm	33050.00
19	(a) Supplying 'Godrej' mortice lock chromium plated with latch and keys 4 levers, including fitting and fixing complete.	3.0	Nos.	1081.00	Each	3243.00
20	b) Supplying 'Godrej' mortice lock chromium plated with keys 6 levers including fitting & fixing complete.	3.0	Nos.	1954.00	Each	5862.00
21	i) Hydraulic door closer of approved quality as per I.S.I. standard fitted and fixed complete. (b) Medium (I.S.I. size 2)	7.0	Nos.	1366.00	Each	9562.00
22	Providing, fitting and fixing in position, medium density fibre board conforming to IS: 12406-1988 for plain and IS: 14587-1998 for prelaminated made of wood fibre bonded with Urea formaldehyde for interior grade and Phenol Formaldehyde for exterior grade conforming to per IS:848-1974 as per approved make and brand as per direction of Engineer-in-Charge. In Ground Floor (C) Both side decorative lamination (II) Interior Grade (ii) 12mm	30.0	Sqm	880.00	Per Sqm	26400.00

23	(ii) Door stopper (Anodised	7.0	Nos.	70.00	Each	490.00
	aluminium)					
24(a)	Anodised aluminium barrel / tower / socket bolt (full covered) of approved	15.0	Nos.	53.00	Each	795.00
	manufactured from extruded section conforming to I.S. 204/74 fitted and fixed with					
	cadmium plated screws: (iii) 100mm long x 10mm dia. Bolt					
(b)	(iv) 150mm long x 10mm dia. Bolt	10.0	Nos.	63.00	Each	630.00
c)	(viii) 225mm long x 12mm dia. bolt.	10.0	Nos.	114.00	Each	1140.00
25	Anodised aluminium decorative handle (hexagonal / fluted) of approed quality fitted and fixed complete. (ii) 175mm plate x 12mm dia rod x 60mm hexagonal / fluted.	5.0	Nos.	100.00	Each	500.00
26(a)	Supplying, fitting and fixing boiling water proof ply conforming to IS: 710-1977bonded with phenol formaldehyde synthetic resin conforming to IS: 848-1974 of approved make and brand fitted and fixed as per design as per approval and direction of Engineer-in-Charge. [excluding the cost of supporting frame workand teak wood batten/Lipping] In Ground Floor(ii) 6mm	48.0	Sqm	1164.00	Per Sqm	55872.00
(b)	(iv) 12mm For upper floor refer Item H (4) for item 1, 2, 3, 4 under subhead G Add extra over rate of ground floor for each addl. (i) Upto 4th floor @ Rs.14.0/sqm	15.0	Sqm	1751.00	Per Sqm	26265.00

27	Supplying fitting and fixing	150.0	Sam	1869.00	Per	280350.00
21	Supplying, fitting and fixing	130.0	Sqm	1009.00		200330.00
	boiling water proof block board				Sqm	
	conforming to					
	IS:1659-1990 conforming to					
	IS:848-1974 of approved make					
	and brand, fitted and fixed as					
	per design as per direction of					
	Engineer-in-charge. [Excluding					
	the cost of supporting frame					
	work and teak wood					
	batten/Lipping].					
	In Ground Floor					
	(ii) 19mm					
	For upper floor refer Item H (4)					
	for item 1, 2, 3, 4 under					
	subhead G					
	Add extra over rate of ground					
	floor for each addl.					
	(i) Upto 4th floor @					
	Rs.14.0/sqm					
28	Supplying fitting, fixing	355.0	Sqm	730.00	Per	259150.00
	decorative lamination		1		Sqm	
	conforming to IS: 2046 : 1995				~ 1	
	as per approved make, brand,					
	finish and thickness with fitting,					
	fixing the same on					
	Particle/MDF / Ply Boards with					
	recommended / approved					
	adhesive with proper clipping					
	the sides for better attachment					
	as per direction of Engineer- incharge. The rate includes the					
	cost of labour, adhesive and all					
	incidental charges thereof.					
	In ground floor					
	Glossy/Matt/Suede excluding					
	surface texture or metallic					
	lustre.					
	(ii) Thickness of laminate 1 mm					
	(i) Upto 4th floor @					
2.0	Rs.14.0/sqm	2.2	~	00010 00		1.67.62.63
29	Wood work in door and	0.2	Cum	83818.00	Per	16763.60
	window frame fitted and fixed				Cum	
	in position complete					
	including a protective coat of					
	painting at the contact surface					
	of the frame					

	exluding cost of concrete, Iron Butt Hinges and M.S clamps. (The quantum should be correted upto three decimals). (e) Sal: Malayasian Note: Extra for Lifting Charges for each additional floor, i) Rs. 200/- per Cu.m (upto 4th floor)					
30	Supplying solid flush type doors of commercial quality, the timber frame consisting of top and bottom rails and side styles of well seasoned timber 65mm wide each and the entire frame fitted with 37.5mm wide battens places both ways in order to make the door of solid core and internal lipping with Garjan or similar wood veneers using phenol formaldehyde as glue etc. complete, including fitting, fixing shutters in position but excluding the cost of hinges and other fittings in ground floor (b) 32 mm thick shutters (single leaf) (For upper floors refer to item H(4) also)	8.0	Sqm	2401.00	Per Sqm	19208.00
31	Hire and labour charges for shuttering with centering and necessary staging upto 4 m using approved stout props and thick hard wood planks of approved thickness with required bracing for concrete slabs, beams and columns, lintels curved or straight including fitting, fixing and striking out after completion of works (upto roof of ground floor) (When the height of a particular floor is more than 4 m the equivalent floor height shall be taken as 4 m and extra for works beyond the initial 4 m ht.	10.00	Sqm	389.00	Per Sqm	3890.00

	shall be allowed under 12 (e) for every 4 m or part thereof) (a) 25 mm to 30 mm thick wooden shuttering as per decision & direction of Engineer-In-Charge. (i) upto 4th (per floor) and in basement.					
32	Provide Reinforcement for reinforced concrete work in all sorts of structures including distribution bars, stirrups, binders etc initial straightening and removal of loose rust (if necessary), cutting to requisite length, hooking and bending to correct shape, placing in proper position and binding with 16 gauge black annealed wire at every intersection, complete as per drawing and direction. For works in foundation and upto roof of ground floor/upto 4 mTor steel/Mild steel. JSW/JSPL/SHYAM/ SRMB/BMASL /ELECROSTEEL /SSL or OTHER MANUFACTURERS NOT SPECIFIED	0.10	MT	60150.00	Per MT	6015.00
33		0.80	cum	6124.34	Per Cum	4899.47

34	Supplying, fitting & fixing	3.5	Sqm	3049.00	Per	10671.50
	granite slab 15mm to 18mm				Sqm	
	thick in floor, lobby, stair,				_	
	landing and treads etc. over					
	20mm (avg)thick base of					
	cement morter (1:2) laid with					
	white cement slurry @ 4.40Kg					
	per Square meter before placing					
	of granite and jointed with					
	white cement slurry @ 2.0 Kg					
	per square meter					
	with necessary pigments and					
	complete as per direction of					
	Engineer-in-charge including					
	cost of all materials, labours,					
	curing and roughening of					
	concrete surface complete.					
	In ground floor					
	(c) Area of each Granite slab					
	above 1.00 Square meter.					
	Add extra for each addl, floor					
	over the rate for item A(33, 34)					
	I) upto 4 th floor- Rs. 12/-per					
	Śq.m					

25	M.C. stanistranslavyonlas in	0.2	MT	72603.00	Don	14520.60
35	M.S. structural works in	0.2	IVI I	/2003.00	Per MT	14320.00
	columns, beams etc. with				IVI I	
	simple rolled structural					
	members (e.g. joists, angle,					
	channel sections conforming to					
	IS: 226, IS: 808 & SP (6)- 1964 connected to one another with					
	bracket, gussets, cleats as per					
	design, direction of Engineer-					
	in- charge complete including					
	cutting to requisite shape and					
	length, fabrication with					
	necessary bolting, metal arc					
	welding conforming to IS: 816-					
	1956 & IS: 1995 using					
	electrodes of approved make					
	and brand conforming to					
	IS:814- 1957, haulage, hoisting					
	and erection all complete. The					
	rate includes the cost of rolled					
	steel section, consumables such					
	as electrodes, gas and hire					
	charge of all tools and plants					
	and labour required for the					
	work including all incidental					
	chages such as electricity					
	charges, labour insurance					
	charges etc.					
	Payment to be made on the					
	basis of calculated weight of					
	structural members only in					
	finished work as per IS					
	specified weight. Payment for					
	gusset, bracket, cleat, rivets,					
	bolts and nuts may be make by					
	adding the actual weight of such					
	items with the weight of					
	finished structural members or					
	7% of weight for finished					
	structural members weighing					
	not less than 22.5 Kg. / m. or 15					
	% of weight for finished structal					
	members weighing less than					
	22.5 Kg. / m. may be increased					
	allow for bracket, cleat, rivet, bolts and nuts etc. and no					
	seperate payment being made					
	for these items, as per direction					
	of Engineer In Charge. The					
	or Engineer in Charge. The					

1	rates are considered for a height					
	of erection 8m. / 2nd floor level					
	from the ground. Add 1.5%					
	extra over the rate for each					
	additional floor or 4m. beyond					
	initial 8m. or part thereof. For					
	Structural Works in Roof					
	Trusses etc. using joists, channels and angles of specified					
	section weighing less than 22.5					
	kg/ m					
36	Removal of rubbish,earth etc.	10.0	Cum	166.00	Per	1660.00
	from the working site and				Cum	
	disposal of the same beyond the					
	compound, in conformity with					
	the Municipal / Corporation Rules for such disposal, loading					
	into truck and cleaning the site					
	in all respect as per direction of					
	Engineer in charge					

37	Supplying, fitting and fixing of false ceiling framework with powder coatedexposed G.I. grid suspension system (E-Grid U-1520 or equivalent load carrying capacity with mid span deflection not exceeding 1/360 span with hanger spacing of 1200mm c/c) consisting of Main Runner 3600 mm long, Cross Tee 1200 mm / 600 mm long and Wall Angle. The Wall Angle shall be fixed on PVC Dash Fasteners on the perimeter of the wall by steel screws with distance 300mm c/c. The Main Runners to be placed @ 1200 mm. The Cross Tee 1200mm will be inserted in the pre-cut slots of Main Runner at a regular interval of 600 mm to form a modular grid of 1200mm X 600mm. Additional Cross Tees of 600 mm shall be placed perpendicular to the Cross Tee 1200 mm long to finally form a grid of 600 mm X 600 mm. Grid of module size 600 mm X 600 mm shall be supported by 6 mm dia G.I. wire from purlins/ soffit all complete as per the drawing & directions of Engineer-in-charge.	105.0	sqm	467.00	Per Sqm	49035.00
38	(d) Supplying, fitting & fixing OW Acoustic Board (mineral Fibre Acoustic Ceiling Tiles) of approved patern and size595mm X595mm with NRC value > 0.65 should be placed in the Grid module to form a false ceiling all complete as per drawing & direction of Engineer - in- Charge. False ceiling with (i)15mm thick OW Acoustic Board/Tiles	105.0	Sqm	727.00	Per Sqm	76335.00

39	Providing and fixing 2nd class teak wood lipping/ moulded beading or taj beading of size 18X5 mm fixed with wooden adhesive of approved quality and screws/nails on the edges of the Pre-laminated particle board as per direction of Engineer-incharge.	350.0	mtr.	83.70	per mtr.	29295.00
40	Providing and fixing powder coated telescopic drawer channels 300 mm long with necessary screws etc. complete as per directions of Engineer incharge.	25.0	set	347.20	per set	8680.00
41(a)	Providing and fixing special quality chromium plated brass cupboard locks with six levers of approved quality including necessary screws etc. complete. Size 40 mm	16.0	Nos.	266.90	Each	4270.40
(b)	Size 75 mm	10.0	Nos.	348.00	Each	3480.00
42	Providing and fixing chromium plated brass 50 mm cupboard or wardrobe knobs with nuts complete.	20.0	Nos.	119.80	Each	2396.00
43(a)	Providing and fixing chromium plated brass handles with necessary screws etc. complete: (a)125mm	20.0	Nos.	221.50	Each	4430.00
(b)	(b)100mm	50.0	Nos.	194.80	Each	9740.00
44	Providing and fixing magnetic catcher of approved quality in cupboard / ward robe shutters, including fixing with necessary screws etc. complete. Double strip (horizontal type)	30.0	Nos.	33.40	Each	1002.00
45(a)	Providing and fixing IS: 12817 marked stainless steel butt hinges with stainless steel screws etc. complete: (a)100X58X1.90 mm	30.0	Nos.	84.25	Each	2527.50
(b)	(b) 75x47x1.80 mm	40.0	Nos.	62.80	Each	2512.00

(c	(c) 50x37x1.50 mm	40.0	Nos.	35.20	Each	1408.00
46(a)	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead: (a)Of area 3 sq. metres and below	8.0	Nos.	296.00	Each	2368.00
(b)	(b) Of area beyond 3 sq. metres	15.0	Nos.	405.40	Each	6081.00
47(a)	Supplying, fitting & fixing UPVC pipes A- Type and fittings conforming to IS:13592-1992 with all necessary clamps nails, including making holes in walls, floor etc. cutting trenches in any soil through masonry concrete structures etc if necessary and mending good damages including joining with jointing materails (Spun Yarn, Valamoid/Bitumen/M-Seal etc) complete. A) UPVC Pipes: (ii) 110 mm. Dia.	40.0	mtr.	251.00	per mtr.	10040.00
(b)	B) UPVC Fittings:a) Plain Tee(ii) 110 mm. Dia.	8.0	Nos.	172.00	Each	1376.00
c)	c) Bend 87.5 degree (ii) 110 mm. Dia.	10.0	Nos.	140.00	Each	1400.00
48(a)	French polishing to wood work including preparing surface (ordinary gloss) a) On new wood work	10.0	Sqm	467.00	Per Sqm	4670.00
(b)	b) On old French polished surface including complete removal of the old polish.	15.0	Sqm	538.00	Per Sqm	8070.00

49(a)	a) Priming one coat on steel or other metal surface with synthetic oil bound primer of approved quality including smoothening surfaces by sand papering etc.	30.0	Sqm	29.00	Per Sqm	870.00
(b)	b) Priming one coat on timber or plastered surface with synthetic oil bound primer of approved quality including smoothening surfaces by sand papering etc.	20.0	Sqm	38.00	Per Sqm	760.00
50(a)	(A) Painting with best quality synthetic enamel paint of approved make and brand including smoothening surface by sand papering etc. including using of approved putty etc. on the surface, if necessary: (a) On timber or plastered surface: With super gloss (hi-gloss) - (iv) Two coats (with any shade except white)	20.0	Sqm	81.00	Per Sqm	1620.00
(b)	(b) On steel or other metal surface: With super gloss (hi-gloss) - (iv) Two coats (with any shade except white)	30.0	Sqm	79.00	Per Sqm	2370.00
51	Applying Interior grade Acrylic Primer of approved quality and brand on plastered or cencrete surface old or new surface to receive Distemper/ Acrylic emulsion paint including scraping and preparing the surface throughly, complete as per manufacturer's specification and as per direction of the EIC. (In Ground Floor a) One Coat ii) Solvent based interior grade Acrylic Primer	200.0	Sqm	3370.00	%Sq.M	6740.00

52	Applying Acrylic Emulsion Paint of approved make and brand on walls and ceiling including sand papering in intermediate coats including putty (to be done under specific instruction of Superintending Engineer): (Two coats) ii) Luxury Quality	200.0	Sqm	70.00	Per Sqm	14000.00
53	Supplying, fitting and fixing M.S. clamps for door and window frame made of flat bent bar, end bifurcated with necessary screws etc. by cement concrete(1:2:4) as per direction. (Cost of concrete will be paid separately) (c) 40mm X 6mm, 125mm Length	30.0	Nos.	20.00	Each	600.00
54	Collapsible gate with 40mm x 40mm x 6mm Tee as top and bottomguide rail, 20mm x 10mm x 2mm vertical channels 100mm apart infully stretched position 20mm x 5mm M.S. flats as collapsiblebracings properly rivetted and washered including 38mm steelrollers including locking arrangements, fitted and fixed in position with lugs set in cement concrete and including cutting necessaryholes, chasing etc. in walls, floors etc. and making good damagescomplete(Add extra @ 1% for each addl. floor upto 4th floor and @ 1.25% for each addl. floor above 4th floor)	5.0	Sqm	3504.06	Per Sqm	17520.30
55	(a) M.S.or W.I. Ornamental grill of approved design joints continuously welded with M.S, W.I. Flats and bars of windows, railing etc. fitted and fixed with necessary screws and lugs in ground floor	2.0	Qntl.	10184.64	Per Qntl.	20369.28

	(i) Grill weighing above 10 Kg./sq.mtr and up to 16 Kg./sq. mtr. (Add extra @ 1% for each addl. floor upto 4th floor and @ 1.25% for each addl. floor above 4th floor)					
56(a)	Labour for dismantling G.I. pipe with fittings. (i) 15 mm	15.0	mtr.	6.00	per mtr.	90.00
(b)	(ii) 20 mm	15.0	mtr.	6.00	per mtr.	90.00
(c	(iii) 25 mm	15.0	mtr.	6.00	per mtr.	90.00
(d)	(iv) 32 mm	15.0	mtr.	6.00	per mtr.	90.00
57	Dismantling wash basin with brackets with or without waste fittings.	2.0	Nos.	35.00	Each	70.00
58	Dismantling sink with brackets with or without waste fittings. (ii) Above 450 mm and upto 600 mm length	1.0	Nos.	52.00	Each	52.00
59	Dismantling H.C.I. pipe with fittings including melting lead caulked joints (iii) 100 mm	5.0	mtr.	64.00	per mtr.	320.00
60	Dismantling E.P. or Anglo-Indian W.C.	1.0	Nos.	45.00	Each	45.00
61	Dismantling pillar cock of wash basin.	2.0	Nos.	9.00	Each	18.00

62(a)	Supplying, fitting and fixing CPVC (Chlorinated Polyvinyl Chloride) pipes of approved make conforming to IS-15778: 2007. with all necessary accessories, specials viz. socket, bend, tee, union, cross, elbo, nipple, longscrew, reducing socket, reducing tee, short piece etc. fitted with holder bats clamps, including cutting pipes, fitting, fixing etc. complete in all respect including cost of all necessary fittings as required, jointing materials in any position above ground. (Payment will be made on the centre line measurements of total pipe line including all specials. No separate payment will be made for accesories, specials. (b) For Concealed Work (i) CPVC Pipes Class-1,SDR-11 15 mm	20.0	mtr.	140.00	per mtr.	2800.00
(b)	20 mm	10.0	mtr.	171.00	per mtr.	1710.00
(c	(a) For Exposed Work (i) CPVC Pipes Class-1, SDR- 11 20 mm	10.0	mtr.	143.00	per mtr.	1430.00
(d)	25 mm	10.0	mtr.	208.00	per mtr.	2080.00
63	Providing and fixing rectangular high density polyethylene water storage loft tank with cover, conforming to ISI: 12701, colour of opaque white or as approved by Engineer-in-charge. The rate includes making necessary holes for inlet, outlet & over flow pipes. The base support i/c fittings & fixtures for tank shall be paid separately	300.0	litre	9.50	per litre	2850.00

64	Wash basin vitreous china of approved make (without fittings)supplied,fitted and fixed in position on 75mm X 75 mm X 75 mm woodblocks and C.I. brackets including two coats of painting of C.I. brackets.(ii) 550 mm X 400 mm size	2.0	Nos.	1383.00	Each	2766.00
65	Supplying, fitting and fixing pedestal of approved make for wash basin (white)	2.0	Nos.	1497.00	Each	2994.00
66	Supplying, fitting and fixing stainless steel sink complete with waste fittings and two coats of painting of C.I. brackets. a) Sink only (i) 530 mm X 430 mm x 180 mm	1.0	Nos.	3285.00	Each	3285.00
67	Supplying, fitting and fixing Waste fittings complete. (a) C.P. over brass (ii) 32 mm	2.0	Nos.	190.00	Each	380.00
68(a)	Supplying, fitting and fixing approved brand P.V.C. CONNECTOR white flexible, with both ends coupling with heavy brass C.P. nut, 15 mm dia (ii) 450 mm long	3.0	Nos.	82.00	Each	246.00
(b)	(iii) 600 mm long	4.0	Nos.	107.00	Each	428.00
69	Supplying, fitting and fixing approved brand 32 mm dia.P.V.C. waste pipe, with PVC coupling at one end fitted with necessary clamps. (iii) 900 mm long	3.0	Nos.	75.00	Each	225.00
70	Supplying, fitting and fixing pillar cock of approved make. e) (i) CP Centre hole Basin mixture with regular spout without popup waste system with 450 mm long braided hoses. (Equivalent to Code No. 5167(B) & Model -	2.0	Nos.	2458.00	Each	4916.00

	FLORENTINE of JAQUAR or similar brand).					
71	e) (ii) CP Wall Mixture without spout but with provision for connnection to Telephone Shower and exposed pipe for Overhead shower (Equivalent to Code No. 5215 & Model - FLORENTINE of JAQUAR or similar brand).	1.0	Nos.	2458.00	Each	2458.00
72	f) (ii) CP 2-way bib Cock - 15 mm, supplied, fitted and fixed. (Code No.5041 & Model - FLORENTINE of JAQUAR or similar brand).	1.0	Nos.	1269.00	Each	1269.00
73	(g) CP Sink Cock with Regular Swinging Spout (Table Mounted Model) (Equivalent to Code No. 5357 of JAQUAR or similar brand)	1.0	Nos.	1022.00	Each	1022.00
74	Supplying, fitting and fixing C.P. Extension Pipe.	6.0	Nos.	106.00	Each	636.00
75	Supplying, fitting and fixing C.P. Wall Flange.	5.0	Nos.	64.00	Each	320.00
76	Suppling, fitting and fixing Wall mounted water closet of white glazed vitreous chinaware of approved make and brand in position complete with necessary nut and boalts (Equivalent to Code No. 20061 or 92065 & Model Studio or Rubbic of Hindware or equivalent.)	1.0	Nos.	3988.00	Each	3988.00

77	Supplying, fitting and fixing 10 litre porcelain low-down cistern of approved make with either side or bottom inlet, side overflow, brackets complete with all internnal PVC fittings. White	1.0	Nos.	2297.00	Each	2297.00
78	Supplying, fitting and fixing Closet seat of approved make with lid and C.P.hinges, rubber buffer and brass screws complete.(a) E.W.C(ii) Plastic (hallow type) white	1.0	Nos.	380.00	Each	380.00
79	Supplying, fitting and fixing bevelled edged mirror 5.5 mm thick silver red as per I.S. 3438 / 1965 together with brass C.P. hinges. (ii) 600 mm X 450 mm	2.0	Nos.	484.00	Each	968.00
80	Supplying, fitting and fixing liquid soap container (c) Fibre glass	2.0	Nos.	188.00	Each	376.00
81	Supplying, fitting and fixing glass shelf with aluminium guard rails. (a) Ordinary type with 5.5 mm sheet glass (i) 450 mm X 125 mm	2.0	Nos.	341.00	Each	682.00
82	Supplying, fitting and fixing towel rail with two brackets. (a) C.P. over brass (ii) 25 mm dia. and 600 mm long	1.0	Nos.	430.00	Each	430.00
83	Supplying, fitting and fixing porcelain toilet paper holder of approved make with wooden spindle as necessary. (ii) Box type size 175 mm X 150 mm	1.0	Nos.	338.00	Each	338.00

84(a)	Supplying, fitting and fixing shower of approved brand and make (a) (i) Chromium plated round shower with revolving joint 100 mm dia with rubid cleaning system (Equivalent to Code No. 542(N) & Model - Tropical / Sumthing Special of ESSCO or similar brand).	1.0	Nos.	452.00	Each	452.00
(b)	(a)(iii) Chromium plated shower arm 240 mm long (Equivalent to Code No. 536(A) & Model - Tropical / Sumthing Special of ESSCO or similar brand).	1.0	Nos.	309.00	Each	309.00
(c	(d) Chromium plated Hand shower with Flexible Tube & fittings(Equivalent to Code No. Hsh-1937 & (Equivalent to Code No. 5037 & Model - Florentine of Jaquar or similar).)	1.0	Nos.	2390.00	Each	2390.00
(d)	(f) Hand Shower(Health Faucet) with 1mtr Fexible Tube with Wall Hook(Equivalent to Code No.573 & Model -ALLIED of Jaquar or similar).	1.0	Nos.	1251.00	Each	1251.00
85(a)	Supplying, fitting and fixing Peet's valve fullway gunmetal standard pattern best quality of approved brand bearing I.S.I. marking with fittings (tested to 21 kg per sq. cm.). (viii) 20 mm dia	1.0	Nos.	657.00	Each	657.00
(b)	(vii) 25 mm dia	1.0	Nos.	912.00	Each	912.00
86	Providing and fixing PTMT grating of approved quality and colour	5.0	Nos.	32.45	Each	162.25

87(a)	Supply of UPVC pipes (B Type) & fittings conforming to IS-13592-1992 (A) (i) Single Socketed 3 Meter Length (a) 75 mm	6.0	mtr.	196.00	per mtr.	1176.00
(b)	(b) 110 mm	9.0	mtr.	292.00	per mtr.	2628.00
(c	(v) Double Socketed 1.2 Meter Length (a) 75 mm	3.6	mtr.	219.00	per mtr.	788.40
(d)	(b) 110 mm	4.8	mtr.	322.00	per mtr.	1545.60
88(a)	Supply of UPVC pipes (B Type) & fittings conforming to IS-13592-1992 (ii) Plain Tee (a) 75 mm	4.0	Nos.	46.00	Each	184.00
(b)	(b) 110 mm	4.0	Nos.	85.00	Each	340.00
(c	(iii) Door Tee(a) 75 mm	3.0	Nos.	101.00	Each	303.00
(d)	(b) 110 mm	2.0	Nos.	195.00	Each	390.00
€	x) Bend 87.5° (a) 75 mm	6.0	Nos.	61.00	Each	366.00
(f)	(b) 110 mm	4.0	Nos.	120.00	Each	480.00
(g)	xxi) 110 X 110 P Trap 75 mm	2.0	Nos.	281.00	Each	562.00
(h)	xxvi) Reducer 110 X 75 mm 75 mm	3.0	Nos.	80.00	Each	240.00
(i)	Li) Nahani Trap 90 mm	5.0	Nos.	105.00	Each	525.00

89(a)	Labour for fitting and fixing U.P.V.C. pipes for above ground work including cost of jointing materials etc. fitting and fixing all necessary specials, cutting pipes, cutting holes in walls or R.C. floor where necessary and mending good all damages excluding the cost of masonry or concrete work, if necessary, but including the cost and fitting and fixing holder bat clamps (any floor) or for underground work including cutting trenches upto 1.5 metre and refilling the same complete as per direction of the Engineerin-charge. (Payment will be made on centre line measurement of the total pipeline including specials. (A) Above ground (i) 75 mm dia.	1	0.0	mtr.	45.0	00	per mtr.	450.00		
(b)	(ii) 110 mm dia.	1	5.0	mtr.	57.0	00	per mtr.	855.00		
90	Renewing high pressure polythene ball cock of approved quality with polythene ball and aluminium lever complete for pipe of dia.: (ii) 25 mm	1.0		Nos.	120.	.00	Each	120.00		
	Total of Part A= Rs 1582495.60									
	PART-B	(ELE	ECTRIC	CAL W	ORKS)				
Sl No	Item Description		Unit	Qua	intity		Unit Rate	Amount		
1	Supplying and fixing double-door SPN MCB Distribution Board (2+		No.		1	₹	3,555.00	₹ 3,555.00		

	way) with IP-42/43 protection, concealed in wall after cutting the wall & mending good the damages to original finish incl. Inter connection with suitable size of copper wire and neutral link & provision for earthing attachment . The SPN DB shall consist of 32 A DP MCB as incomer, 8 nos. 6 A SP MCB as outgoing. (Inverter DB)				
2	Supply and fixing of recessed type round LED panel light for installation in false ceiling of the following minimum specifications:-mounting arrangement of SS spring clip, CRI ≥ 70, 6500 K, Lumen ≥ 1050 Lm, Efficacy >=100 lm/watt. (Inverter)	No.	6	₹ 889.00	₹ 5,334.00
3	Supplying & Fixing GI Modular Switch Board of the following sizes complete with three no. suitable size Copper bar with holes (for Ph, N & E) fixed on bakelite/Hard Rubber insulator over the MS welded chairs incl. top cover flushed in wall for housing the board after cutting the brick wall incl. making earthing attachment, painting and mending good damages to building works				
	a)8 Module	No.	5	₹ 406.00	₹ 2,030.00
	b)2 Row 12 Module	No.	10	₹ 629.00	₹ 6,290.00
	c)12 Module	No.	2	₹ 523.00	₹ 1,046.00
4	Supply & Fixing 240 V 6 A Modular type switch on existing GI Modular type switch board having top cover plate and making necessary connections as required	No.	60	₹ 82.00	₹ 4,920.00
5	Supply & Fixing 240 V, 6A, 5 pin Modular type plug socket, without	No.	54	₹ 120.00	₹ 6,480.00

6	switch & plug top, on existing GI Modular type switch board with top cover plate and making necy. connections with PVC Cu wire and earth continuity wire etc Supply & Fixing 240 V 16 A Modular type switch on GI Modular type switch board having top cover plate and making necessary connections as required	No.	15	₹ 119.00	₹ 1,785.00
7	Supply & Fixing 240 V, 16 A, 3 pin Modular type plug socket , without plug top and switch, on existing GI Modular type switch board with top plate and making necy. connections with PVC Cu wire and earth continuity wire etc	No.	15	₹ 162.00	₹ 2,430.00
8	Distn. wiring in 22/0.3 (1.5 sqmm) single core stranded 'FRLS' PVC insulated & unsheathed single core stranded copper wire in 19 mm bore, 3 mm thick polythen pipe complete with all accessories embedded in wall to light/fan/call bell points with Modular type switch fixed on Modular GI switch board with top cover plate flushed in wall incl. mending good damages to original finish 2x22/0.3 (Ph. & N) and 1x22/0.3 as ECC(Switch Board to Light Points)[Avg. Run 8 m]	No.	7	₹ 1,093.00	₹ 7,651.00
9	Supplying and fixing double-door SPN MCB Distribution Board (2+10 way) with IP-42/43 protection, concealed in wall after cutting the wall & mending good the damages to original finish incl. Inter connection with suitable size of copper wire and neutral link & provision for earthing attachment . The SPN DB shall consist of 63 A DP MCB as incomer, 3 nos. 6 A SP MCB, 4 nos. 16 A SP MCB , 3 no. 20A SP MCB as outgoing. (Non-Inverter DB)	No.	1	₹ 4,327.00	₹ 4,327.00

10	Distribution wiring in single core stranded 'FRLS' PVC insulated & unsheathed single core stranded copper wire in 19 mm bore, 3 mm thick polythene pipe complete with all accessories embedded in wall with mending good damages to original finish. i) 2 x 36/0.3 (2.5 Sq.mm) + 1 x 22/0.3 (1.5 Sq.mm) as ECC	RM	60	₹ 65.00	₹ 3,900.00
	ii) 2 x 56/0.3 (4 Sq.mm) + 1 x 22/0.3 (2.5 Sq.mm) as ECC	RM	60	₹ 95.00	₹ 5,700.00
	iii) 2 x 126/0.4 (10 sqmm) +1 x 80/0.4 (6 sqmm) as ECC	RM	20	₹ 248.00	₹ 4,960.00
	iv) 2x84/0.3 (6 sqmm) + 1x56/0.3 (4 sqmm) as ECC	RM	35	₹ 139.00	₹ 4,865.00
11	Supply & Fixing 240 V, 25 A, Modular type starter with 25A Modular switch type DP MCB (C- Curve) and 4 Module GI Modular type switch board with 4 Module top cover plate flushed in wall incl. S&F switch board and cover plate and making necy. connections with PVC Cu wire and earth continuity wire etc	No.	2	₹ 784.00	₹ 1,568.00
12	Supply & Fixing 240 V, 25A Modular type socket, 25 A, Modular type starter with 25A Modular switch type DP MCB (C-Curve) and 6 Module GI Modular type switch board with 6 Module top cover plate flushed in wall incl. S&F switch board and cover plate and making necy. connections with PVC Cu wire and earth continuity wire etc.	No.	2	₹ 1,047.00	₹ 2,094.00
13	Supply & delivery of min 1.8 T Split, Inverter type room air conditioner	No.	2	₹ 42,891.00	₹ 85,782.00

	having following specification: have following specifications: a. Inverter AC (variable speed) b. Eco-friendly Refrigerant with Zero Ozone Depletion Potential. c. Copper coil condenser & Evaporator d. Indian Seasonal Energy Efficiency Ratio (ISEER) >=5 e. BEE Star Rating = 5 f. Noise Level- As per IS:1391 or latest g. BIS certified. h. One year AC Machine Warranty with five years Compressor Warranty i. Remote Control with required no. batteries for each AC unit is to be provided.				
14	Installation & commissioning of above Split, Inverter type room air conditioner with outdoor support along with numbering as per direction of Engineer or his representative. Numbering should be permanent, engraved on a separate plate of suitable rigid material, and properly afixed in both Indoor & Outdoor units.	No.	2	₹ 1,525.00	₹ 3,050.00
15	Supply & installation of M.S. Bracket for holding ODUs for split, inverter type AC.	No.	2	₹ 720.00	₹ 1,440.00
16	Supply and fixing Copper refrigerant pipe with insulation exceeding 3 mtr. for each split AC.	RM	40	₹ 551.00	₹ 22,040.00
17	Supply & fixing of flexible Water drainage pipe	RM	106	₹ 76.00	₹ 8,056.00
18	Supply & fixing of suitable dia rigid PVC water pipe for drainage incl. nec. assessories as per site requirement.	RM	106	₹ 131.00	₹ 13,886.00

19	Cutting of channel on wall/floor surafce for fixing of water drainage pipe and mending good damages to original finish after fixing of water drainage pipe of suitable size and/or for refrigeration pipe as per site requirement	RM	146	₹ 297.00	₹ 43,362.00
20	Supply & laying of 4C 2.5 sq. mm. round CTS PVC insulated electric Copper wire.	RM	20	₹ 140.00	₹ 2,800.00
21	Supply & fixing 15 A plug top for AC Machines	No.	2	₹ 157.00	₹ 314.00
22	Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush Less Direct Current (BLDC) Motor, class of insulation: B, 3 nos. blades, suitable length down rod, 2 nos. canopies, shackle kit, safety rope, copper winding, Power Factor not less than 0.9, Service Value (CM/M/W) minimum 6.00, Air delivery minimum 210 Cum/Min, 350 RPM (tolerance as per IS: 374-2019), THD less than 10%, remote or electronic regulator unit for speed control and all remaining accessories including safety pin, nut bolts, washers, temperature rise=75 degree C (max.), insulation resistance more than 2 mega ohm, suitable for 230 V, 50 Hz, single phase AC Supply, earthing etc. making necessary connection as required by 2x1.5 sqmm flexible copper wire, complete as required.	No.	1	₹ 2,420.00	₹ 2,420.00
23	Supplying and fixing double-door	No.	1	₹ 3,555.00	₹ 3,555.00
23	SPN MCB	INU.	1	X 3,300.00	X 3,000.00

	Distribution Board (2+8 way) with IP-42/43 protection, concealed in wall after cutting the wall & mending good the damages to original finish incl. Inter connection with suitable size of copper wire and neutral link & provision for earthing attachment . The SPN DB shall consist of 32 A DP MCB as incomer, 8 nos. 6 A SP MCB as outgoing. (Inverter DB)				
24	Supplying and fixing double-door SPN MCBDistribution Board (2+8 way) with IP-42/43 protection, concealed in wall after cutting the wall & mending good the damages to original finish incl. Inter connection with suitable size of copper wire and neutral link & provision for earthing attachment . The SPN DB shall consist of 32 A DP MCB as incomer, 6 nos. 6 A SP MCB, 2 nos. 16 A SP MCB as outgoing. (Non-Inverter DB)	No.	1	₹ 3,555.00	₹ 3,555.00
25	Supply and fixing of recessed type round LED panel light for installation in false ceiling of the following minimum specifications:-mounting arrangement of SS spring clip, CRI ≥ 70, 6500 K, Lumen ≥ 1050 Lm, efficacy > 100lm/W. (Inverter)	No.	6	₹ 889.00	₹ 5,334.00
26	Supplying & Fixing GI Modular Switch Board of the sizes complete with three no. suitable size Copper bar with holes (for Ph, N & E) fixed on bakelite/Hard Rubber insulatorover the MS welded chairs incl. top cover flushed in wall for housing the board after cutting the brick wall incl. making earthing attachment, painting and mending good damages to building works				
	8 Module	No.	8	₹ 406.00	₹ 3,248.00

27	Distribution wiring in single core stranded 'FRLS' PVC insulated & unsheathed single core stranded copper wire in 19 mm bore, 3 mm thick polythene pipe complete with all accessories embedded in wall with mending good damages to original finish. i) 2 x 36/0.3 (2.5 Sq.mm) + 1 x 22/0.3	RM	45	₹ 65.00	₹ 2,925.00
	(1.5 Sq.mm) as ECC ii) 2 x 56/0.3 (4 Sq.mm) + 1 x 22/0.3 (2.5 Sq.mm) as ECC	RM	70	₹ 95.00	₹ 6,650.00
28	Supply & Fixing 240 V 6 A Modular type switch on existing GI Modular type switch board having top cover plate and making necessary connections as required	No.	14	₹ 82.00	₹ 1,148.00
29	Supply & Fixing 240 V, 6A, 5 pin Modular type plug socket , without switch & plug top, on existing GI Modular type switch board with top cover plate and making necy. connections with PVC Cu wire and earth continuity wire etc	No.	14	₹ 120.00	₹ 1,680.00
30	Distn. wiring in 22/0.3 (1.5 sqmm) single core stranded 'FRLS' PVC insulated & unsheathed single core stranded copper wire in 19 mm bore, 3 mm thick polythen pipe complete with all accessories embedded in wall to light/fan/call bell points with Modular type switch fixed on Modular GI switch board with top cover plate flushed in wall incl. mending good damages to original finish 2x22/0.3 (Ph. & N) and 1x22/0.3 as ECC (Switch Board to Light Points/Call bells/Fan Points) (Avg. Run 8m)	No.	7	₹ 970.00	₹ 6,790.00
31	Supply & Fixing 240 V, 25A Modular type socket, 25 A, Modular type	No.	1	₹ 1,047.00	₹ 1,047.00

	starter with 25A Modular switch type DP MCB (C-Curve) and 6 Module GI Modular type switch board with 6 Module top cover plate flushed in wall incl. S&F switch board and cover plate and making necy. connections with PVC Cu wire and earth continuity wire etc.				
32	Supply & Fixing 240 V, 25 A, 3 pin Modular type plug socket with 25A Modular switch type SP MCB (C-Curve) and 4 Module GI Modular type switch board with 4 Module top cover plate flushed in wall incl. S&F switch board and cover plate and making necy. connections with PVC Cu wire and earth continuity wire etc	No.	2	₹ 784.00	₹ 1,568.00
33	Supply & delivery of min 1.8 T Split, Inverter type room air conditioner having following specification: have following specifications: a. Inverter AC (variable speed) b. Eco-friendly Refrigerant with Zero Ozone Depletion Potential. c. Copper coil condenser & Evaporator d. Indian Seasonal Energy Efficiency Ratio (ISEER) >=5 e. BEE Star Rating = 5 f. Noise Level- As per IS:1391 or latest g. BIS certified. h. One year AC Machine Warranty with five years Compressor Warranty i. Remote Control with required no. batteries for each AC unit is to be provided.	No.	1	₹ 42,891.00	₹ 42,891.00
34	Installation & commissioning of above Split, Inverter type room air conditioner with outdoor support along with numbering as per direction of Engineer or his representative. Numbering should be permanent, engraved on a separate plate of suitable rigid material, and properly afixed in both Indoor & Outdoor units.	No.	1	₹ 1,525.00	₹ 1,525.00

35	Supply & installation of M.S. Bracket for holding ODUs for split, inverter type AC.	No.	1	₹ 720.00	₹ 720.00
36	Supply and fixing Copper refrigerant pipe with insulation exceeding 3 mtr. for each split AC.	RM	40	₹ 551.00	₹ 22,040.00
37	Supply & fixing of flexible Water drainage pipe	RM	15	₹ 76.00	₹ 1,140.00
38	Supply & fixing of suitable dia rigid PVC water pipe for drainage incl. nec. assessories as per site requirement.	RM	15	₹ 131.00	₹ 1,965.00
39	Cutting of channel on wall/floor surafce for fixing of water drainage pipe and mending good damages to original finish after fixing of water drainage pipe of suitable size and/or for refrigeration pipe as per site requirement	RM	55	₹ 297.00	₹ 16,335.00
40	Supply & laying of 4C 2.5 sq. mm. round CTS PVC insulated electric Copper wire.	RM	20	₹ 140.00	₹ 2,800.00
41	Supply & fixing 15 A plug top for AC Machines	No.	1	₹ 157.00	₹ 157.00
42	Supply, Installation, Testing and Commissioning of 1200 mm sweep,	No.	1	₹ 2,420.00	₹ 2,420.00

	BEE 5 star rated, ceiling fan with Brush Less Direct Current (BLDC) Motor, class of insulation: B, 3 nos. blades, suitable length down rod, 2 nos. canopies, shackle kit, safety rope, copper winding, Power Factor not less than 0.9, Service Value (CM/M/W) minimum 6.00, Air delivery minimum 210 Cum/Min, 350 RPM (tolerance as per IS: 374-2019), THD less than 10%, remote or electronic regulator unit for speed control and all remaining accessories including safety pin, nut bolts, washers, temperature rise=75 degree C (max.), insulation resistance more than 2 mega ohm, suitable for 230 V, 50 Hz, single phase AC Supply, earthing etc. making necessary connection as required by 2x1.5 sqmm flexible copper wire, complete as required. Dy.CRO's ROOM				
43	Supplying and fixing double-door	No.	1	₹ 3,555.00	₹ 3,555.00
	SPN MCB Distribution Board (2+8 way) with IP-42/43 protection, concealed in wall after cutting the wall & mending good the damages to original finish incl. Inter connection with suitable size of copper wire and neutral link & provision for earthing attachment . The SPN DB shall consist of 32 A DP MCB as incomer, 8 nos. 6 A SP MCB as outgoing. (Inverter DB)				
44	Supplying and fixing double-door SPN MCB Distribution Board (2+8 way) with IP-42/43 protection, concealed in wall after cutting the wall & mending good the damages to original finish incl. Inter connection with suitable size of copper wire and neutral link & provision for earthing attachment . The SPN DB shall consist of 32 A DP MCB as incomer, 5 nos. 6 A SP MCB, 3 nos. 16 A SP MCB as outgoing. (Non-Inverter DB)	No.	1	₹ 3,555.00	₹ 3,555.00

45	Supply and fixing of recessed type round LED panel light for installation in false ceiling of the following minimum specifications:-mounting arrangement of SS spring clip, CRI ≥ 70, 6500 K, Lumen ≥ 1050 Lm, Efficacy > 100lm/watt.	No.	2	₹ 889.00	₹ 1,778.00
46	Supplying and fixing GI Modular Switch Board of the following sizes complete with three no. suitable size Copper bar with holes (for Ph, N & E) fixed on bakelite/Hard Rubber insulator over the MS welded chairs incl. top cover flushed in wall for housing the board after cutting the brick wall incl. making earthing attachment, painting and mending good damages to building works				
	6 Module	No.	3	₹ 332.00	₹ 996.00
47	Supply & Fixing 240 V 6 A Modular type switch on existing GI Modular type switch board having top cover plate and making necessary connections as required	No.	9	₹ 82.00	₹ 738.00
48	Supply & Fixing 240 V, 6A, 5 pin Modular type plug socket , without switch & plug top, on existing GI Modular type switch board with top cover plate and making necy. connections with PVC Cu wire and earth continuity wire etc	No.	9	₹ 120.00	₹ 1,080.00
49	Distn. wiring in 22/0.3 (1.5 sqmm) single core stranded 'FRLS' PVC	No.	3	₹ 970.00	₹ 2,910.00

	insulated & unsheathed single core stranded copper wire in 19 mm bore, 3 mm thick polythen pipe complete with all accessories embedded in wall to light/fan/call bell points with Modular type switch fixed on Modular GI switch board with top cover plate flushed in wall incl. mending good damages to original finish 2x22/0.3 (Ph. & N) and 1x22/0.3 as ECC (Switch Board to Light Points/Call Bell/fan points) [Avg. Run = 8m]				T 1 2 1 T 2 2
50	Supply & Fixing 240 V, 25A Modular type socket, 25 A, Modular type starter with 25A Modular switch type DP MCB (C-Curve) and 6 Module GI Modular type switch board with 6 Module top cover plate flushed in wall incl. S&F switch board and cover plate and making necy. connections with PVC Cu wire and earth continuity wire etc.	No.	1	₹ 1,047.00	₹ 1,047.00
51	Distribution wiring in single core stranded 'FRLS' PVC insulated & unsheathed single core stranded copper wire in 19 mm bore, 3 mm thick polythene pipe complete with all accessories embedded in wall with mending good damages to original finish. i) 2 x 36/0.3 (2.5 Sq.mm) + 1 x 22/0.3 (1.5 Sq.mm) as ECC	RM	20	₹ 65.00	₹ 1,300.00
	ii) 2 x 56/0.3 (4 Sq.mm) + 1 x 22/0.3 (2.5 Sq.mm) as ECC	RM	7	₹ 95.00	₹ 665.00
	iii) 2x84/0.3 (6 sqmm) + 1x56/0.3 (4 sqmm) as ECC	RM	40	₹ 139.00	₹ 5,560.00
52	Supply & Fixing 240 V, 25 A, 3 pin Modular type plug socket with 25A	No.	2	₹ 784.00	₹ 1,568.00

	Modular switch type SP MCB (C-Curve) and 4 Module GI Modular type switch board with 4 Module top cover plate flushed in wall incl. S&F switch board and cover plate and making necy. connections with PVC Cu wire and earth continuity wire etc				
53	Supply & delivery of min 1.8 T Split, Inverter type room air conditioner having following specification: have following specifications: a. Inverter AC (variable speed) b. Eco-friendly Refrigerant with Zero Ozone Depletion Potential. c. Copper coil condenser & Evaporator d. Indian Seasonal Energy Efficiency Ratio (ISEER) >=5 e. BEE Star Rating = 5 f. Noise Level- As per IS:1391 or latest g. BIS certified. h. One year AC Machine Warranty with five years Compressor Warranty i. Remote Control with required no. batteries for each AC unit is to be provided.	No.	1	₹ 42,891.00	₹ 42,891.00
54	Installation & commissioning of above Split, Inverter type room air conditioner with outdoor support along with numbering as per direction of Engineer or his representative. Numbering should be permanent, engraved on a separate plate of suitable rigid material, and properly afixed in both Indoor & Outdoor units.	No.	1	₹ 1,525.00	₹ 1,525.00
55	Supply & installation of M.S. Bracket for holding ODUs for split, inverter type AC.	No.	1	₹ 720.00	₹ 720.00
56	Supply and fixing Copper refrigerant pipe exceeding 3 mtr. for each split AC.	mtr	30	₹ 551.00	₹ 16,530.00

57	Supply & fixing of flexible Water drainage pipe	mtr	15	₹ 76.00	₹ 1,140.00
58	Supply & fixing of suitable dia rigid PVC water pipe for drainage incl. nec. assessories as per site requirement.	mtr	15	₹ 131.00	₹ 1,965.00
59	Cutting of channel on wall/floor surafce for fixing of water drainage pipe and mending good damages to original finish after fixing of water drainage pipe of suitable size and/or for refrigeration pipe as per site requirement	mtr	45	₹ 297.00	₹ 13,365.00
60	Supply & laying of 4C 2.5 sq. mm. round CTS PVC insulated electric Copper wire.	mtr	20	₹ 2,800.00	₹ 56,000.00
61	Supply & fixing 15 A plug top for AC Machines	No.	1	₹ 157.00	₹ 157.00
62	Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush Less Direct Current (BLDC) Motor, class of insulation: B, 3 nos. blades, suitable length down rod, 2 nos. canopies, shackle kit, safety rope, copper winding, Power Factor not less than 0.9, Service Value (CM/M/W) minimum 6.00, Air delivery minimum 210 Cum/Min, 350 RPM (tolerance as per IS: 374-2019), THD less than 10%, remote or electronic regulator unit for speed control and all remaining accessories including safety pin, nut bolts, washers, temperature rise=75 degree C (max.), insulation resistance more than 2 mega ohm, suitable for 230 V, 50 Hz, single phase AC Supply, earthing etc. making necessary connection as required by 2x1.5 sqmm flexible copper wire, complete	No.	1	₹ 2,420.00	₹ 2,420.00

	as required.				
	Workshop				
63	Supplying & Fixing GI Modular				
	Switch Board of the				
	following sizes complete with three				
	no. suitable size Copper bar with				
	holes (for Ph, N & E) fixed on				
	bakelite/Hard Rubber insulator over				
	the MS welded chairs incl. top cover flushed in wall for housing the board				
	after cutting the brick wall incl.				
	making earthing attachment,				
	painting and mending good				
	damages to building works				
	6 Module	No.	5	₹ 332.00	₹ 1,660.00
		3 . T		T 02 02	T-7 (00
64	Supply & Fixing 240 V 6 A Modular type switch on existing GI Modular	No.	7	₹ 82.00	₹ 574.00
	type switch board having top cover				
	plate and making necessary				
	connections as required				
65	Supply & Fixing 240 V, 6A, 5 pin	No.	7	₹ 120.00	₹ 840.00
	Modular type plug socket, without				
	switch & plug top, on existing GI				
	Modular type switch board with top				
	cover plate and making necy. connections with PVC Cu wire and				
	earth continuity wire etc				
66	Supply & Fixing 240 V 16 A Modular	No.	2	₹ 119.00	₹ 238.00
	type switch Brand approved by EIC)				

	on GI Modular type switch board having top cover plate and making necessary connections as required				
67	Supply & Fixing 240 V, 16 A, 3 pin Modular type plug socket , without plug top and switch, on existing GI Modular type switch board with top plate and making necy. connections with PVC Cu wire and earth continuity wire etc	No.	2	₹ 162.00	₹ 324.00
68	Supply and fixing of recessed type round LED panel light for installation in false ceiling of the following minimum specifications:-mounting arrangement of SS spring clip, CRI ≥ 70, 6500 K, Lumen ≥ 1050 Lm., Efficacy >=100 lm/w (Inverter)	No.	2	₹ 889.00	₹ 1,778.00
69	Distn. wiring in 22/0.3 (1.5 sqmm) single core stranded 'FRLS' PVC insulated & unsheathed single core stranded copper wire in 19 mm bore, 3 mm thick polythen pipe complete with all accessories embedded in wall to light/fan/call bell points with Modular type switch fixed on Modular GI switch board with top cover plate flushed in wall incl. mending good damages to original finish 2x22/0.3 (Ph. & N) and 1x22/0.3 as ECC (Switch Board to Light Points/call bells/fan points) [Avg. Run 8 m]	No.	2	₹ 970.00	₹ 1,940.00
70	Distribution wiring in single core stranded 'FRLS' PVC insulated & unsheathed single core stranded copper wire in 19 mm bore, 3 mm thick polythene pipe complete with all accessories embedded in wall with mending good damages to original finish.			7.65.00	
	i) 2 x 36/0.3 (2.5 Sq.mm) + 1 x 22/0.3 (1.5 Sq.mm) as ECC	RM	20	₹ 65.00	₹ 1,300.00

	ii) 2 x 56/0.3 (4 Sq.mm) + 1 x 22/0.3 (2.5 Sq.mm) as ECC	RM	10	₹ 95.00	₹ 950.00
	Battery Room				
71	Supply and delivery of 300 mm sweep Exhaust Fan suitable for 230V AC, 50Hz supply system, complete with all accessories and louver.	No.	1	₹ 2,450.00	₹ 2,450.00
72	Fixing only exhaust fan after making a hole in the wall and making good damages and smooth cement finish etc. as practicable as possible and providing necy. length of PVC insulated wire and making the connection for above exhaust fan.	No.	1	₹ 368.00	₹ 368.00
73	Supply and fixing of recessed type round LED panel light for installation in false ceiling of the following minimum specifications:-mounting arrangement of SS spring clip, CRI ≥ 70, 6500 K, Lumen ≥ 1050 Lm	No.	3	₹ 889.00	₹ 2,667.00
74	Supplying & Fixing GI Modular Switch Board of the following sizes complete with three no. suitable size Copper bar with holes (for Ph, N & E) fixed on bakelite/Hard Rubber insulator over the MS welded chairs incl. top cover flushed in wall for housing the board after cutting the brick wall incl. making earthing attachment, painting and mending good damages to 6 Module	No.	2	₹ 332.00	₹ 664.00
75	Supply & Fixing 240 V 16 A Modular type switch on GI Modular type switch board having top cover plate and making necessary connections as required	No.	2	₹ 119.00	₹ 238.00

76	Supply & Fixing 240 V, 16 A, 3 pin Modular type plug socket , without plug top and switch, on existing GI Modular type switch board with top plate and making necy. connections with PVC Cu wire and earth continuity wire etc	No.	2	₹ 162.00	₹ 324.00
Ut	ility Room , Corridor & Washroom.				
77	Supply and fixing of recessed type round LED panel light for installation in false ceiling of the following minimum specifications:-mounting arrangement of SS spring clip, CRI ≥ 70, 6500 K, Lumen ≥ 1050 Lm, Efficacy >=100 lm/watt.	No.	8	₹ 889.00	₹7,112.00
78	Supply & Fixing 240 V 16 A Modular type switch on GI Modular type switch board having top cover plate and making necessary connections as required	No.	3	₹ 119.00	₹ 357.00
79	Supply & Fixing 240 V, 16 A, 3 pin Modular type plug socket , without plug top and switch, on existing GI Modular type switch board with top plate and making necy. connections with PVC Cu wire and earth continuity wire etc	No.	3	₹ 162.00	₹ 486.00
80	Supply & Fixing 240 V 6 A Modular type switch on existing GI Modular type switch board having top cover plate and making necessary connections as required	No.	5	₹ 82.00	₹ 410.00
81	Supply & Fixing 240 V, 6A, 5 pin Modular type plug socket , without switch & plug top, on existing GI Modular type switch board with top cover plate and making necy. connections with PVC Cu wire and earth continuity wire etc	No.	5	₹ 120.00	₹ 600.00

82	Supplying & Fixing GI Modular Switch Board of the following sizes complete with three no. suitable size Copper bar with holes (for Ph, N & E) fixed on bakelite/Hard Rubber insulator over the MS welded chairs incl. top cover flushed in wall for housing the board after cutting the brick wall incl. making earthing attachment, painting and mending good damages to 8 Module	No.	4	₹ 406.00	₹ 1,624.00
	4 Module	No.	2	₹ 261.00	₹ 522.00
83	Supplying and fixing double-door SPN MCB Distribution Board (2+8 way) with IP-42/43 protection, concealed in the wall after cutting the wall & mending well the damages to original finish incl.Interconnection with suitable size ofcopper wire and neutral link & provision for earthing attachment. The SPN DB shall consist of 32 A DP MCB as incomer, 5 nos. 6 A SP MCB, and 3 nos. 16 A SP MCB as outgoing. (Non-Inverter DB)	No.	1	₹ 3,555.00	₹ 3,555.00
84	Distn. wiring in 22/0.3 (1.5 sqmm) single core stranded 'FRLS' PVC insulated & unsheathed single core stranded copper wire in 19 mm bore, 3 mm thick polythen pipe complete with all accessories embedded in wall to light/fan/call bell points with Modular type switch fixed on Modular GI switch board with top cover plate flushed in wall incl. mending good damages to original finish 2x22/0.3 (Ph. & N) and 1x22/0.3 as ECC (Switch Board to Light Points/call bells/fan points) [Avg. run = 8m]	No.	12	₹ 970.00	₹ 11,640.00
85	Supply, Installation, Testing and Commissioning of 1200 mm sweep,	No.	2	₹ 2,420.00	₹ 4,840.00

86	BEE 5 star rated, ceiling fan with Brush Less Direct Current (BLDC) Motor, class of insulation: B, 3 nos. blades, suitable length down rod, 2 nos. canopies, shackle kit, safety rope, copper winding, Power Factor not less than 0.9, Service Value (CM/M/W) minimum 6.00, Air delivery minimum 210 Cum/Min, 350 RPM (tolerance as per IS: 374-2019), THD less than 10%, remote or electronic regulator unit for speed control and all remaining accessories including safety pin, nut bolts, washers, temperature rise=75 degree C (max.), insulation resistance more than 2 mega ohm, suitable for 230 V, 50 Hz, single phase AC Supply, earthing etc. making necessary connection as required by 2x1.5 sqmm flexible copper wire, complete as required. Distribution wiring in single core stranded 'FRLS' PVC insulated & unsheathed single core stranded copper wire in 19 mm bore, 3 mm thick polythene pipe complete with all accessories embedded in wall with mending good damages to original finish.				
	i) 2 x 36/0.3 (2.5 Sq.mm) + 1 x 22/0.3 (1.5 Sq.mm) as ECC	RM	20	₹ 65.00	₹ 1,300.00
	ii) 2 x 56/0.3 (4 Sq.mm) + 1 x 22/0.3 (2.5 Sq.mm) as ECC	RM	20	₹ 95.00	₹ 1,900.00
87	Supply and delivery of 300 mm sweep Exhaust Fan suitable for 230V AC, 50Hz supply system, complete with all accessories and louver .	No.	2	₹ 2,076.00	₹ 4,152.00
88	Fixing only exhaust fan after making a hole in the wall and making good damages and smooth cement finish etc. as practicable as possible and providing necy. length of PVC insulated wire and making the connection for above exhaust fan	No.	2	₹ 311.00	₹ 622.00

	Earthing & Main	•			
89	Earthing with 65 mm dia GI pipe (TATA -Medium)x 3.0 Mts. long and 1 No. 50 mm x 6 mm galvanized (Hot Dip) steel strip (4 Mts. long), 20 mm dia x 125 mm long galvanized bolt, double nuts, double washers including finishing both ends by making holes etc. and S & F 65 mm dia GI pipe (ISI - Medium) protection (3 Mts. long) to be filled with bitumen partly under the ground level and partly above ground level to an average depth of 3.65 Mts. Provide masonry enclosure on the top of the earth electrode of overall size 86.36 cm x 86.36 cm x 46 cm deep (below Ground level) complete with cemented brick work(1:6) of 25 cm width duly plastered with cement mortar (inside) CI hinged inspection cover of size 36.56 cm x 35.56 cm with locking arrangement, GI reducer including drilling of 46 nos. 12 mm dia holes on the GI pipe. Treatment of soil by using salt & charcoal or coke for plate electrode.	No.	3	₹ 5,314.00	₹ 15,942.00
91	Supplying & fixing earth bus bar of galvanized (Hot Dip) MS flat 50 mm x 6 mm on wall having clearance of 6 mm from wall including providing drilled holes on the bus bar complete with GI bolts, nuts, washers, spacing insulators etc. as required. Connecting the equipments body to earth bus bar incl. S & F 50 mm x 6 mm Galvanized (Hot Dip) MS flat on wall/floor with GI saddle as required and connection to equipments with incl. drilling holes, bolts, nuts, washers etc.	No.	180	₹ 216.00	₹ 35,640.00
92	Supply & Fixing of pre-wired double door 8 Way Vertical TPN MCB	No.	1	₹ 20,574.00	₹ 20,574.00

	Distribution board for MCCB incomer up to 100A with IP-42/43 protection, incl. Inter connection with suitable size of copper wire and neutral link & provision for earthing attachment. This includes S&F of 100 4P of 35kA, with adjustable thermal and fixed magnetic setting MCCB as incomer and 12 Nos. 32 A SPN 10kA MCB. Fixing of VTPN MCB Distribution board, on angle iron frame on wall & mending good the damages to original finish incl. Inter connection with suitable size of copper wire and neutral link & provision for earthing attachment.				
93	Finishing the end of XLPE/PVC armoured cables by crimping method incl. supplying and fixing solder less socket (Dowels make), tapes, anticorrosive paste & jointing materials for 4 core 25 Sq.mm cable.	Set	1	₹ 115.00	₹ 115.00
94	Supplying and fixing compression type gland complete with brass gland, brass ring & rubber ring for dust & moisture-proof entry of XLPE/PVC armoured cables as below for 4 core 25 Sq.mm cable.	Set	1	₹ 162.00	₹ 162.00
95	Supply & Fixing 240V, Modular Socket (1 Module) type fan regulator (Step type) on existing Modular GI switch board with top cover plate incl. Making necy. connections etc	No.	6	₹ 387.00	₹ 2,322.00
96	Relocation of exsisting Airconditioning machine, including fixing of indoor and outdoor unit, S & F of copper pipes & drainage pipe through suitable PVC pipe(incld. S & F), proper cabling for connection and gas chharging for proper cooling, outdoor bracket. This inculdes cutting of channel on wall/floor surafce for fixing of water drainage pipe and mending good damages to original finish after fixing of water drainage pipe of suitable size.	lumpsum	2	₹ 10,000.00	₹ 20,000.00
97	2 Feet Down Road for Ceiling Fan	No.	6	₹ 100.00	₹ 600.00

Total of Part B = Rs	6,99,233.00
Total of Part A & Part B = Rs	22,81,728.60

Total Amount (Part A+Part B)= Rs. 22,81,728.60 (Rupees Twenty two lakhs eighty one thousand seven hundred twenty eight and paisa sixty Only)

Tenderer to fill up the following [score out which is not applicable]

orice not to be quoted here		
(a)	%	
(in figures)	Below par (-) Rs.	
(in words)	Percent	
(b)	NIL	At par
(c)%	NIL	
(in figures)	Above par (+) Rs.	
	` /	
Total Tendered Amount: Rs.		
Total tendered amount (in words		
[The prices quoted shall be including all shall be paid extra]	statutory levies excluding GST,	which
Maximum number of workmen likely to be	engaged in days worknumbers	
Permanent Income Tax A/C. No		
Date:		
Signature of Tenderer)		
[Total amount of tender, completion time ar above are to be carried over to Form of Ten		nted
Witness: -		

(Name in block letters) Address:

Occupation:

THE BOARD OF TRUSTEES FOR THE PORT OF KOLKATA FORM OF TENDER

To The Chief Engineer, Syama Prasad Mookerjee Port, Kolkata. I/We having examined the site of work, inspected the Drawings and read the specifications, General & Special Conditions of Contract and Conditions of the Tender, hereby tender and undertake to execute and complete all the works required to be performed in accordance with the Specification, Bill of Quantities, General & Special Conditions of Contract and Drawings prepared by or on behalf of the Trustees and at the rates & prices set out in the annexed Bill of Quantities within 10(Ten) Months from the date of order to commence the work and in the event of our tender being accepted in full or in part. I / We also undertake to enter into a Contract Agreement in the form hereto annexed with such alterations or additions thereto which may be necessary to give effect to the acceptance of the Tender and incorporating such Specification, Bill of Quantities, Drawing and Special & General Conditions of Contract and I / We hereby agree that until such Contract Agreement is executed the said Specification, Bill of Quantities, Conditions of Contract and the Tender, together with the acceptance thereof in writing by or on behalf of the Trustees shall be the Contract. THE TOTAL AMOUNT OF TENDER Rs. Not to mention here (Repeat in words) Not to mention here days / months preliminary time to arrange and procure the materials I / We require required by the work from the date of acceptance of tender before I We could commence the work. I / We have deposited with the Trustees' Manager (Finance), SMPK, vide Receipt No. $\begin{tabular}{l|l} \hline & of & & as Earnest Money. \\ \hline I/We agree that the period for which the tender shall remain open for acceptance shall not be less \\ \hline \end{tabular}$ than four months. Dated: (Signature of Bidder with Seal) Name of the Bidder: -Address: -



KOLKATAPORTTRUSTKOLKA

TADOCKSYSTEM

CIVILENGINEERING DEPARTMENT

15, STRANDROAD, KOLKATA-700001

GENERALCONDITIONSOFCONTRACT

FORMSANDAGREEMENTS

SANCTIONEDBYTRUSTEESUNDERRESOLUTION NO.92 OF THE6THMEETINGHELDON27THMAY,1993.

(CopyofBookletPublishedonMay,1993)

TABLEOFCONTENTS

- A. INDEXTOGENERAL CONDITIONS OF (SONTRACT
- B. FORMOFTENDER
- C. FORMOFAGREEMENT
- D. FORMGC1,GC2,GC3
- E. PERFORMANCEBOND
- F. INTEGRITYPACT

GENERALCONDITIONSOFCONTRACT

INDEX

CLAUSE

- 1. DEFINITIONS.
- 2. DUTIES7POWERSOFENGINEER&ENGINEERS'REPRESENTATIVE.
- 3. THETENDER/OFFERANDITSPRE-REQUISITES.
- 4. THE CONTRACT & GENERAL OBLIGATION OF CONTRACTOR.

5 COMMENCE MENT, EXECUTION AND COMPLETION OF WORK.

- 6. TERMSOFPAYMENT.
- 7. VARIATIONANDITSVALUATION.
- 8. DELAY/EXTENSIONOFCOMPLETIONTIME/LIQUIDATEDDAMAGE/TERMINATIONOFCONT RACT.
- 9. MAINTENANCEANDREFUNDOFSECURITYDEPOSIT.
- 10. INTERPRETATIONOFCONTRACTDOCUMENTS, DISPUTES& ARBITRATION.

1. DEFINITIONS

- 1.0. Inthecontract, asher-inafterdefined, the following words and expressions shall have the meaning herein assigned to them, except where the context otherwise required.
- 1.1. "Employer" or "Board" or "Trustees" means the Board of Trustees for the Port of Kolkata, a body c9orporate under Section 3 of the Major Port Trust Act,1963,includingtheirsuccessors,representatives and assigns.
- 1.2. "Chairman" meansthe Chairman of the Board and includes the person appointed to act in his place under Sections 14 and 14A of the Major Port Trusts Act, 1963.
- 1.3. "Contractor" meansthepersonorpersons; Firmor Company whose tender /offerhas been accepted by the Trustees and includes the Contractor's representative's heirs, successor and assigns, if any permitted by the Board /Chairman.
- 1.4. "Engineer" means the Board's official who has invited the tender on its behalfandincludes the Chief Engineer, the Chief Mechanical Engineer, the SeniorExecutive Engineer the Chief Hydraulic Engineer, the Deputy Chief Engineer, theDeputy Chief Mechanical Engineer, the Senior Resident Engineer, The Manager(Infrastructure & Civic Facilities), the Manager (Plant & Equipment) the DeputyManager (Infrastructure & Civic Facilities) and the Deputy Manager (Plant & Equipment), or other official as may be appointed from time to time by the employer, with written notification to the Contractor, to act as Engineer for the purpose of the contract, in place of the "Engineer's odesignated.
- 1.5. **"Engineer's Representative"** means any subordinate Engineer or Assistant totheEngineeroranyotherofficialappointedfromtimetotimebytheEngineertoperformthedut iessetforthinClauses 2.4 to 2.6 hereof.
- 1.6. **"Work"** means the Work to be executed in accordance with the Contract andincludesauthorized "ExtraWorks" and "ExcessWorks" and Temporary Works.
- 1.7. "TemporaryWorks" meansalltemporaryworksofeverykindrequiredinor the about execution, completion maintenance of the works or and includes(withouttherebylimitingtheforegoingdefinitions)alltemporaryerections,scaffoldin g, ladders, timbering, soaking vats, site offices, cement and other godowns, platforms for stacking building materials. gantries, temporarytracksandroads, temporaryculvertsandmixingplatforms.
- 1.8. "Extra Works" means those works required by the Engineer for completion of the Contract which were not specifically and separately included in the schedule of items of works (i.e., Bills of Quantities) of the tender. "Excess Works" means the required quantities of work in excess of the provision made against any item of the Billof Quantities.
- 1.9. **"Specifications"** meanstherelevantandappropriateBureauofIndianStandard's Specifications (latest revisions) for materials and workmanship unlessstatedotherwiseintheTender.

- 1.10. "Drawings" meansthedrawingsreferredtointhe Tenderandspecification and any modification of such drawings approved in writing by the Engineer and such other drawings as may from time to time be furnished or approved in writing by the Engineer.
- 1.11. "Contract" means and includes the General and Special Conditions of Contract, Specifications, Drawings, priced Bill of Quantities, the Tender/Offer, the letter of acceptance of the Tender/Offer, the Contract Agreement if separately entered into and the Schedule of Rates and Price, if any, adopted by the Trustees at their discretion.
- 1.12. "Constructional Plant" means all appliances or things of whatsoevernature required in or about the execution, completion or maintenance of theworks or temporary works and includes (without thereby limiting the foregoing definition) all machinery and tools but does not include materials or other thingsintended to form of the permanent work.
- 1.13. **"Site"** means the land and other places, on, under, in or through whichthe works are to be executed or carried out and any other lands or placesprovidedbytheTrusteesforthepurposeoftheContract.
- 1.14. **"Contract Price"** means the sum named in the letter of acceptance of the Tender/ Offer of the Contractor, subject to such additions thereto and deduction there from as may be made by the Engineer under the provisions here-in-after contained.
- 1.15. "Month"meansEnglishCalendarMonth.
- 1.16. "Excepted risks" are riot in so far as it is uninsurable, war, invasion, actof foreign enemies, hostilities (whether war be declared or not) Civil War,rebellion,revolution,insurrectionormilitaryorusurpedpoweroruseoroccupation by the Trustees of any portion of the works in respect of which acertificate of completion has been issued (all of which are herein collectivelyreferredtoastheexceptedrisks).
- 1.17. Wordimportingthe**singular**only,alsoincludesthe**plural**andvice-versawherethecontextsorequired.
- 1.18. The **headingsand marginal notes**in these General Conditions of Contractshall not be deemed to be part thereofor betaken into consideration in the interpretation nor construction thereofor of the contract.
- 1.19. Unless otherwise stipulated the word "Cost" shall be deemed to includeoverheadcostsofthecontractor, whether one offthesite.

2. DUTIES&POWERSOFENGINEER&ENGINEER'SREPRESENTATIVE

2.1. The Contractor shall execute, complete and maintain the works in terms of the contract to the entire satisfaction of the Engineer and shall comply with the Engineer's direction on any matter what so ever.

- 2.2. The Contractorshall take instructions from the Engineer and subject to limitation of Clause 2.5 he rein, from the Engineer's Representative.
- 2.3. The Engineershall have full power and authority
 - (a) to supply to the contractor from time to time during the progress of theworks such further drawings and instructions as shall be necessary for thepurpose of proper and adequate execution and maintenance of the worksandthecontractorshallcarryoutandbeboundbythesame.
 - (b) to alter or modify the specification of any material and workmanship and toinspecttheworkatanytime.
 - (c) to order for any variation, alternation and modification of the work and forextraworks.
 - (d) toissuecertificatesaspercontract.
 - (e) to settle the claims & disputes of the Contractor and Trustees, as the firstreferee.
 - (f) tograntextensionofcompletiontime.
 - 2.4. The Engineer's representative shall:
 - (a) watchandsupervisetheworks.
 - (b) test and examine any material to be used or workmanship employed inconnectionwiththework.
 - (c) havepowertodisapproveandmaterialandworkmanshipnotinaccordancewith the contract and the contractor shall comply with his direction in this regard.
 - (d) take measurements of work done by the contractor for the purpose ofpaymentorotherwise.
 - (e) order demolition of defectively done work for its reconstruction all by the Contactorathisown expense.
 - (f) have powers to issue alteration order not implying modification design and extension of completion time of the work and
 - (g) have such other powers and authorities vested in the Engineer, which havebeen delegated to him in writing by the Engineer under intimation to the Contractor.
- 2.5. ProvidedalwaysthattheEngineer'sRepresentativeshallhavenopower:
 - (a) toorderanyworkinvolvingdelayoranyextrapaymentbytheTrustees,
 - (b) tomakevariationoforintheworksand
 - (c) torelievetheContractorofanyofhisdutiesorobligationsundertheContract.

2.6. Providedalsoasfollows:

- (a) Failure of Engineer's Representative to disapprove any work or materials shall not prejudice the power of the Engineer thereafter to disapprove suchwork or materials and to order the pulling down, removal, breaking-upthereof and reconstruction at the contractor's cost and the contractor shallhavenoclaimtocompensationforthelosssustainedbyhim.
- (b) If the contractor shall be dissatisfied by reason of any decision of the Engineer's Representative, he shall be entitled to refer the matter to the Engineer who shall the reupon confirm, reverse or vary such decision.
- (c) AnywritteninstructionsorwrittenapprovalgivenbytheEngineer'sRepresentative to the contractor, within the terms of delegation of powerand authority vested in Engineer to his Representative in writing shall bindthecontractorandtheTrusteesasthoughithadbeengivenbytheEngineer,whomayfro mtimetotimemakesuchdelegation.Contractorandthe Trustees as though it had been given by the Engineer, who may fromtimetotime,makesuchdelegation.

3. THETENDER/OFFERANDITSPRE-REQUISITES

- 3.1. The Contractor shall, before making out and submitting his tender / offer bedeemed to have inspected and examined the site, fully consider all factors, risksand contingencies, which will have direct and in direct impact on his expensesand profit from the work and shall be specifically deemed to have taken thefollowing aspects into consideration:
 - (a) The form and nature of the site and its surroundings including their subsurface, hydrological, tidal and climate conditions, the means of access to the site and all other local conditions including the likely charges and costsfortemporaryway-leave, if any, required for the work.
 - (b) Thedrawings, specifications, the nature and extent of work to be executed and the quality, quantity and availability of the required materials and labour for the work and the need to execute the work to the entiresatisfaction of the Engineer, and also by complying with the General and Special Conditions of Contract.
 - (c) Theaccommodationrequiredfortheworkmenandsiteoffice, mobilization /demobilizationandstorageofallplant, equipment and Construction materials.
 - (d) Thesourcesandmeansofprocurementofwaterfordrinking, washing and execution of work, and source and availability of electrical power, all of Contractor's cost.
 - (e) Payment of taxes and duties and compliance of all applicable statues, ordinances and law together with the rules made there under, the rules, regulations and bye-laws of public bodies or any local or other authority bythe Contractor, keeping the Trustees indemnified against penalties and liabilities of every kindarising from the Contractor's failure in such compliance.

- (f) PaymentofallkindsofstampdutyforexactingtheagreementorforanylegalinstrumentincludingBankGuaranteesandI ndemnityBonds.
- 3.2. The Contractor's tender shall be in ink on the Tender Forms supplied by the Trustees, unless stipulated otherwise in the Notice-Inviting the Tender and shall be faultless in figures and free from erasing. Corrections, if any, shall only bemadebyscoringout and initialing of the revised figure.
- 3.3. If required by the Engineer or the Trustees, the Contractors in their tender orsubsequently, shall disclose the names of their owners/partners/Share Holders at the required points of time. The failure in this regards hall be treated as a breach and a contract, if entered into, shall be liable to be cancelled.

3.4.

(a) Unless otherwise stipulated in the Notice Inviting the Tender/Offer, everytendermustbesubmittedwithEarnestMoneyoftheamountcalculatedasperthefollow ingscale.

EstimatedValue	AmountofEarnestMoney		
	Forworkscontract.	Forcontractofsupplyingmateri	
		alsofequipmentonly	
Up	5%ofthe	1%oftheestimatedvalueofwork	
toRs.1,00,000/-	estimatedvalueofwork		
Over	2%of theestimatedvalue	1/2% of the estimated	
Rs.1,00,000/-	of work subject to a	valueofworksubjecttoa	
	maximumof Rs.20,000/-	maximumof Ts. 10,000/-	
	andminimumof	and minimum of Rs.	
	Rs.5,000/-	1,000/-	

- (b) Earnest Money shall be deposited with Trustees' treasurer in cash or byBanker's Cheque of any Kolkata Branch of a Nationalized Bank of India drawnin favour of Kolkata Port Trust or in the form of an "Kolkata Port Trust" andpayable at Kolkata / Haldia Holding as the case may be and the receiptgrantedthereforbekeptattachedtotheTender/offerintheSealedCover.
- (c) Earnest Money of un-accepted tender shall be refunded without any interestthrough A/c. Payee Chequedra wnon a Nationalized Bankof Kolkata/Haldia.
- (d) The enlisted (registered) Contractors of the Trustees, who have depositedfixed Security with the Trustees FA & CAO / Manager (Finance) according tohis Class of Registration, shall be exempt from depositing the Earnest Money, asperthefollowing scale:

Class		Amount	of	Finan	ciallimito	feachten	der		
	of		FixedSecur						
Registration	1	ity							
A		Rs.10,000/-		Any	tender	priced	up	to	Rs.
В		Rs.5,000/-		2,00,0	000/-				
C		Rs.2.500/-		Any	tender	price	ed	up	to
				Rs.1,	00,000/-				
				Anyte	enderprice	duptoRs.	50,00	00/-	

- (e) (i)Tender submitted without requisite Earnest Money may be liable torejection.
 - (ii) If before expiry of the validity period of his Tender / offer, the tenderamendshisquotedratesortender/offermakingthemunacceptable totheTrusteesand/orwithdrawshistender/offer,theEarnestMoneydepo sitedshallbeliabletoforfeitureoftheoptionoftheTrustees.
- (f) The Earnest Money of accepted Tender / offer shall be retained by the Trustees as part of the Security Deposit, for which a separate TreasuryReceipt shall be issued to the Contractor after cancellation of the previousReceiptofEarnestMoney.
- (g) Balance security for works contract shall be recovered by deduction from all progressive Bill (including final Bill, if necessary) @ 10% of the gross value of workineach such bill, so that the total recovery may not exceed the quantum computed as per the under noted percentages of the total value of work actually done up to the stage of completion.

ValueofWork	%ofSecurityDepositforvorkscontract	%ofSecurityDepositforContracto fsupplyingmaterialsandequipme nts only		
Forworksupto	10%(Tenpercent)	1%(Onepercent)		
Rs.10,00,000/-	100/	10/ 7 100000		
Forworks costing	10% on first Rs	. 1% on first Rs.10,0,000/-		
more than	10,00,000/-+7½%	+1/2%onthebalance		
Rs.10,00,000/-and	onthebalance			
up to				
Rs.20,00,000/-				
Forworks costing	10% on first Rs	. 1% on first Rs.10,0,000/-		
more than	10,00,000/-	+1/2% on next		
Rs.20,00,000/-	$7\frac{1}{2}$ % on nex	Rs.10,00,000/-+ 1/4% on		
	Rs.10,00,000/-	thebalance		
	5%onthebalance			

- (h) BalanceSecurityforContractofsupplyingmaterialsandequipmentcomputed in terms of the percentages given above, shall have to be deposited with thetrustees'Treasurerinadvanceandwithin30daysfromthedateofplacementofsupplyorde r,eitherincashorbyA/c.PayeeDraftofaNationalizedBankofIndiadrawninfavourofKolkat aPortTrustandpayableatKolkata/Haldia,asthecasemaybe.
- (i) No interest shall be paid by the trustees to the Tenderer / Contractor on theamount of Earnest Money / Security Deposit held by the Trustees, at anystage.

3.5.

- (i) The Security Deposits hall be refunded to the Contractor in terms of Clause
 - 9.3 hereinafter and subject to deduction, if any, under the provision of Sub-

Clause 3.5(ii) herein below. If, however, the contract provides for anymainte nance period, 50% of the Security Deposit may be refunded against any of the Treasury Receipt for that amount on expiry of half of the

maintenance period and the balance deposit on the said maintenance periodandaftertheEngineerhascertifiedthefinalcompletionofworkinform G.C.2andtheContractorhassubmittedhis"NoClaim"CertificateinformG. C.3.

- (ii) The Security Deposit/Earnest Money may be liable to forfeiture at the optionoftheTrustees,iftheContractorfailstocarryouttheworkortoperform/observeanyoft heconditionsofthecontract.TheTrusteesshallalsobe at liberty to deduct any of their dues from the Security Deposit, fixedSecurity, Earnest Money or from any sum due or to become due to theContractorunderanyothercontract.
- 3.6. If stipulated in the contract as a Special Condition, the Contractor shall have tosubmit to performance Bond in the irrevocableguaranteefromKolkata/HaldiaBranch,asthecasemaybe,ofanyNationalizedBan k of India in the proforma annexed hereto and for the sum and period asmentioned in the letter of acceptance of the Tender/Offer, within 15 days from he date of such letter, failing which the contract shall be liable to be terminated and the Earnest Money are liable to forfeiture; all at discretion of the Engineer. The cost of obtaining this or any other Bank Guarantee and/or the revalidationthereof, wherever required, has to be borne by the Contractor and it shall be hissole responsibility to arrange for timely revalidation guarantee, failing which and for nonof bank fulfillmentofanycontractualobligationbytheContractor, the Engineer and/or the Trustees shall be at liberty to raise claimagainsttheGuaranteeand/orenforcethesameunilaterally.
- 3.7. Every Tenderer / bidder shall submit in respect of a tender value of more than Rs. 5 crores, along with their tender comprising Special Conditions of Contract, General BOO, Contract, Earnest Money, etc., called IntegrityPactAgreement duly signed by their authorized representative. The proformant of tof the Integrity Pact Agreement shall as specified in the G.C.C. In caseof tender value more than Rs. 5 crores, the Integrity Pact Agreement is an essential part and parcel of the bid document to be submitted by each tenderer, without which the tenders hall not be considered.

4. THECONTRACT&GENERALOBLIGATIONSOFCONTRACTOR

- 4.1.
 - (a) Thecontractdocumentsshallbedrawn-upinEnglishlanguage.
 - (b) The contract shall be governed by all relevant Indian Acts as applicableonly within the jurisdiction of the High Court at Kolkata, India, including thefollowingAct:
 - 1. TheIndianContractAct,1872.
 - 2. The Major Port Trust, Act, 1963.
 - 3. The Workmen's Compensation Act, 1923.
 - 4. TheMinimumWagesAct,1948.
 - 5. TheContractLabour(Regulation&Abolition)Act,1970.
 - 6. TheDockWorkers'Act,1948.
 - 7. TheIndianArbitrationAct(1940)(inthecaseofadefinitearbitrationAgreemento nly).
- 4.2. AfteracceptanceofhisTender/OfferandwhencalledupontodosobytheEngineerorhisreprese ntative,theContractorshall,athisownexpense,enter

into and execute a Contract Agreement to be prepared by him in the formannexedhereto. Until such Contract Agreement is executed the other documents referred to in the definition of the term "Contract" here-in-before shall collectively be the Contract.

- 4.3. Several documents forming the contract are to be taken as mutually explanatoryofoneanother. Should there be any discrepancy, ambiguity, omission or error in the various contract documents, the Engineer shall have the power to correct the same and his decisions hall be final and binding on the parties to the Contract.
- 4.4. Two copies of the Drawing referred to in the General and Special Conditions of Contract and in the Bill of Quantities, shall be furnished by the Engineer to the Contractors free of cost for his use on the work, but these shall remain the properly of the Trustees and hence, the Contractor shall return them to the Engineer or his Representative on completion of the work. if not to rormutilated on being regularly used at site.
- 4.5. The Contractor shall prove and make at his own expense any working orprogress drawings required by him or necessary for the proper execution of theworks and shall, when required, furnish copies of the same free of cost to the Engineer for his information and/ or approval, without meaning thereby the shifting of Contractor's responsibility on the engineer in anyway what so ever.
- 4.6. The Contractor shall not directly or indirectly transfer, assign or sublet the Contractor any part thereof without the written permission of the engineer. Even if such permission begranted, the Contractor shall remain responsible (a) for the acts, defaults and neglect of an ysubcontractor, his agents servants or work menasfully as if the sewere the acts, defaults or neglects of the Contractor himselfor his agents, servants or work men, and (b) for his full and entire responsibility of the contract and for active superintendence of the works by him despite being sublet, provided always that the provision of labourers on a "piece rate" basis shall not be deemed to be subletting under this clause.
- 4.7. Unless otherwise specified, the Contractor shall be deemed to have included inhisTender/Offerallhiscostforsupplyingandprovidingallconstructionalplant,temporary work, materials both for temporary and permanent works, labourincluding supervision thereof transporting to and from the site and in and aboutthe work, including loading, unloading, fencing, watching, lighting, payment offees, taxes and duties to the appropriate authorities and other things of everykind required for the construction, erection, completion and maintenance of thework.
- 4.8. The Contractor shall be solely responsible for the adequacy, stability and safetyof all site operations and methods of construction, even if any prior approvalthereto has been taken from the Engineer or his Representative. The Contractorshall not be responsible for the correctness of the design or specification of the Temporary and Permanentworks formulated by the Engineer; but the contractor shall be responsible for the correct implementation thereof for anydesignandspecificationprepared/proposed/usedbytheContractor.
- 4.9. Whenever required by the Engineer or his Representative, the Contractor shallsubmittohimthedetailsofhis(a)programmeforexecutionofthework,(b)

proposed procedure and methods of work, (c) proposed deployment of plant, equipment labour, materials and temporary works. The submission to and/orany approval by the Engineer or his Representative to any such programme orparticulars, shall not relieve the Contractor of any of his obligations under the contract. If for any reason the contractor be unable to adhere to his earlier programme, he shall submit his revised programme for completion of work within the stipulated time whenever asked to do so.

- 4.10. Necessary and adequate supervision shall be provided by the Contractorduring execution of the works and as long thereafter as the Engineer or hisRepresentative shall consider necessary during the maintenance period. TheContractor or his competent and authorised agent or representative shall beconstantlyatsiteandinstructionsgiventohimbytheEngineerorhisRepresentativeinwriting shallbebindingupontheContractorsubjecttolimitation in clause 2.5 hereof. The Contractor shall inform the Engineer or hisRepresentativeinwritingaboutsuchrepresentative/agentofhisatsite.
- 4.11. The Contractor shall employ in execution of the Contract only qualified, careful and experienced persons and the Engineer shall be at liberty to direct the Contractor to stop deployment of any of his staff, workmen or official at site and the Contractor shall within 48 hours comply with such instruction without any demur, whenever the Engineer shall feel that the deployment of the person concerned will not be conducive to the proper and timely completion of the work.
- 4.12. The Contractor shall be responsible for the true and proper setting-out of the works in relation to reference points/lines/levels given by the Engineer inwriting. The checking of any setting-out or of any alignment or level by the Engineer or his Representative shall not in any way relieve the contractor of hisresponsibility for the correctness thereof and he shall fully provide, protect and preserve all stakes, templates, benchmarks, sightrails, pegs, level marks, profile marks and other things used in setting-out the works.
- 4.13. Fromthecommencement of the workstill issue of the completion certificate in Form G.C.1, vide Clause 5.12 hereof, the contractor shall take fullresponsibility for the care thereof. Save for the excepted risks, any damage, lossor injury to the work or any part shall he made good ContractorathisdowncostasperinstructionandtothesatisfactionoftheEngineer,failingwhich the Engineer or his Representative may cause the same to be made goodby any other agency and the expenses incurred and certified by the Engineer, shall be recoverable from the Contractor in whatever manner the Engineer shalldeem proper. This Clause will not apply to that part of the work, which mighthave been taken over by the Trustees on partial completion of the work and insuch case the Contractor's obligation will be repairs replacementformanufacturingorconstructiondefectsduringtheMaintenanceperiod(Guarant ee Period) as per the directions of the Engineer as also for defects/damages if any caused Contractor the work by during such repairs andreplacementinthemaintenanceperiod.
- 4.14. The Contractorshall at his own cost protect, support and take all precautions in regard to the personnel or structure or services or properties belonging to the Trustees or not, which may be interfered with or affected or disturbed or endangered and shall indemnify and keep indemnified the Trustees

against claim for injury, loss or damage caused by the Contractor in connectionwith the execution and maintenance of the work to the aforesaid

properties, structures and services and/orto any person including the Contractor 's workmen. Cost of Insurance Cover, if any, taken by the Contractor shall not be reimbursed by the Trustees, unless otherwise stipulated in the Contract.

- 4.15. The Contractor shall immediately inform the Engineer's Representative ifany fossil, coins, articles of value or antiquity and structures and other remainsor things of geological or archaeological importance be discovered at site whichshall remain the property of the Trustees and protect them from being damagedbyhisworkmenandarrangefordisposalofthemattheTrusteesexpenseaspertheinstru ctionoftheEngineer'sRepresentative.
- 4.16. The Contractor shall be deemed to have indemnified the Trustees againstall claims, demands, actions and proceedings and all costs arising there from onaccount of:
 - (a) Infringement of any patent right, design, trade-mark, or name or otherprotected right, inconnection with the works or temporary work.
 - (b) Payment of all royalties, rent, toll charges, local taxes, other payments or compensation, if any, for getting all materials and equipment required for the work.
 - (c) Unauthorized obstruction or nuisance caused by the Contractor in respectof Public or Private road, railway tracks, footpaths, crane tracks, waterways,quaysandotherpropertiesbelongingtotheTrusteesoranyotherperson.
 - (d) Damage / injury caused to any highway and bridge on account of themovementofContractor'splantsandmaterialsinconnectionwiththework
 - (e) Pollution of waterway and damage caused to river, lock, sea-wall or otherstructurerelatedtowaterway,intransportingcontractor'splantsandmaterials.
 - (f) TheContractor'sdefaultinaffordingallreasonablefacilities and accommodation as perthedirection of the Engineer or his Representative to the workmen of the Trustees and other agencies employed by or with the permission and/or knowledge of the Trustees on or near the site of work.
- 4.17. Debris and materials, if obtained by demolishing any properly, building orstructureintermsoftheContractshallremainthepropertyoftheTrustees.
- 4.18. The Contractor's quoted rates shall be deemed to have been inclusive ofthefollowing:
 - (a) Keeping the site free of unnecessary obstruction and removal from site of constructional plantwreckage, rubbish, surpluse arthortemporary works no longer required.
 - (b) Cleaning and removal from site the entire surplus materials of every kindto leave the site clean and tidy after completion of the work, without whichpaymentagainstfinalbillmaybeliabletobewithheld.
 - (c) Precautionary measures to secure efficient protection of Docks, the RiverHooghly and other waterways against pollution of whatever nature duringexecutionandmaintenanceoftheworks, and to preventrubbish, refuse and

othermaterialsfrombeingthrowninto

thewaterbytheContractor'smen

orthoseofhisagency.

- (d) Makingarrangementsfordeploymentofalllabourersandworkers,localorotherwis e including payment for their wages, transport, accommodation,medicalandallotherstatutorybenefitsandentrypermits,wherevernece ssary.
- (e) Making arrangements in or around the site, as per the requirements of Kolkata Municipal Corporation or other local authority or the Engineer orhis Representative, for preventing(i) spread of any infectious disease likesmallpox,cholera,plagueormalariabytakingeffectiveactions for destruction of rats, mice, vermin, mosquitoesetc. and by maintaining healthy and sanitary condition, (ii) illegal storage and distribution of Drugs, Narcotics, Alcoholic liquor, Arms and Ammunitions, (iii) unlawful, riotous or disorderly conduct of the Contractor's or his Sub-Contractor's workmen,
 - (iv)deploymentofworkmenofage lessthan16years.
- Every direction or notice to be given to the Contractor shall be deemed 4.19. tohavebeendulyservedonorreceivedbytheContractor,ifthesameispostedorsentbyhandtothe addressgiveninthetenderortotheContractor'sSiteOfficeor in case of Trustee's enlisted appearing Contractor address to the as thetrustee's Registerortothe Registered Office of the Contractor. The time mentioned in these conditions for doing after direction notice shall anv act orbereckonedfromthetimeofsuchpostingordispatch.
- 4.20. The Contractor and his sub-contractor or their agents and men and anyfirm supplying plant, materials, and equipment shall not publish or caused to bepublishedanyphotographsordescriptionoftheworkswithoutthepriorauthorityoftheEngin eerinwriting.
- 4.21. The Contractor shall, at the Trustees' cost to be decided by the Engineer, render all reasonable facilities and Co-operation as per direction of the Engineeror his representative to any other Contractor engaged by the Trustees and theirworkmen, to the Trustees' own staff and to the men of other Public Body on ornear the site of work and in default, the contractor shall be liable to the trustees for any delayor expense in curred by reason of such default.
- 4.22. The work has to be carried out by the Contractor causing the minimum ofhindranceforanymaritimetrafficorsurfacetraffic.
- 4.23. All constructional plants, temporary works and materials when brought to the site by the contractor, shall be deemed to be the property of the Trustees who will have a lien on the same until the satisfactory completion of the workand shall only be removed from the site in part or in full with the writtenpermission of the Engineer or his Representative.

5. COMMENCEMENT, EXECUTION AND COMPLETION OF WORK

5.1. The contractor shall commence the work within 7 days of the receipt of Engineer's letter informing acceptance of the Contractor's tender / offer by the Trustees owithin such preliminary time as mentioned by the contractor in the

Form of Tender or the time accepted by the Trustees. The contractor shall thenproceed with the work with due expedition and without delay, except as may be expressly sanctioned or ordered by the Engineer or his Representatives,

time being deemed the essence of the contract on the part of the Contractor.

- 5.2. The Contractor shall provide and maintain a suitable office at or near the site, towhich the Engineer's Representative may send communications and instructions for use of the Contractor.
- 5.3. Unlessspecified otherwise in the contractor prior permission of the Engineer has been taken, contractor shall not execute work beyond working the hoursobservedbytheEngineer'sRepresentativeandonSundaysandHolidaysobserved in the trustees system, except in so far as it becomes essential onaccount of tidal work or for safety of the work. If the progress of the work lagsbehind schedule or the work has been endangered by any act or neglect on thepart of the contractor, then the Engineer or his Representative shall order andthe contractor at his own expense shall work by day and night on Sundays and Public Holidays. Any failure of the Engineer or his Representative to passsuch order shall not relieve the contractor from his obligations. The Engineer's decision in this regards hall be final, binding and conclusive.
- 5.4. Unless stipulated otherwise in the contract, all materials required for the workshall be procured and supplied by the contractor with the approval of the Engineer or his Representative and subject to subsequent testing as may be required by the Engineer or his Representative. The engineer shall exercise hissolediscretion to acceptany such materials.
- 5.5. Unless stipulated otherwise, in the contract, all materials, workmanship methodofmeasurementshallbeinaccordancewiththerelevantCodes(LatestRevision)oftheB ureauofIndianStandardsandthewritteninstructionsoftheEngineerorhis Representative. Where no specific reference is available in the contract, thematerials and workmanship shall be of the best of their respective kinds to thesatisfactionoftheEngineer.
- 5.6. Samples shall be prepared and submitted for approval of the Engineer or hisRepresentative, whenever required to do so, all at the contractor's cost.
- 5.7. Unless stipulated otherwise in the contract, the cost of any test required by the Engineer or his representative in respect of materials and work manship deployed on the work shall be borne by the contractor.
- 5.8. Regarding the supply of any materials by the Trustees to the contractor inaccordancewiththecontract, the following conditions shall apply:
 - (a) The contractor shall, at his own expense, arrange for transporting thematerials from the Trustees' Stores, watching, storing and keeping them inhis safe custody, furnishing of statement of consumption thereof in themannerrequiredbytheEngineerorhisrepresentative,returnofsurplusandempty container to the Trustees' Stores as per the direction of the EngineerorhisRepresentative.
 - (b) BeingthecustodianoftheTrustees'materials,thecontractorshallremainsolely responsible for any such materials issued to him and for any loss ordamagethereofforanyreasonotherthan"ExceptedRisks",thecontractor

shall compensate the Trustees' in the manner decided by the Engineer andshallatnostageremoveorcausetoberemovedanysuchmaterial from the esite without his permission.

- (c) The Trustees' materials will generally be supplied in stages and in accordance with the rate of progress of work, but, except for grant of suitable extension of completion time of work as decided by the Engineer, the contractor shall not be entitled to any other compensation, monetary or otherwise, for any delay in the supply of Trustees' materials to him. The Contractor shall, however communicate his requirement of such materials to the Engineer from time to time.
- (d) Unlessstipulatedotherwiseinthecontract, the value of the Trustees' materials is sued to the contactor shall be recovered from the Contractor's bills and/any of his other dues. Progressively according to the consumption thereof on the work and/or in the manner decided by the Engineer or his Representative and at the rate/stipulated in the contract. These rates shall only be considered by the contractor in the preparation of histender/offer and the sewill form the basis of escalation/variation, if in future the contractor is required to procure and provide any such material on the written or derof the Engineer consequent on the Trustees' failure to

affecttimelysupplythereof.

- (e) If the Engineer decides that due to the contractor's negligence, and of the Trustees'm aterials is sued to the contractor has been—(i) last or damaged,
 - (ii) consumed in excess of requirement, and (iii) wasted by the contractor inexcess of normal wastage, then the value thereof shall be recovered from the contractor's bills or from any of his other dues, after adding 19.25% extraoverthehigherone of the following:
 - 1. TheissuerateofthematerialsattheTrustees'Stores,and
 - 2. The market price of the material on the date of issue as would be determined by the Engineer.
- 5.9. The Engineer or his Representative shall have the power to inspect any materialand work at any time and to order at any time - (i) for removal from the site ofanymaterial which in his opinion is not in accordance with the contract or theinstruction of the Engineer or his Representative, (ii) for the substitution of theproperandsuitablematerials, or (iii) theremoval and properre-execution of anywork, which of material and workmanship is not in withthecontractortheinstructionsoftheEngineer.Thecontractorshallcomplywithsuch order at his own expense- and within the time specified in the order. If the contractorfalls to comply, the Engineer shall be at liberty to dispose and such materials and re-do any work in the manner convenient to the Trustees byengaging any outside agency at the risk and expense of the contractor and aftergivinghimawrittenpriornoticeof7days.
- Now ork shall be covered up and put out of view by the contractor without approval of the European Contractor with the European Contracto5.10. ngineerorhisRepresentativeandwheneverrequiredbyhimthecontractor shall uncover any part parts work make openings orthroughthesameasmaybedirectedbytheEngineerorhisRepresentativefromtime to time reinstate make good those part affected to the satisfaction of the Engineer, all at the cost of the contractor. The Trustees shall reim a few for the contractor of the trustees shall reim a few for the contractor of the cbursesuchcostasdeterminedbytheEngineer,iftheinitialcoveringupwaswithpriorwrittenorde roftheEngineerorhisRepresentative.

5.11. On a written order of the Engineer or his Representative the contractorshalldelayorsuspendtheprogressoftheworktillsuchtimethewrittenordertoresume the execution is received by him. During such suspension the contractorshall protect and secure the work to the satisfaction of the Engineer or hisRepresentative.AllextraexpensesingivingeffecttosuchordershallbeconsideredbytheTru stees,unlesssuchsuspensionis

Otherwiseprovideforinthecontract, or

- 1. NecessarybyreasonofsomedefaultonthepartoftheContractor,or
- 2. Necessarybyreasonofclimaticconditionsonthesite, or
- 3. Necessary for proper execution of the works or for the safety of theworks or anypartthereof. The Engineer shall settle and determine such extra payment and / or Extension of completion time to be allowed to the contractor, as shall, in the opinion of the Engineer, befair and reasonable.

If at any time before or after commencement of the work the Trustees do notrequirethewholeoftheworktenderedfor, the Engineershall notify the same othecontractor inwriting and the contractor shall stop further works in compliance of the same. The Contractor shall not be entitled to any claim for compensation for underived profit or for such premature stoppage of work or on account of curtailment of the originally intended work by reason of alteration made by the Engineer in the original specifications, drawings, designs and instruction.

When the whole of the work has been completed to the satisfaction of the Engineer5.12. has passed any final test prescribed in the contract, the contractorshall, within 21 days of submission of his application to the Engineer be entitledto receive from him a certificate completion of work in annexedhereto. Ifanypartofthetotalworkhaving been completed to the satisfaction of the Engineer, be takeover and / or used by the Trustees the Contractor shall onapplication be entitled to partial completion certificate in the Form of G.C.1indicating the portion of work covered by that the Contractor's it. SO liability during maintenance period of the contract, if any, shall commence from the date mention ed in such certificate so far as the completed portion of the work isconcerned.

6. TERMSOF :

- 6.1. No Sum shall be considered as earned by or due to the Contractor in respect of the work till final and satisfactory completion thereof and until a certificate offinal completion in Form G.C.2 has been given by the Engineer. On account payments, if any, made prior to issue of the certificate in FormG.C.2,shallallbetreated as mere advances, which shall stand recoverable in full or in part, if the Engineers odecides in the context of Contractor's unfulfilled contract condition, if any.
- 6.2. All payments shall be made to the Contractor on the basis of measurement ofactual work done, as recorded in the Trustees' measurement books and ataccepted tendered or at agreed rates, as the case may be except as otherwiseprovided in the contract and when the Engineer decided any other rate forchangeinthescopeofworkoromission,ifany,onthepartoftheContractor.

- 6.3. ForworkofsanctionedtendervaluemorethanRs.50,000/-orhavinganinitiallystipulated completion period of 4 months or more, on account payments may be made at the discretion of the Engineer or his Representative at intervals deemed suitable and justified by him. Provided always that, subject to execution of work of substantial value in the context of the contract price, the interval of such on account payments shall be decided by the Engineer or his Representative, which shall ordinarily not be less than 1 month in between two payments for on account billand/or advance.
- 6.4. Measurement for works done shall be progressively taken Engineer's Representative and entered in the Trustees' Measurement Book, at intervalsdeemed suitable and proper by him and / or the Engineer. The Contractor or hisduly accredited Representative or Agent shall remain present at the time of suchmeasurementandassisttheEngineer'sRepresentativeineverymannerrequiredby After measurements taken have been entered MeasurementBook,theContractororhisAgentshallsigntheMeasurementBookattheendofsu ch Measurements over the Contractor's Rubber Stampas at a ken of acceptance of all such measurements over the Contractor's Rubber Stampas at a ken of acceptance of all such measurements over the Contractor's Rubber Stampas at a ken of acceptance of all such measurements over the Contractor's Rubber Stampas at a ken of acceptance of all such measurements over the Contractor's Rubber Stampas at a ken of acceptance of all such measurements over the Contractor's Rubber Stampas at a ken of acceptance of all such measurements over the Contractor's Rubber Stampas at a ken of acceptance of all such measurements over the Contractor's Rubber Stampas at a ken of acceptance of all such measurements over the Contractor's Rubber Stampas at a ken of acceptance of a ken oements,recordedaboveandpriortosuchsignature. If the Contractor or his Agent fails to participate even other 3 dayswritten notice from the Engineer's Representative the measurement shall betaken ex-part by the Engineer's representative and those shall be accepted bytheContractor.
- 6.5. BasedonthequantumofworkandthevaluethereofcomputedintheMeasurementBook,theCon tractorshalltypeouthisbillintheproformaapprovedbytheEngineerandsubmitthesametotheE ngineer'sRepresentativein quadruplicate, duly signed by him or his accredited Agent over his RubberStamp. The Engineer or his Representative may, in his absolute discretion, allowadvance payment against such bill to the extent of an amount not exceeding75% of the "net payable' sum of the said bill, subject to adjustment thereofagainst the bill at the time of checking and auditing the bill at the Trustees end.,The measurement Book will not be handed over to the Contractor; but he willobtaintheabstractsofquantities,amountandrecoveriestotypeoutthebill.
- 6.6. At the discretion of the Engineer or his Representative and only in respect ofaccepted offers/ where estimated amount put to tender would be Rs. 2,00,000/-or more, advance payment may be made to the extent of 75% of the value of any material purchased and brought to the site by the Contractor. Providedalwaysthat:

i.

The materials shall, in the opinion of the Engineer or his Representative, be of imperishable nature.

- ii. ThevalueofsuchmaterialsshallbeassessedbytheEngineerorhisRepresentative,atthei rowndiscretion.
- iii. Aformalagreementhasbeendrawnupwiththecontractor, underwhichthe Trusteessec urealien on the contractor's materials.

- iv. The materials are safe-guarded by the contractor against losses, shortageandmisuseduetothecontractorpostponingtheexecutionoftheworkorotherwise.
- V. In the event of shortage of such materials within the Trustees' protectedareas in the Docks, the contractor shall submit an indemnity Bond in theproforma and manner acceptable to Trustee' whereby the contractor shallindemnify the Trustees' against all financial loss/ damage, on account ofloss/damagetosuchmaterialsforwhateverreasons.
- vi. In the event of storage of such materials outside the Trustees' protectedareas the Contractor shall submit to the Engineer BankGuaranteefavoringtheTrusteesandforthesamesumasisbeingadvance, in the proforma and manner acceptable to the Trustees. TheGuarantee shall be of a Kolkata / Haldia Branch of any Nationalized Bankor a Scheduled Commercial bank, as the case may be, acceptable to the Trustees and shall remain valid till the anticipated period consumption of such materials in the work. The Bank Guaranteem us the aran under taking the such properties of the prog by the issuing Bank guaranteeing automatic payment of theguaranteed sum to the Trustees by the Bank on the date of expiry of thevalidity of the Guarantee, unless with the prior written approval of the Engineer on behalf of the Trustees, the Bank has extended the validity oftheGuarantee.
- vii. The amount of advance shall be recoverable from the contractor's bills orany dues, progressively with the consumption of the materials onthebasis of quantity consumed. Consequent on full recovery of the advance the / Indemnity Bond Bank Guarantee, vide sub-clause & (vi)above, shall be returned to the Contractor duly discharged by the Engineer on behalf o ftheTrustees.
- 6.7. No Certificate of the Engineer or his Representative shall protect the Contractoragainst or prevent the Trustees from obtaining repayment from the Contractor,incasetheEngineerorhisRepresentativeshouldovercertifyforpaymentortheTrus teesshouldover-paytheContractoronanyaccount.
- 6.8. No claim for interest shall be admissible to the Contractor at any stage and inrespect of any money or balance or Bank Guarantee, which may be due to the Contractor from the Trustees, owing to dispute or otherwise or for any delay onthe part of the Trustees in making interimor final payment or otherwise.

7. VARIATIONANDITSVALUATION:

- 7.1. The Quantities set out in the Bill of Quantities of the tender shall be treated assestimated quantities of the work and shall never be deemed as actual or correct quantities of the works to be executed by the contractor in fulfillment of hisobligation under the contract.
- 7.2. The Engineershall have the power to order the Contractor inwriting to make any variation of the Quantity, quantity or form of the works or any part thereof that may, in his opinion, be necessary and the Contractor upon receipt of such an order shall act as follows:

- a) Increase or decrease the quantity of anywork included in the contract.
- b) Omitanyworkincludedinthecontract.
- c) ChangetheCharacterorqualityorkindofanyworkincludedinthecontract.
- d) Changethelevels, lines, position and dimensions of any part of the work, and
- e) Executeextraandadditionalworkofanykindnecessaryforcompletionoftheworks.
- 7.3. No such variation shall in any way vitiate or invalidate the contract or be treated as revocation of the contract, but the value (if any) of all such variations evaluated in accordance with the Engineer's sole decision shall be taken into account and the contract price shall be varied accordingly.
- 7.4. Provided always that written order of the Engineer shall not be required forincreaseordecreaseinthequantityofanyworkupto 15% where such increase or decrease is not the result of any variation order given under this clause but is the result of the quantities exceeding or being less than those stated in the billof quantities. Provided also that verbal order of variation from the Engineer shall be complied with by the Contractor and the Engineer's subsequent written confirmation of such verbal order shall be deemed to be an order in writing within the meaning of this clause.
- 7.5. a)The Contractor shall not be entitled to any claim of extra or additional workunlesstheyhavebeencarriedoutunderthewrittenordersoftheEngineer.
 - b) The Engineer shall solely determine the amount (if any) to be added to ordeducted from the sum named in the tender in respect of any extra workdoneorworkomittedbyhisorder.
 - c) All extra, additional or substituted work done or work omitted by order of the Engineer shall be valued on the basis of the rates and prices set out in the contract, if in the opinion of the Engineer, the same shall be applicable. If the contract does not contain any rates or prices directly applicable to the extraadditional or substituted work, then the Engineer may decided the suitable rates on the basis of Schedule of Rates (including surcharge in force at the time of acceptance of tender), if any, adopted by the Trustees with due regard to the accepted contractual percentage, if any thereon.

 In all other cases the Engineer shall solely determine suitable rates in the manner deemed by him as fair and reasonable, and his decision shall be final, binding and conclusive.
 - d) If the nature or amount of any omission or addition relative to the nature oramount of the whole of the contract work or to any part there of shall be such that, in opinion Engineer, of the the rate of prices contained in the contract for any item of the works or the rate as evaluated under sub-clauses (b) and (c) of this clause, is by reason of such omission or addition renderedunreasonableorin
 - applicabletheEngineershallfixsuchotherrateorpriceashe deems proper and the Engineer's decision shall be final, binding and conclusive.

8. <u>DELAY/EXTENSIONOFCOMPLETIONTIME/LIQUIDATEDDAMAGE/TERMINATIONOFCONTRACT</u>

- 8.1. ShouldthequantumofextraoradditionalworkofanykindordelayedavailabilityoftheTrustees' materialstobesuppliedaspercontractorexceptionallyadverseclimaticconditions and natural p henomenonorstrikes,lockouts, civil commotions or other special circumstances of any kind beyond the control of the Contr actor cause delay in completing the work, the contractor shall apply to the Engineer in writing for suitable extension of completion time within 7 days from the date of occurrence of the reason and the Engineer shall thereupon considerthe stated reasons in the manner deemed necessary and shall either reject theapplication or determine and allow in writing the extension period as he woulddeem proper for completion of the without the of "LiquidatedDamaged" Clause (No. 8.3 hereof) on the Contractor and his decisions hall binding on the contractor. If an extension of completion is grantedbytheEngineer,theclauseNo.8.3oftheLiquidateddamageshallapplyfromitsdate if the not completed within the work be extended unlessstatedotherwiseinthedecisioncommunicationbytheEngineer,asaforesaid.
- 8.2. a) If the Contractor fails to complete the work within the stipulated dates or suchextension thereof as communicated by the Engineer in writing, the contractorshall pay as compensation (Liquidated Damage) to the Trustees and not as apenalty, ½ % (half percent) of the total value of work (contract price) asmentioned in the latter of acceptance of the tender/offer, for every week or partthereof the work remains unfinished. Provided always that the amount of suchcompensationshallnotexceed10%thesaidvalueofwork.
 - b) Without prejudice to any of their legal rights, the Trustees shall have thepowertorecoverthesaidamountofcompensation/damageinSub-Clause(a)ofthis clause, from any money due or likely to become due to the contractor. Thepayment or deduction of such compensation / damage shall not relieve the Contractor from his obligation to complete the work or from any ofhisotherobligations / liabilities under the contract and in case of the Contractor's failureandatthe absolute discreti9on of the Engineer, the work may be ordered to becompleted by some other agency at the risk and expense of the Contractor, after a minimum three days notice in writing has been given to the contractor by the Engineer or his Representative.
- 8.3. WithoutbeingliableforanycompensationtotheContractor,theTrusteesmay,in their absolute discretion , terminate the contract due to occurrence of any ofthefollowingreasonsanddecisionoftheTrusteesinthisrespect,ascommunicatedbytheEngi neershallbefinalandconclusive:
 - (i) The Contractor has a bandoned the contract.
 - (ii) IntheopinionoftheEngineer,eithertheperformanceoftheContractorisnot satisfactory or the work is not getting completed within the agreedperiodonaccountofContractor'slapses.

- (iii) The Contractor has failed to commence the work or has without any law ful excuse under these conditions, has kept the work suspended despitereceiving the Engineer's or his Representative's written notice to proceed with the work.
- (iv) The Contractor has failed to remove materials from site after receivingfromtheEngineerorhisRepresentativethewrittennoticestatingthatthesaid materialsorworkarerejectedbyhim.
- (v) The Contractor is not executing the work in accordance with the contractor is persistently or flagrantly neglecting to carry out his obligations underthecontract.
- (vi) Any bribe, commission, gift or advantage is given, promised or offered byor on behalf of the contractor to any officer, servant or representative of the Trustees or to any person on his or their behalf in relation to the obtaining or to the execution of the contract.
- (vii) The Contractor is adjudged insolvent or enters in to composition with hiscreditors or being a company goes in to liquidation either compulsorily orvoluntarily.
 - 8.3.1 Upon receipt of the letter of termination of work, which may be ssued by the Engineer on behalf of the Trustees, the Contractorshallhandoverallthe Trustees' tools, plantand materials is sued to him at the place to be ascertained from the Engineer, within 7 days of receipt of such letter.
 - 8.3.2 In all such cases of Termination of work, the Trustees shall have the power to complete the Work through any other agency of the Contractor's risk and expense and the Contractor shall be debited any sum or sums that may be expended in completing the work beyond the amount that would have been due to the contractor, had he duly completed the whole of the work in accordance with the contract.
 - Upon termination of contract, the contractor shall be entitled toreceive payment of only 90 % of the value of the actuallydoneormaterialsactuallysuppliedbyhimandsubjecttorecoveries as contracts. provided the work done and materials conform to specifications at the time of taking over by the Trustees. The payment for work shall be based measurementsofactualworkdoneandpricedatapprovedcontractratesorother rates, as decided by the Engineer. The payment for materials supplied the rates decided by the at as whichshallinnocasebemorethanmarketratesprevailingatthetimeoftalking bv the Trustees.The Engineer's decision suchcaseshallbefinal,bindingandconclusive.
 - **8.3.4** The Trustees shall have the power to retain all moneys due to the Contractor until the work is completed by other agency and the Contractor's Liabilities to the Trustees and known in all respect.

9. MAINTENANCEANDREFUNDOFSECURITYDEPOSIT

- 9.1. On completion of execution of the work the contractor shall maintain t6he samefor a period, as may be specified in the form of a Special Condition of the Contract, from the date mentioned in the initial Completion Certificate in the Form G.C.1. Any defect / fault, which appear may aforesaidmaintenanceperiod, arising, in the sole opinion of the Engineer or his Representative, from materials or workmanship not in accordance with the contract or the instruction of Engineer his Representative, or thewrittennoticeofthe Engineer or his Representative, beamended and made good by the Contra ctorathisowncostwithinsevendaysofthedateofsuchnotice, to the satisfaction Engineer or his Representative, failing which the Engineeror his Representative shall have the defects amended and made good throughother agency at the Contractor's risk and all consequentthereonorincidentalthereto, shall be recoverable from the Contractor in manner dee medsuitablebytheEngineer.
- 9.2. The Contract shall not be considered completed and the work shall not betreated as finally accepted by the Trustees, until a final Completion Certificate infrom G.C. 2 annexed hereto shall have been signed and issued by the Engineerto the contractor after all obligations under the Contract including that in themaintenance period, if any, have been fulfilled by the Contractor. Previous entryontheworksortakingpossession,workingorusingthereofbythetrusteesshallnot relive the Contractor of his obligations under the contract for full and finalcompletionofthework.
- 9.3. Oncompletion of the Contractinthemanner aforesaid, the Contractor may apply for the refund of his Security Deposit by submitting to the Engineer (i) The Treasury Receipts granted for the amount of Security held by the Trustees, and (ii) his "No further claim" Certificate in from G.C.3 annexed hereto (in
 - original), where upon the Engineer shall issue Certificate in from G.C.2 and

twomonthsofthe Engineer's recommendation, the Trusteesshall refund the bal ancedue against the Security Deposit to the Contractor, aftermaking deduction therefrom in respect of any sum due to the Trustees from the Contractor.

10. <u>INTERPRETATION OF CONTRACT DOCUMENTS</u>, <u>DISPUTES</u> <u>&ARBITRATION</u>

10.1. In all disputes, matters, claims, demands or questions arising out of orconnected with the interpretation of the Contract including the meaning of Specifications and Instructions or as to the quality of workmanship or as to the materials used in the work or the execution of the work whether during the progress of the work or after the completion and whether before or after the determination, abandonment or breach of the contract the decision of the Engineer shall be final and binding on all parties to the contract and shall for the with begiven effect to by the Contractor.

- 10.2. If, the Contractor be dissatisfied with any such decision of the Engineer,he shall within 15 days after receiving notice of such decision require that thematter shall be referred to Chairman, who shall thereupon consider and give adecision.
- 10.3. If , however , the contractor be still dissatisfied with the decision of the Chairman , he shall, within 15 days after receiving notice of such decision required that within 60 days from his written notice, the Chairman shall refer the matter to an Arbitrator of the panel of Arbitrators to be maintained by the Trustees for the purpose and any such reference shall be deemed to be a submission to arbitration within the meaning of Indian Arbitration Act, 1940 or any statutory modification thereof.
 - 10.3.1 If the Arbitrator so appointed is unable or unwilling to act or resigns hisappointment or vacates his office due to any reason whatsoever, anotherperson from panel shall be appointed as Sole Arbitrator and he shallproceedfromthestageatwhichitwasleftbyhispredecessor.
 - **10.3.2** The Arbitrator shall be deemed to have entered on reference on the dateheissuesnoticetoboththepartiesfixingthedateoffirsthearing.
 - 10.3.3 The time limit within which the Arbitrator shall submit his award shallnormally be 4 months as provided in Indian Arbitration Act, 1940 or anyamendmentthereof. The Arbitrator may, if found necessary, enlarge the time formaking and publishing the award, with the consent of the parties.
 - 10.3.4 The Venue of the arbitration shall be Kolkata or as may be fixed by the Arbitrator in his sole discretion. Upon every or any such reference to cost of any incidental to the reference and award respectively shall be indiscretion of the Arbitrator who may determine, the amount thereofor by whom and to whom and in what manner the same shall be borne and paid.
 - 10.3.5 The Award of the Arbitrator shall be final and binding on all parties subject to provisions of the Indian Arbitration Act, anyamendmentthereof. The Arbitratorshall give a separate award in respect of each claim item of disputes and respective referred to him by eachpartyandgivereasonfortheaward.
 - **10.3.6** The Arbitrator shall consider the claims of all the parties to the contractwithin only the parameters of scope and conditions of the contract inquestion.
 - 10.3.7 Saveasotherwiseprovided in the contract the provisions of the Arbitration Act, 1940 and rules made there under, for the time being inforce, shall apply to the arbitration proceedings under this Clause.
- 10.4. The Contractor shall not suspend or delay the work and proceed with thework with due diligence in accordance with Engineer's decisions. The Engineeralsoshallnotwithholdanypayment, which, according to him, is due or payable

to the Contractor, on the ground that certain disputes have cropped up and are likely to be referred to arbitration.

10.5. Providedalwaysasfollows:

- (a) Nothing of the provisions in paragraphs 8.3 to 8.3.7 hereinabove wouldapply in the case of contracts, where tendered amount appearing in the letter ofacceptanceofthetender/offerislessthanRs.40,00,000/-.
- (b) The Contractor shall have to raise disputes or differences of any kindwhatsoever in relation to the execution of the work to the Engineer within 30days from the date of occurrence of the cause of dispute and before the preparation of the final bill, giving detailed justifications, in the context of contract conditions.
- (c) Contractor's dispute, if any, arising only during the maintenance periodstipulated in the contract, must be submitted to the Engineer, with detailedjustifications in the context of contract Conditions, before the final completion of the work. No dispute or difference on any matter whatsoever, pertaining to the contract can be raised by the contractor after the completion of the work.
- (d) Contractor's claim / dispute raised beyond the time limits prescribed insubclauses 8.5 (b) and 8.5 (c) hereinabove, shall not be entertained by the Engineer and/or by any Arbitrator, subsequently.
- (e) The Chairman/Trustees shall have the right to alter the panel of Arbitrators on their soledi scretion, by adding the names of existing Arbitrators, without any reference to the Contractor.

THEBOARDOFTRUSTEESFORTHEPORTOFKOLKATAFOR MOFTENDER

	CONTRACTNO	
Го,		
	I/	
We		
		of

having examined the site of works, inspected the Drawings and read the Specifications, General and Special Conditions of Contract and Conditions of Tender, herebyte nder and undertake to execute and complete all the works required to be performed in accordance with the Specification, Bill of Quantities, General & Special Conditions of Contract

THETOTALAMOUNTOFTENDERRs(NotTobefilledup)

(Repeatinwords) (Nottobefilledup)	********
*	
************	*****
*I/We require days/mo andprocure the materials required by the work fro beforeI/WecouldcommencetheWork.	
(*Thisshouldbescoredoutinthecaseoflabourd	contracts)
I/We have deposited with the Trust AccountsOfficer/Manager(Finance),HaldiaDockCo	omplexvideReceiptNo
I/We agree that period for which thacceptanceshallnotbelessthanfourmonths.	ne Tender shall remain open for
Witness: Signature	SignatureoftheTenderer (SealoftheTenderer) NameoftheTenderer
N	
Name	InBlockLetters)(I
nBlockLetters)	
Address	Dated
	Address
Occupatio	
n	

THEBOARDOFTRUSTEESFORTHEPORTOFKOLKATA

FORMOFAGREEMENT

THIS AGREEMENT made this
tenanceofsuchworkNOWTHISAGREEMENTWITNESSETHasfollows: 1. In this Agreement words and expressions shall have the same meanings a arerespectively assigned to them in General Conditions of Contract hereinafterreferredto. 2. The following documents shall be deemed to from and be read and construct aspartofthis Agreement,viz. (a) ThesaidTender/Offer&theacceptanceoftheTender/Offer (b) TheGeneralConditionsofContract (c) TheSpecialConditionsofContract (d) TheConditionsofTender (e) TheTechnicalSpecifications (f) TheScheduleofRates (g) TheTermsofPayment (h) Allcorrespondencebywhich,thecontractisadded,amended,variedormodifie din anywaybymutualconsent.

- 3. In consideration of the payments to be made by the Trustees to the Contractor ashereinafter mentioned , the Contractor hereby covenant with the Trustees toexecuteandmaintain the work in conformity in all respects with the provisionsofthecontract.
- 4. The Trustees hereby covenants to pay to the Contractor, in consideration of suchexecution and maintenance of the Work, the Contract Prices at the times and inthemannerprescribed by the Contract.

INWITNESS where of of the parties here to have caused their respective Common Sealst

obehereuntoaffixed(arfirstabovewritten.	orhavehereuntosettheirrespectivehand	dsandseals)thedayandye
The		Seal
Washereuntoaffixedinthepre	senceof:	
Name		
Address		
•••••		
	<u>Or</u>	
SIC	GNED, SEALEDAND DELIVERED	
•	.1	• 1
by	the	said
		•••••
•		
Level and a second		
Inthepresenceof:		
Name		
A ddragg:		
Address.		
••••		
The Common Seal of the Truste	eswashereuntoaffixedinthepresenceo	f·
The Commonseurojine Truste	eswasnereamoayjmeaninepresenceo	<i>)</i> .
Name		
1 Wille		
Address:		

KOLKATAPORTTRUST

FORMG.C.1

Contractor	
A 11	
eofCompletion	
······	
DearSir/s,	
Thisistocertifythatthefollo	wingworksviz.
NameoftheWork	
mateNumberE.E.O	dt dt
WorkOrderNumber	
	Al
location	
ntractNumber	Co
Whichwascarriedoutbyyouisinthe espectontheDayofaccordancewithclause62oftheGeneralCon	opinionoftheundersignedcompletingineveryr
Fromtheda	yof20
Totheda	yof20
	Signature() (Engineer/Engineer'sRepresentative)
Name	
Designa	tion
	OfficeSeal
c.c.toTheDeputyChiefEngineer(= === >
)TheD	
eputyManager()	
FinancialAdviser&ChiefAccountsO	
ager(Finance),HaldiaDockComple	X.

KOLKATAPORTTRUST

FORMG.C.2

The Financial Adviser & Chief Accounts Officer. The Manager (finance), Haldia Dock Complex.

CERTIFICATEOFFINAL COMPLETION

Thisistocertifythatthefollowingworksviz.

NameofWork	
EstimateNo.E.E.O.No	dt
C.E.O.No	dt
WorkOrderNo	dt
ContractNo.	
Resoln.No&MeetingNo	
	.Allocat
ion	
Messrs	isnowcompleteinever ontractandthatalltheobligationsunderContr
acthavebeenfulfilledbytheContractor.	e
•	Signature() (Engineer/Engineer'sRepresentative)
Name	
Designat	ion

KOLKATAPORTTRUST

FORMG.C.3

(`NoClaim' Certificate From Contractor)

The EngineerKolkataP ortTrustKolkata/H aldia
(Attn:)
(Address,theTrustees'Official,mentionedinthe workOrderandunderwhomtheContract wasexecuted)
DearSir,
I/We do here by declare that I/We have received full and final payment from Kolkata Port Trust for the execution of the following work, viz.
NameofWork
WorkOrderNodt.
ContractNo
Yoursfaithfully,
(SignatureofContractor)
Date
NameofContractor
Address
(OfficialSealoftheContractor)

Draft Proforma of Bank Guarantee (Performance Bond) in lieu of cash SecurityDeposit, to be issued by the Kolkata/Haldia Branch, as the case may be, of anynationalizedBankofIndiaonNon-JudicialStampPaperworthRs.50/orasdecidedbytheEngineer/LegalAdviseroftheTrustees.

То
The Board of
TrusteesforthePortofK
olkata.
BANKGUARANTEE
NODATE
NameofissuingBank
Na meofBranchNa
Addro
S

In consideration of the Board of Trustees of the Port Kolkata, a body corporate- dulyconstituted under the Major port Trust Act, 1963 (Act38of 1963),having agreed toexempt Shri / Messrs
aproprietary/Partne
rship/Limited/RegisteredCompany,havingitsRegisteredOfficeat
(hereinafter referred to as "The Contractor") from cash payment of Security Deposit /Payment of Security Deposit through deduction from the Contractors' bills under the the through deduction from the Contractor of the C
thework as per Work Order) in terms of the Work order No
ated(hereinafter
referredtoas"thesaidcontract"),fortheduefulfillmentbythecontractorofallthetermsandcond itionscontainedinthesaidcontract,onsubmissionofabankGuaranteeforRs
(Rupees
)we,Branch,Kol kata/Haldia,doontheadviseofthecontractor,herebyunderta ketoindemnifyandkeepindemnifiedtheTrusteestotheextentofthesaidsumofRs
(Rupees
)

We......Branch,Kolkata

a Port	Trust", without any demur. Even if there be any dispute between the contractor he Trustees, this would be no ground for us,
theBa or fai	
ar de to af he	We,
3 sh th ce an an or an	Branch, Kolkata
ttt af po th fu waar 4. WB B co or th	dayof

	any such variation or extension being granted to the contractor or for any fore- bearance, act or commission on the part of the Trustees or any indulgence by
	the Trustees to the contractor or by any such matter or thing of what so ever nature, which under the trustees to the contractor or by any such matter or thing of what so ever nature, which under the trustees to the contractor or by any such matter or thing of what so ever nature, which under the trustees to the contractor or by any such matter or thing of what so ever nature, which under the contractor or by any such matter or thing of what so ever nature, which under the contractor of the contractor or by any such matter or thing of what so ever nature, which under the contractor of the contract
	r the law relating to sureties would, but for this provision, have effect of sorelieving
	us,Branch,
	Kolkata/Haldia.
5.	We Branch, Kolkata
	/Haldia,lastlyundertake not torevoke this Bank Guarantee
	· · · · · · · · · · · · · · · · · · ·
	duringitscurrencyexceptwiththepreviousconsentoftheTrusteesinwriting.
	SIGNATURE
	NAME
	DESIGNATION
	DESIGNATION
	(D. 1
	(Dulyconstitutedattorneyforandonbehalfof)BA
	NK
	BRANCH
	Kolkata/HALDIA.

(OFFICIALSEALOFTHEBANK)

Integrity Pact

Between

Syama Prasad Mookerjee Port, Kolkata (SMPK) hereinafter referred to as "The Principal/ <u>Employer".</u>

<u>And</u>
hereinafter referred to as "The Bidder/Contractor"

Preamble

In order to achieve these goals, an Independent External Monitor (IEM) appointed by the principal, will monitor the tender process and the execution of the contract for compliance with the principles mentioned above.

NOW, THEREFORE,

To avoid all forms of corruption by following a system that is fair, transparent and free from any influence/prejudiced dealings prior to, during and subsequent to the currency of the contract to be entered into with a view to:-

Enabling the PRINCIPAL/EMPLOYER to get the contractual work executed and/or to obtain/dispose the desired said stores/ equipment at a competitive price in conformity with the defined specifications/ scope of work by avoiding the high cost and the distortionary impact of corruption on such work /procurement/ disposal and Enabling BIDDERs/ CONTRACTORs to abstain from bribing or indulging in any corrupt practice in order to secure the contract by providing assurance to them that their competitors will also abstain from bribing and other corrupt practices and the PRINCIPAL/EMPLOYER will commit to prevent corruption, in any form, by its officials by following transparent procedures.

Section 1 – Commitments of the Principal/ Employer.

- (1) The Principal commits itself to take measures necessary to prevent corruption and to observe the following principles:
- 1. No employee of the Principal, personally or through family members, will in connection with the tender for, or the execution of a contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.
- 2. The Principal will, during the tender process treat all Bidder(s) with equity and reason.

The Principal will, in particular, before and during the tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential/ additional information through which the Bidder(s) could obtain an advantage in relation to the tender process or the contract execution.

- 3. The Principal will exclude from the process all known prejudiced persons.
- (2). If the Principal obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal Code (IPC)/Prevention of Corruption (PC) Act, or if there be a substantive suspicion in this regard, the Principal will inform the Chief Vigilance Officer and in addition can initiate disciplinary actions.

Section-2 – Commitments of the Bidder(s) / Contractor(s)

- (1) The Bidder(s)/Contractor(s) commit himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the tender process and during the contract execution.
- a. The Bidder(s) /Contractor(s) will not directly or through any other person or firm, offer, promise or give to any of the Principal's employees involved in the tender process or the execution of the contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the tender process or during the execution of the contract.
- b. The Bidder(s)/Contractor(s) will not enter with other Bidders into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contract, submission or non-submission of bids or any other actions to restrict competitiveness or to introduce cartelization in the bidding process.
- c. The Bidder(s)/Contractor(s) will not commit any offence under the relevant IPC/PC Act; further the Bidder(s)/Contractor(s) will not use improperly, for purposes of competition or personal gain, or pass on to others, any information or document provided by the Principal as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
- d. The Bidder(s)/Contractor(s) of foreign origin shall disclose the name and address of the Agents/representatives in India, if any. Similarly the Bidder(s)/Contractor(s) of Indian Nationality shall furnish the name and address of the foreign principles, if any. Further details as mentioned in the "Guidelines on Indian Agents of Foreign Suppliers" shall be disclosed by the Bidder(s)/Contractor(s). Further, as mentioned in the Guidelines, all the payments made to the Indian agent/representative have to be in Indian Rupees only. Copy of the "Guidelines on Indian Agents of Foreign Suppliers" is annexed and marked as Annex-A.
- e. The Bidder(s)/Contractor(s) will when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the contract.

(2). The Bidder(s)/Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.

Section-3-Disqualification from tender process and exclusion from future contracts

If the Bidder(s)/Contractor(s) before award or during execution has committed a transgression through a violation of Section 2 above, or in any other form such as to put his reliability or credibility in question, the Principal is entitled to disqualify the Bidder(s)/Contractor(s) from the tender process or take action as considered appropriate.

Section 4-Compensation for damages

- (1) If the Principal has disqualified the Bidder(s) from the tender process prior to the award according to Section 3, the Principal is entitled to demand and recover the damages equivalent to Earnest Money Deposit/Bid Security.
- (2) If the Principal has terminated the contract according to Section 3 or if the Principal is entitled to terminate the contract according to Section 3, the Principal shall be entitled to demand and recover from the Contractor liquidated damages of the contract value or the amount equivalent to Performance Bank Guarantee.

Section 5-Previous transgression

- (1) The Bidder declares that no previous transgressions occurred in the last 3 years from the date of signing the Integrity pact with any other Company in any country conforming to the anti corruption approach or with any other Public Sector Undertaking / Enterprise in India, Major Ports/ Govt. Departments of India that could justify his exclusion from the tender process.
- (2) If the Bidder makes incorrect statement on this subject, he can be disqualified from the tender process or action can be taken as considered appropriate.

Section 6- Equal treatment of all Bidders/Contractors/Sub-Contractors

- (1) The Bidder(s)/Contractor(s) undertake(s) to demand from all subcontractors a commitment in conformity with this Integrity Pact, and to submit it to the Principal before contract signing.
- (2) The Principal, will enter into agreements with identical conditions as this one with all Bidders, Contractors and Sub-contractors.
- (3) The Principal will disqualify from the tender process all bidders who do not sign this Pact or violate its provisions.

Section 7- Other Legal actions against violating Bidder(s)/ Contractor(s)/ Sub Contractor(s)

The actions stipulated in this Integrity pact are without prejudice to any other legal action that may follow in accordance with provisions of the extant law in force relating to any civil or criminal proceedings.

Section 8 – Role of Independent External Monitor(IEM):

- (a) The task of the Monitors shall be to review independently and objectively, whether and to what extent the parties comply with the obligations under this pact.
- (b) The Monitors shall not be subject to instructions by the representatives of the parties and shall perform their functions neutrally and independently.
- (c) Both the parties accept that the Monitors have the right to access all the documents relating to the contract.
- (d) As soon as the Monitor notices, or has reason to believe, a violation of this pact, he will so inform the authority designated by the Principal and the Chief Vigilance Officer of Kolkata Prot Trust.
- (e) The BIDDER/ CONTRACTOR(s) accepts that the Monitor has the right to access without restriction to all contract documentation of the PRINCIPAL including that provided by the BIDDER/ CONTRACTOR. The BIDDER/ CONTRACTOR will also grant the Monitor, upon his request and demonstration of a valid interest, unrestricted and unconditional access to his contract documentation, if any. The same is applicable to sub-contractors. The Monitor shall be under contractual obligation to treat the information and documents of the Bidder/Contractor/ Sub-contractor(s) with confidentiality.
- (f) The Principal/ Employer will provide to the Monitor sufficient information about all meetings among the parties related to the contract provided such meetings could have an impact on the contractual relations between the Principal and the Contractor. The parties offer to the Monitor, the option to participate in such meetings.
- (g) The Monitor will submit a written report to the designated Authority of Principal/Employer/ Chief Vigilance Officer of Syama Prasad Mookerjee Port, Kolkata within 8 to 10 weeks from the date of reference or intimation to him by the Principal/Employer/Bidder/Contractor and should the occasion arise, submit proposals for correcting problematic situation. BIDDER/CONTRACTOR can approach the Independent External Monitor (s) appointed for the purposes of this Pact.
- (h) As soon as the Monitor notices, or believes to notice, a violation of this agreement, he will so inform the Management of the Principal and request the Management to discontinue or to take corrective action, or to take other relevant action. The Monitor can in this regard submit non-binding recommendations. Beyond this, the Monitor has no right to demand from the parties that they act in a specific manner, refrain from action or tolerate action.
- (i) If the Monitor has reported to the Principal substantiated suspicion of an offence under the relevant

IPC/PCA, and the Principal/ Employer has not, within reasonable time, taken visible action to proceed against such offence or reported to the Chief Vigilance Officer, the Monitor may also transmit this

information directly to the Central Vigilance Commissioner, Government of India.

(j) The word 'Monitor' would include both singular and plural.

8.a) The Name and Correspondence Particulars of Independent External Monitors:

a) Shri Anand Deep; IRS (Retd)

117/363, H — 1, Next to Gurdwara

Pandu Nagar, Kanpur, Uttar Pradesh — 208 005 Mobile: 9044797181

Mail: anand.deep117@gmail.com 103 b) Shri Bipin Behari Mallick, IAS, (Retd)

293, Naval Technical Officers,

CGHS, Sector-22

Dwarka

New Delhi-110077 Mobile: 9643002222

9968150900

E-mail ID : bipinmallick@gmail.com

Section 9 – Facilitation of Investigation:

In case of any allegation of violation of any provisions of this Pact or payment of commission, the PRINCIPAL/EMPLOYER or its agencies shall be entitled to examine all the documents including the Books of Accounts of the BIDDER/CONTRACTORS and the BIDDER/CONTRACTOR shall provide necessary information and documents in English and shall extend all possible help for the purpose of such examination.

Section 10 – Pact Duration:

The pact beings with when both parties have legally signed it and will extend upto 2 years or the complete execution of the contract including warranty period whichever is later. In case bidder/contractor is unsuccessful this Integrity Pact shall expire after 6 months from the date of signing of the contract.

If any claim is made/lodged during this time, the same shall be binding and continue to be valid despite the lapse of this pact as specified above, unless it is discharged/determined by Chairman, SMPK.[

Section 11 – Other Provisions:

- (1) This agreement is subject to Indian Law. Place of performance and jurisdiction is the Registered Office of the Principal in Kolkata.
- (2) Changes and supplements as well as termination notices need to be made in writing in English.
- (3) If the Contractor is a partnership or a consortium, this agreement must be signed by all partners or consortium members.

(4) Should one or several provisions of this agreement turn out to be invalid, the reminder of this agreement remains valid. In this case, the parties will strive to come to an agreement to their original

intentions.

(For & on behalf of the Principa	(For & on behalf of Bidder/Contractor)
(Office Seal)	(Office Seal)
Place:	
Date:	
Witness 1:	
(Name & Address	s)
Witness 2:	
(Name & Address	s)